

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.289	0.1445
19	192.5 ≤* < 197.5	156.00000	6.72998	0.283	0.1415
18	187.5 ≤* < 192.5	152.00000	6.58211	0.276	0.1380
17	182.5 ≤* < 187.5	148.00000	6.43424	0.270	0.1350
16	177.5 ≤* < 182.5	144.00000	6.28637	0.264	0.1320
15	172.5 ≤* < 177.5	140.00000	6.13850	0.258	0.1290
14	167.5 ≤* < 172.5	136.00000	5.99063	0.252	0.1260
13	162.5 ≤* < 167.5	132.00000	5.84276	0.245	0.1225
12	157.5 ≤* < 162.5	128.00000	5.69489	0.239	0.1195
11	152.5 ≤* < 157.5	124.00000	5.54702	0.233	0.1165
10	147.5 ≤* < 152.5	120.00000	5.39915	0.227	0.1135
9	142.5 ≤* < 147.5	116.00000	5.25128	0.221	0.1105
8	137.5 ≤* < 142.5	112.00000	5.10340	0.214	0.1070
7	132.5 ≤* < 137.5	108.00000	4.95553	0.208	0.1040
6	127.5 ≤* < 132.5	104.00000	4.80766	0.202	0.1010
5	122.5 ≤* < 127.5	100.00000	4.65979	0.196	0.0980
4	117.5 ≤* < 122.5	96.00000	4.51192	0.190	0.0950
3	112.5 ≤* < 117.5	92.00000	4.36405	0.183	0.0915
2	107.5 ≤* < 112.5	88.00000	4.21618	0.177	0.0885
1	102.5 ≤* < 107.5	84.00000	4.06831	0.171	0.0855
0	97.5 ≤* < 102.5	80.00000	3.92044	0.165	0.0825
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.158	0.0790
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.152	0.0760
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.146	0.0730
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.140	0.0700
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.134	0.0670
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.127	0.0635
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.121	0.0605
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.115	0.0575
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.109	0.0545
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.103	0.0515
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.096	0.0480
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.090	0.0450
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.084	0.0420
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.078	0.0390
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.071	0.0355
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.065	0.0325
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.059	0.0295
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.053	0.0265
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.047	0.0235
-20	0 ≤* < 2.5	1.00000	1.00000	0.042	0.0210
		平均値		標準率	
		28.05069	2.00000	0.084	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.251	0.1255
19	192.5 ≤* < 197.5	156.00000	6.72998	0.246	0.1230
18	187.5 ≤* < 192.5	152.00000	6.58211	0.240	0.1200
17	182.5 ≤* < 187.5	148.00000	6.43424	0.235	0.1175
16	177.5 ≤* < 182.5	144.00000	6.28637	0.229	0.1145
15	172.5 ≤* < 177.5	140.00000	6.13850	0.224	0.1120
14	167.5 ≤* < 172.5	136.00000	5.99063	0.219	0.1095
13	162.5 ≤* < 167.5	132.00000	5.84276	0.213	0.1065
12	157.5 ≤* < 162.5	128.00000	5.69489	0.208	0.1040
11	152.5 ≤* < 157.5	124.00000	5.54702	0.202	0.1010
10	147.5 ≤* < 152.5	120.00000	5.39915	0.197	0.0985
9	142.5 ≤* < 147.5	116.00000	5.25128	0.192	0.0960
8	137.5 ≤* < 142.5	112.00000	5.10340	0.186	0.0930
7	132.5 ≤* < 137.5	108.00000	4.95553	0.181	0.0905
6	127.5 ≤* < 132.5	104.00000	4.80766	0.175	0.0875
5	122.5 ≤* < 127.5	100.00000	4.65979	0.170	0.0850
4	117.5 ≤* < 122.5	96.00000	4.51192	0.165	0.0825
3	112.5 ≤* < 117.5	92.00000	4.36405	0.159	0.0795
2	107.5 ≤* < 112.5	88.00000	4.21618	0.154	0.0770
1	102.5 ≤* < 107.5	84.00000	4.06831	0.148	0.0740
0	97.5 ≤* < 102.5	80.00000	3.92044	0.143	0.0715
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.138	0.0690
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.132	0.0660
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.127	0.0635
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.122	0.0610
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.116	0.0580
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.111	0.0555
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.105	0.0525
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.100	0.0500
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.095	0.0475
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.089	0.0445
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.084	0.0420
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.078	0.0390
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.073	0.0365
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.068	0.0340
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.062	0.0310
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.057	0.0285
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.051	0.0255
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.046	0.0230
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.041	0.0205
-20	0 ≤* < 2.5	1.00000	1.00000	0.036	0.0180
		平均値		標準率	
		28.05069	2.00000	0.073	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.230	0.1150
19	192.5 ≤* < 197.5	156.00000	6.72998	0.225	0.1125
18	187.5 ≤* < 192.5	152.00000	6.58211	0.221	0.1105
17	182.5 ≤* < 187.5	148.00000	6.43424	0.216	0.1080
16	177.5 ≤* < 182.5	144.00000	6.28637	0.211	0.1055
15	172.5 ≤* < 177.5	140.00000	6.13850	0.206	0.1030
14	167.5 ≤* < 172.5	136.00000	5.99063	0.201	0.1005
13	162.5 ≤* < 167.5	132.00000	5.84276	0.196	0.0980
12	157.5 ≤* < 162.5	128.00000	5.69489	0.191	0.0955
11	152.5 ≤* < 157.5	124.00000	5.54702	0.186	0.0930
10	147.5 ≤* < 152.5	120.00000	5.39915	0.181	0.0905
9	142.5 ≤* < 147.5	116.00000	5.25128	0.176	0.0880
8	137.5 ≤* < 142.5	112.00000	5.10340	0.171	0.0855
7	132.5 ≤* < 137.5	108.00000	4.95553	0.166	0.0830
6	127.5 ≤* < 132.5	104.00000	4.80766	0.161	0.0805
5	122.5 ≤* < 127.5	100.00000	4.65979	0.156	0.0780
4	117.5 ≤* < 122.5	96.00000	4.51192	0.151	0.0755
3	112.5 ≤* < 117.5	92.00000	4.36405	0.146	0.0730
2	107.5 ≤* < 112.5	88.00000	4.21618	0.141	0.0705
1	102.5 ≤* < 107.5	84.00000	4.06831	0.136	0.0680
0	97.5 ≤* < 102.5	80.00000	3.92044	0.131	0.0655
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.126	0.0630
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.121	0.0605
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.116	0.0580
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.112	0.0560
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.107	0.0535
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.102	0.0510
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.097	0.0485
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.092	0.0460
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.087	0.0435
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.082	0.0410
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.077	0.0385
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.072	0.0360
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.067	0.0335
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.062	0.0310
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.057	0.0285
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.052	0.0260
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.047	0.0235
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.042	0.0210
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.037	0.0185
-20	0 ≤* < 2.5	1.00000	1.00000	0.033	0.0165
		平均値		標準率	
		28.05069	2.00000	0.067	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.151	0.0755
19	192.5 ≤* < 197.5	156.00000	6.72998	0.148	0.0740
18	187.5 ≤* < 192.5	152.00000	6.58211	0.145	0.0725
17	182.5 ≤* < 187.5	148.00000	6.43424	0.142	0.0710
16	177.5 ≤* < 182.5	144.00000	6.28637	0.138	0.0690
15	172.5 ≤* < 177.5	140.00000	6.13850	0.135	0.0675
14	167.5 ≤* < 172.5	136.00000	5.99063	0.132	0.0660
13	162.5 ≤* < 167.5	132.00000	5.84276	0.129	0.0645
12	157.5 ≤* < 162.5	128.00000	5.69489	0.125	0.0625
11	152.5 ≤* < 157.5	124.00000	5.54702	0.122	0.0610
10	147.5 ≤* < 152.5	120.00000	5.39915	0.119	0.0595
9	142.5 ≤* < 147.5	116.00000	5.25128	0.116	0.0580
8	137.5 ≤* < 142.5	112.00000	5.10340	0.112	0.0560
7	132.5 ≤* < 137.5	108.00000	4.95553	0.109	0.0545
6	127.5 ≤* < 132.5	104.00000	4.80766	0.106	0.0530
5	122.5 ≤* < 127.5	100.00000	4.65979	0.103	0.0515
4	117.5 ≤* < 122.5	96.00000	4.51192	0.099	0.0495
3	112.5 ≤* < 117.5	92.00000	4.36405	0.096	0.0480
2	107.5 ≤* < 112.5	88.00000	4.21618	0.093	0.0465
1	102.5 ≤* < 107.5	84.00000	4.06831	0.090	0.0450
0	97.5 ≤* < 102.5	80.00000	3.92044	0.086	0.0430
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.083	0.0415
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.080	0.0400
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.076	0.0380
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.073	0.0365
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.070	0.0350
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.067	0.0335
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.063	0.0315
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.060	0.0300
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.057	0.0285
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.054	0.0270
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.050	0.0250
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.047	0.0235
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.044	0.0220
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.041	0.0205
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.037	0.0185
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.034	0.0170
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.031	0.0155
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.028	0.0140
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.024	0.0120
-20	0 ≤* < 2.5	1.00000	1.00000	0.022	0.0110
		平均値		標準率	
		28.05069	2.00000	0.044	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.086	0.0430
19	192.5 ≤* < 197.5	156.00000	6.72998	0.084	0.0420
18	187.5 ≤* < 192.5	152.00000	6.58211	0.082	0.0410
17	182.5 ≤* < 187.5	148.00000	6.43424	0.080	0.0400
16	177.5 ≤* < 182.5	144.00000	6.28637	0.079	0.0395
15	172.5 ≤* < 177.5	140.00000	6.13850	0.077	0.0385
14	167.5 ≤* < 172.5	136.00000	5.99063	0.075	0.0375
13	162.5 ≤* < 167.5	132.00000	5.84276	0.073	0.0365
12	157.5 ≤* < 162.5	128.00000	5.69489	0.071	0.0355
11	152.5 ≤* < 157.5	124.00000	5.54702	0.069	0.0345
10	147.5 ≤* < 152.5	120.00000	5.39915	0.067	0.0335
9	142.5 ≤* < 147.5	116.00000	5.25128	0.066	0.0330
8	137.5 ≤* < 142.5	112.00000	5.10340	0.064	0.0320
7	132.5 ≤* < 137.5	108.00000	4.95553	0.062	0.0310
6	127.5 ≤* < 132.5	104.00000	4.80766	0.060	0.0300
5	122.5 ≤* < 127.5	100.00000	4.65979	0.058	0.0290
4	117.5 ≤* < 122.5	96.00000	4.51192	0.056	0.0280
3	112.5 ≤* < 117.5	92.00000	4.36405	0.055	0.0275
2	107.5 ≤* < 112.5	88.00000	4.21618	0.053	0.0265
1	102.5 ≤* < 107.5	84.00000	4.06831	0.051	0.0255
0	97.5 ≤* < 102.5	80.00000	3.92044	0.049	0.0245
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.047	0.0235
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.045	0.0225
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.043	0.0215
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.042	0.0210
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.040	0.0200
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.038	0.0190
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.036	0.0180
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.034	0.0170
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.032	0.0160
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.031	0.0155
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.029	0.0145
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.027	0.0135
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.025	0.0125
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.023	0.0115
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.021	0.0105
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.019	0.0095
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.018	0.0090
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.016	0.0080
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.014	0.0070
-20	0 ≤* < 2.5	1.00000	1.00000	0.012	0.0060
		平均値		標準率	
		28.05069	2.00000	0.025	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	11.146	5.5730
19	192.5 ≤* < 197.5	156.00000	6.72998	10.906	5.4530
18	187.5 ≤* < 192.5	152.00000	6.58211	10.666	5.3330
17	182.5 ≤* < 187.5	148.00000	6.43424	10.427	5.2135
16	177.5 ≤* < 182.5	144.00000	6.28637	10.187	5.0935
15	172.5 ≤* < 177.5	140.00000	6.13850	9.947	4.9735
14	167.5 ≤* < 172.5	136.00000	5.99063	9.708	4.8540
13	162.5 ≤* < 167.5	132.00000	5.84276	9.468	4.7340
12	157.5 ≤* < 162.5	128.00000	5.69489	9.229	4.6145
11	152.5 ≤* < 157.5	124.00000	5.54702	8.989	4.4945
10	147.5 ≤* < 152.5	120.00000	5.39915	8.749	4.3745
9	142.5 ≤* < 147.5	116.00000	5.25128	8.510	4.2550
8	137.5 ≤* < 142.5	112.00000	5.10340	8.270	4.1350
7	132.5 ≤* < 137.5	108.00000	4.95553	8.030	4.0150
6	127.5 ≤* < 132.5	104.00000	4.80766	7.791	3.8955
5	122.5 ≤* < 127.5	100.00000	4.65979	7.551	3.7755
4	117.5 ≤* < 122.5	96.00000	4.51192	7.312	3.6560
3	112.5 ≤* < 117.5	92.00000	4.36405	7.072	3.5360
2	107.5 ≤* < 112.5	88.00000	4.21618	6.832	3.4160
1	102.5 ≤* < 107.5	84.00000	4.06831	6.593	3.2965
0	97.5 ≤* < 102.5	80.00000	3.92044	6.353	3.1765
-1	92.5 ≤* < 97.5	76.00000	3.77257	6.113	3.0565
-2	87.5 ≤* < 92.5	72.00000	3.62470	5.874	2.9370
-3	82.5 ≤* < 87.5	68.00000	3.47683	5.634	2.8170
-4	77.5 ≤* < 82.5	64.00000	3.32896	5.395	2.6975
-5	72.5 ≤* < 77.5	60.00000	3.18109	5.155	2.5775
-6	67.5 ≤* < 72.5	56.00000	3.03322	4.915	2.4575
-7	62.5 ≤* < 67.5	52.00000	2.88535	4.676	2.3380
-8	57.5 ≤* < 62.5	48.00000	2.73748	4.436	2.2180
-9	52.5 ≤* < 57.5	44.00000	2.58961	4.196	2.0980
-10	47.5 ≤* < 52.5	40.00000	2.44174	3.957	1.9785
-11	42.5 ≤* < 47.5	36.00000	2.29387	3.717	1.8585
-12	37.5 ≤* < 42.5	32.00000	2.14600	3.478	1.7390
-13	32.5 ≤* < 37.5	28.00000	1.99813	3.238	1.6190
-14	27.5 ≤* < 32.5	24.00000	1.85026	2.998	1.4990
-15	22.5 ≤* < 27.5	20.00000	1.70238	2.759	1.3795
-16	17.5 ≤* < 22.5	16.00000	1.55451	2.519	1.2595
-17	12.5 ≤* < 17.5	12.00000	1.40664	2.279	1.1395
-18	7.5 ≤* < 12.5	8.00000	1.25877	2.040	1.0200
-19	2.5 ≤* < 7.5	4.00000	1.11090	1.800	0.9000
-20	0 ≤* < 2.5	1.00000	1.00000	1.620	0.8100
		平均値		標準率	
		28.05069	2.00000	3.241	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	8.831	4.4155
19	192.5 ≤* < 197.5	156.00000	6.72998	8.641	4.3205
18	187.5 ≤* < 192.5	152.00000	6.58211	8.451	4.2255
17	182.5 ≤* < 187.5	148.00000	6.43424	8.262	4.1310
16	177.5 ≤* < 182.5	144.00000	6.28637	8.072	4.0360
15	172.5 ≤* < 177.5	140.00000	6.13850	7.882	3.9410
14	167.5 ≤* < 172.5	136.00000	5.99063	7.692	3.8460
13	162.5 ≤* < 167.5	132.00000	5.84276	7.502	3.7510
12	157.5 ≤* < 162.5	128.00000	5.69489	7.312	3.6560
11	152.5 ≤* < 157.5	124.00000	5.54702	7.122	3.5610
10	147.5 ≤* < 152.5	120.00000	5.39915	6.933	3.4665
9	142.5 ≤* < 147.5	116.00000	5.25128	6.743	3.3715
8	137.5 ≤* < 142.5	112.00000	5.10340	6.553	3.2765
7	132.5 ≤* < 137.5	108.00000	4.95553	6.363	3.1815
6	127.5 ≤* < 132.5	104.00000	4.80766	6.173	3.0865
5	122.5 ≤* < 127.5	100.00000	4.65979	5.983	2.9915
4	117.5 ≤* < 122.5	96.00000	4.51192	5.793	2.8965
3	112.5 ≤* < 117.5	92.00000	4.36405	5.603	2.8015
2	107.5 ≤* < 112.5	88.00000	4.21618	5.414	2.7070
1	102.5 ≤* < 107.5	84.00000	4.06831	5.224	2.6120
0	97.5 ≤* < 102.5	80.00000	3.92044	5.034	2.5170
-1	92.5 ≤* < 97.5	76.00000	3.77257	4.844	2.4220
-2	87.5 ≤* < 92.5	72.00000	3.62470	4.654	2.3270
-3	82.5 ≤* < 87.5	68.00000	3.47683	4.464	2.2320
-4	77.5 ≤* < 82.5	64.00000	3.32896	4.274	2.1370
-5	72.5 ≤* < 77.5	60.00000	3.18109	4.085	2.0425
-6	67.5 ≤* < 72.5	56.00000	3.03322	3.895	1.9475
-7	62.5 ≤* < 67.5	52.00000	2.88535	3.705	1.8525
-8	57.5 ≤* < 62.5	48.00000	2.73748	3.515	1.7575
-9	52.5 ≤* < 57.5	44.00000	2.58961	3.325	1.6625
-10	47.5 ≤* < 52.5	40.00000	2.44174	3.135	1.5675
-11	42.5 ≤* < 47.5	36.00000	2.29387	2.945	1.4725
-12	37.5 ≤* < 42.5	32.00000	2.14600	2.755	1.3775
-13	32.5 ≤* < 37.5	28.00000	1.99813	2.566	1.2830
-14	27.5 ≤* < 32.5	24.00000	1.85026	2.376	1.1880
-15	22.5 ≤* < 27.5	20.00000	1.70238	2.186	1.0930
-16	17.5 ≤* < 22.5	16.00000	1.55451	1.996	0.9980
-17	12.5 ≤* < 17.5	12.00000	1.40664	1.806	0.9030
-18	7.5 ≤* < 12.5	8.00000	1.25877	1.616	0.8080
-19	2.5 ≤* < 7.5	4.00000	1.11090	1.426	0.7130
-20	0 ≤* < 2.5	1.00000	1.00000	1.284	0.6420
		平均値		標準率	
		28.05069	2.00000	2.568	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	6.661	3.3305
19	192.5 ≤* < 197.5	156.00000	6.72998	6.518	3.2590
18	187.5 ≤* < 192.5	152.00000	6.58211	6.375	3.1875
17	182.5 ≤* < 187.5	148.00000	6.43424	6.232	3.1160
16	177.5 ≤* < 182.5	144.00000	6.28637	6.088	3.0440
15	172.5 ≤* < 177.5	140.00000	6.13850	5.945	2.9725
14	167.5 ≤* < 172.5	136.00000	5.99063	5.802	2.9010
13	162.5 ≤* < 167.5	132.00000	5.84276	5.659	2.8295
12	157.5 ≤* < 162.5	128.00000	5.69489	5.516	2.7580
11	152.5 ≤* < 157.5	124.00000	5.54702	5.372	2.6860
10	147.5 ≤* < 152.5	120.00000	5.39915	5.229	2.6145
9	142.5 ≤* < 147.5	116.00000	5.25128	5.086	2.5430
8	137.5 ≤* < 142.5	112.00000	5.10340	4.943	2.4715
7	132.5 ≤* < 137.5	108.00000	4.95553	4.799	2.3995
6	127.5 ≤* < 132.5	104.00000	4.80766	4.656	2.3280
5	122.5 ≤* < 127.5	100.00000	4.65979	4.513	2.2565
4	117.5 ≤* < 122.5	96.00000	4.51192	4.370	2.1850
3	112.5 ≤* < 117.5	92.00000	4.36405	4.227	2.1135
2	107.5 ≤* < 112.5	88.00000	4.21618	4.083	2.0415
1	102.5 ≤* < 107.5	84.00000	4.06831	3.940	1.9700
0	97.5 ≤* < 102.5	80.00000	3.92044	3.797	1.8985
-1	92.5 ≤* < 97.5	76.00000	3.77257	3.654	1.8270
-2	87.5 ≤* < 92.5	72.00000	3.62470	3.511	1.7555
-3	82.5 ≤* < 87.5	68.00000	3.47683	3.367	1.6835
-4	77.5 ≤* < 82.5	64.00000	3.32896	3.224	1.6120
-5	72.5 ≤* < 77.5	60.00000	3.18109	3.081	1.5405
-6	67.5 ≤* < 72.5	56.00000	3.03322	2.938	1.4690
-7	62.5 ≤* < 67.5	52.00000	2.88535	2.794	1.3970
-8	57.5 ≤* < 62.5	48.00000	2.73748	2.651	1.3255
-9	52.5 ≤* < 57.5	44.00000	2.58961	2.508	1.2540
-10	47.5 ≤* < 52.5	40.00000	2.44174	2.365	1.1825
-11	42.5 ≤* < 47.5	36.00000	2.29387	2.222	1.1110
-12	37.5 ≤* < 42.5	32.00000	2.14600	2.078	1.0390
-13	32.5 ≤* < 37.5	28.00000	1.99813	1.935	0.9675
-14	27.5 ≤* < 32.5	24.00000	1.85026	1.792	0.8960
-15	22.5 ≤* < 27.5	20.00000	1.70238	1.649	0.8245
-16	17.5 ≤* < 22.5	16.00000	1.55451	1.506	0.7530
-17	12.5 ≤* < 17.5	12.00000	1.40664	1.362	0.6810
-18	7.5 ≤* < 12.5	8.00000	1.25877	1.219	0.6095
-19	2.5 ≤* < 7.5	4.00000	1.11090	1.076	0.5380
-20	0 ≤* < 2.5	1.00000	1.00000	0.968	0.4840
		平均値		標準率	
		28.05069	2.00000	1.937	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	5.839	2.9195
19	192.5 ≤* < 197.5	156.00000	6.72998	5.714	2.8570
18	187.5 ≤* < 192.5	152.00000	6.58211	5.588	2.7940
17	182.5 ≤* < 187.5	148.00000	6.43424	5.463	2.7315
16	177.5 ≤* < 182.5	144.00000	6.28637	5.337	2.6685
15	172.5 ≤* < 177.5	140.00000	6.13850	5.212	2.6060
14	167.5 ≤* < 172.5	136.00000	5.99063	5.086	2.5430
13	162.5 ≤* < 167.5	132.00000	5.84276	4.961	2.4805
12	157.5 ≤* < 162.5	128.00000	5.69489	4.835	2.4175
11	152.5 ≤* < 157.5	124.00000	5.54702	4.709	2.3545
10	147.5 ≤* < 152.5	120.00000	5.39915	4.584	2.2920
9	142.5 ≤* < 147.5	116.00000	5.25128	4.458	2.2290
8	137.5 ≤* < 142.5	112.00000	5.10340	4.333	2.1665
7	132.5 ≤* < 137.5	108.00000	4.95553	4.207	2.1035
6	127.5 ≤* < 132.5	104.00000	4.80766	4.082	2.0410
5	122.5 ≤* < 127.5	100.00000	4.65979	3.956	1.9780
4	117.5 ≤* < 122.5	96.00000	4.51192	3.831	1.9155
3	112.5 ≤* < 117.5	92.00000	4.36405	3.705	1.8525
2	107.5 ≤* < 112.5	88.00000	4.21618	3.580	1.7900
1	102.5 ≤* < 107.5	84.00000	4.06831	3.454	1.7270
0	97.5 ≤* < 102.5	80.00000	3.92044	3.328	1.6640
-1	92.5 ≤* < 97.5	76.00000	3.77257	3.203	1.6015
-2	87.5 ≤* < 92.5	72.00000	3.62470	3.077	1.5385
-3	82.5 ≤* < 87.5	68.00000	3.47683	2.952	1.4760
-4	77.5 ≤* < 82.5	64.00000	3.32896	2.826	1.4130
-5	72.5 ≤* < 77.5	60.00000	3.18109	2.701	1.3505
-6	67.5 ≤* < 72.5	56.00000	3.03322	2.575	1.2875
-7	62.5 ≤* < 67.5	52.00000	2.88535	2.450	1.2250
-8	57.5 ≤* < 62.5	48.00000	2.73748	2.324	1.1620
-9	52.5 ≤* < 57.5	44.00000	2.58961	2.199	1.0995
-10	47.5 ≤* < 52.5	40.00000	2.44174	2.073	1.0365
-11	42.5 ≤* < 47.5	36.00000	2.29387	1.947	0.9735
-12	37.5 ≤* < 42.5	32.00000	2.14600	1.822	0.9110
-13	32.5 ≤* < 37.5	28.00000	1.99813	1.696	0.8480
-14	27.5 ≤* < 32.5	24.00000	1.85026	1.571	0.7855
-15	22.5 ≤* < 27.5	20.00000	1.70238	1.445	0.7225
-16	17.5 ≤* < 22.5	16.00000	1.55451	1.320	0.6600
-17	12.5 ≤* < 17.5	12.00000	1.40664	1.194	0.5970
-18	7.5 ≤* < 12.5	8.00000	1.25877	1.069	0.5345
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.943	0.4715
-20	0 ≤* < 2.5	1.00000	1.00000	0.849	0.4245
		平均値		標準率	
		28.05069	2.00000	1.698	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	3.184	1.5920
19	192.5 ≤* < 197.5	156.00000	6.72998	3.116	1.5580
18	187.5 ≤* < 192.5	152.00000	6.58211	3.048	1.5240
17	182.5 ≤* < 187.5	148.00000	6.43424	2.979	1.4895
16	177.5 ≤* < 182.5	144.00000	6.28637	2.911	1.4555
15	172.5 ≤* < 177.5	140.00000	6.13850	2.842	1.4210
14	167.5 ≤* < 172.5	136.00000	5.99063	2.774	1.3870
13	162.5 ≤* < 167.5	132.00000	5.84276	2.705	1.3525
12	157.5 ≤* < 162.5	128.00000	5.69489	2.637	1.3185
11	152.5 ≤* < 157.5	124.00000	5.54702	2.568	1.2840
10	147.5 ≤* < 152.5	120.00000	5.39915	2.500	1.2500
9	142.5 ≤* < 147.5	116.00000	5.25128	2.431	1.2155
8	137.5 ≤* < 142.5	112.00000	5.10340	2.363	1.1815
7	132.5 ≤* < 137.5	108.00000	4.95553	2.294	1.1470
6	127.5 ≤* < 132.5	104.00000	4.80766	2.226	1.1130
5	122.5 ≤* < 127.5	100.00000	4.65979	2.157	1.0785
4	117.5 ≤* < 122.5	96.00000	4.51192	2.089	1.0445
3	112.5 ≤* < 117.5	92.00000	4.36405	2.021	1.0105
2	107.5 ≤* < 112.5	88.00000	4.21618	1.952	0.9760
1	102.5 ≤* < 107.5	84.00000	4.06831	1.884	0.9420
0	97.5 ≤* < 102.5	80.00000	3.92044	1.815	0.9075
-1	92.5 ≤* < 97.5	76.00000	3.77257	1.747	0.8735
-2	87.5 ≤* < 92.5	72.00000	3.62470	1.678	0.8390
-3	82.5 ≤* < 87.5	68.00000	3.47683	1.610	0.8050
-4	77.5 ≤* < 82.5	64.00000	3.32896	1.541	0.7705
-5	72.5 ≤* < 77.5	60.00000	3.18109	1.473	0.7365
-6	67.5 ≤* < 72.5	56.00000	3.03322	1.404	0.7020
-7	62.5 ≤* < 67.5	52.00000	2.88535	1.336	0.6680
-8	57.5 ≤* < 62.5	48.00000	2.73748	1.267	0.6335
-9	52.5 ≤* < 57.5	44.00000	2.58961	1.199	0.5995
-10	47.5 ≤* < 52.5	40.00000	2.44174	1.131	0.5655
-11	42.5 ≤* < 47.5	36.00000	2.29387	1.062	0.5310
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.994	0.4970
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.925	0.4625
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.857	0.4285
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.788	0.3940
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.720	0.3600
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.651	0.3255
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.583	0.2915
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.514	0.2570
-20	0 ≤* < 2.5	1.00000	1.00000	0.463	0.2315
		平均値		標準率	
		28.05069	2.00000	0.926	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	5.000	2.5000
19	192.5 ≤* < 197.5	156.00000	6.72998	4.893	2.4465
18	187.5 ≤* < 192.5	152.00000	6.58211	4.785	2.3925
17	182.5 ≤* < 187.5	148.00000	6.43424	4.678	2.3390
16	177.5 ≤* < 182.5	144.00000	6.28637	4.570	2.2850
15	172.5 ≤* < 177.5	140.00000	6.13850	4.463	2.2315
14	167.5 ≤* < 172.5	136.00000	5.99063	4.355	2.1775
13	162.5 ≤* < 167.5	132.00000	5.84276	4.248	2.1240
12	157.5 ≤* < 162.5	128.00000	5.69489	4.140	2.0700
11	152.5 ≤* < 157.5	124.00000	5.54702	4.033	2.0165
10	147.5 ≤* < 152.5	120.00000	5.39915	3.925	1.9625
9	142.5 ≤* < 147.5	116.00000	5.25128	3.818	1.9090
8	137.5 ≤* < 142.5	112.00000	5.10340	3.710	1.8550
7	132.5 ≤* < 137.5	108.00000	4.95553	3.603	1.8015
6	127.5 ≤* < 132.5	104.00000	4.80766	3.495	1.7475
5	122.5 ≤* < 127.5	100.00000	4.65979	3.388	1.6940
4	117.5 ≤* < 122.5	96.00000	4.51192	3.280	1.6400
3	112.5 ≤* < 117.5	92.00000	4.36405	3.173	1.5865
2	107.5 ≤* < 112.5	88.00000	4.21618	3.065	1.5325
1	102.5 ≤* < 107.5	84.00000	4.06831	2.958	1.4790
0	97.5 ≤* < 102.5	80.00000	3.92044	2.850	1.4250
-1	92.5 ≤* < 97.5	76.00000	3.77257	2.743	1.3715
-2	87.5 ≤* < 92.5	72.00000	3.62470	2.635	1.3175
-3	82.5 ≤* < 87.5	68.00000	3.47683	2.528	1.2640
-4	77.5 ≤* < 82.5	64.00000	3.32896	2.420	1.2100
-5	72.5 ≤* < 77.5	60.00000	3.18109	2.313	1.1565
-6	67.5 ≤* < 72.5	56.00000	3.03322	2.205	1.1025
-7	62.5 ≤* < 67.5	52.00000	2.88535	2.098	1.0490
-8	57.5 ≤* < 62.5	48.00000	2.73748	1.990	0.9950
-9	52.5 ≤* < 57.5	44.00000	2.58961	1.883	0.9415
-10	47.5 ≤* < 52.5	40.00000	2.44174	1.775	0.8875
-11	42.5 ≤* < 47.5	36.00000	2.29387	1.668	0.8340
-12	37.5 ≤* < 42.5	32.00000	2.14600	1.560	0.7800
-13	32.5 ≤* < 37.5	28.00000	1.99813	1.453	0.7265
-14	27.5 ≤* < 32.5	24.00000	1.85026	1.345	0.6725
-15	22.5 ≤* < 27.5	20.00000	1.70238	1.238	0.6190
-16	17.5 ≤* < 22.5	16.00000	1.55451	1.130	0.5650
-17	12.5 ≤* < 17.5	12.00000	1.40664	1.023	0.5115
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.915	0.4575
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.808	0.4040
-20	0 ≤* < 2.5	1.00000	1.00000	0.727	0.3635
		平均値		標準率	
		28.05069	2.00000	1.454	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	4.997	2.4985
19	192.5 ≤* < 197.5	156.00000	6.72998	4.889	2.4445
18	187.5 ≤* < 192.5	152.00000	6.58211	4.782	2.3910
17	182.5 ≤* < 187.5	148.00000	6.43424	4.674	2.3370
16	177.5 ≤* < 182.5	144.00000	6.28637	4.567	2.2835
15	172.5 ≤* < 177.5	140.00000	6.13850	4.460	2.2300
14	167.5 ≤* < 172.5	136.00000	5.99063	4.352	2.1760
13	162.5 ≤* < 167.5	132.00000	5.84276	4.245	2.1225
12	157.5 ≤* < 162.5	128.00000	5.69489	4.137	2.0685
11	152.5 ≤* < 157.5	124.00000	5.54702	4.030	2.0150
10	147.5 ≤* < 152.5	120.00000	5.39915	3.922	1.9610
9	142.5 ≤* < 147.5	116.00000	5.25128	3.815	1.9075
8	137.5 ≤* < 142.5	112.00000	5.10340	3.708	1.8540
7	132.5 ≤* < 137.5	108.00000	4.95553	3.600	1.8000
6	127.5 ≤* < 132.5	104.00000	4.80766	3.493	1.7465
5	122.5 ≤* < 127.5	100.00000	4.65979	3.385	1.6925
4	117.5 ≤* < 122.5	96.00000	4.51192	3.278	1.6390
3	112.5 ≤* < 117.5	92.00000	4.36405	3.170	1.5850
2	107.5 ≤* < 112.5	88.00000	4.21618	3.063	1.5315
1	102.5 ≤* < 107.5	84.00000	4.06831	2.956	1.4780
0	97.5 ≤* < 102.5	80.00000	3.92044	2.848	1.4240
-1	92.5 ≤* < 97.5	76.00000	3.77257	2.741	1.3705
-2	87.5 ≤* < 92.5	72.00000	3.62470	2.633	1.3165
-3	82.5 ≤* < 87.5	68.00000	3.47683	2.526	1.2630
-4	77.5 ≤* < 82.5	64.00000	3.32896	2.418	1.2090
-5	72.5 ≤* < 77.5	60.00000	3.18109	2.311	1.1555
-6	67.5 ≤* < 72.5	56.00000	3.03322	2.204	1.1020
-7	62.5 ≤* < 67.5	52.00000	2.88535	2.096	1.0480
-8	57.5 ≤* < 62.5	48.00000	2.73748	1.989	0.9945
-9	52.5 ≤* < 57.5	44.00000	2.58961	1.881	0.9405
-10	47.5 ≤* < 52.5	40.00000	2.44174	1.774	0.8870
-11	42.5 ≤* < 47.5	36.00000	2.29387	1.666	0.8330
-12	37.5 ≤* < 42.5	32.00000	2.14600	1.559	0.7795
-13	32.5 ≤* < 37.5	28.00000	1.99813	1.452	0.7260
-14	27.5 ≤* < 32.5	24.00000	1.85026	1.344	0.6720
-15	22.5 ≤* < 27.5	20.00000	1.70238	1.237	0.6185
-16	17.5 ≤* < 22.5	16.00000	1.55451	1.129	0.5645
-17	12.5 ≤* < 17.5	12.00000	1.40664	1.022	0.5110
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.914	0.4570
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.807	0.4035
-20	0 ≤* < 2.5	1.00000	1.00000	0.726	0.3630
		平均値		標準率	
		28.05069	2.00000	1.453	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	4.993	2.4965
19	192.5 ≤* < 197.5	156.00000	6.72998	4.886	2.4430
18	187.5 ≤* < 192.5	152.00000	6.58211	4.779	2.3895
17	182.5 ≤* < 187.5	148.00000	6.43424	4.671	2.3355
16	177.5 ≤* < 182.5	144.00000	6.28637	4.564	2.2820
15	172.5 ≤* < 177.5	140.00000	6.13850	4.457	2.2285
14	167.5 ≤* < 172.5	136.00000	5.99063	4.349	2.1745
13	162.5 ≤* < 167.5	132.00000	5.84276	4.242	2.1210
12	157.5 ≤* < 162.5	128.00000	5.69489	4.134	2.0670
11	152.5 ≤* < 157.5	124.00000	5.54702	4.027	2.0135
10	147.5 ≤* < 152.5	120.00000	5.39915	3.920	1.9600
9	142.5 ≤* < 147.5	116.00000	5.25128	3.812	1.9060
8	137.5 ≤* < 142.5	112.00000	5.10340	3.705	1.8525
7	132.5 ≤* < 137.5	108.00000	4.95553	3.598	1.7990
6	127.5 ≤* < 132.5	104.00000	4.80766	3.490	1.7450
5	122.5 ≤* < 127.5	100.00000	4.65979	3.383	1.6915
4	117.5 ≤* < 122.5	96.00000	4.51192	3.276	1.6380
3	112.5 ≤* < 117.5	92.00000	4.36405	3.168	1.5840
2	107.5 ≤* < 112.5	88.00000	4.21618	3.061	1.5305
1	102.5 ≤* < 107.5	84.00000	4.06831	2.954	1.4770
0	97.5 ≤* < 102.5	80.00000	3.92044	2.846	1.4230
-1	92.5 ≤* < 97.5	76.00000	3.77257	2.739	1.3695
-2	87.5 ≤* < 92.5	72.00000	3.62470	2.632	1.3160
-3	82.5 ≤* < 87.5	68.00000	3.47683	2.524	1.2620
-4	77.5 ≤* < 82.5	64.00000	3.32896	2.417	1.2085
-5	72.5 ≤* < 77.5	60.00000	3.18109	2.309	1.1545
-6	67.5 ≤* < 72.5	56.00000	3.03322	2.202	1.1010
-7	62.5 ≤* < 67.5	52.00000	2.88535	2.095	1.0475
-8	57.5 ≤* < 62.5	48.00000	2.73748	1.987	0.9935
-9	52.5 ≤* < 57.5	44.00000	2.58961	1.880	0.9400
-10	47.5 ≤* < 52.5	40.00000	2.44174	1.773	0.8865
-11	42.5 ≤* < 47.5	36.00000	2.29387	1.665	0.8325
-12	37.5 ≤* < 42.5	32.00000	2.14600	1.558	0.7790
-13	32.5 ≤* < 37.5	28.00000	1.99813	1.451	0.7255
-14	27.5 ≤* < 32.5	24.00000	1.85026	1.343	0.6715
-15	22.5 ≤* < 27.5	20.00000	1.70238	1.236	0.6180
-16	17.5 ≤* < 22.5	16.00000	1.55451	1.129	0.5645
-17	12.5 ≤* < 17.5	12.00000	1.40664	1.021	0.5105
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.914	0.4570
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.807	0.4035
-20	0 ≤* < 2.5	1.00000	1.00000	0.726	0.3630
		平均値		標準率	
		28.05069	2.00000	1.452	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	2.620	1.3100
19	192.5 ≤* < 197.5	156.00000	6.72998	2.564	1.2820
18	187.5 ≤* < 192.5	152.00000	6.58211	2.508	1.2540
17	182.5 ≤* < 187.5	148.00000	6.43424	2.451	1.2255
16	177.5 ≤* < 182.5	144.00000	6.28637	2.395	1.1975
15	172.5 ≤* < 177.5	140.00000	6.13850	2.339	1.1695
14	167.5 ≤* < 172.5	136.00000	5.99063	2.282	1.1410
13	162.5 ≤* < 167.5	132.00000	5.84276	2.226	1.1130
12	157.5 ≤* < 162.5	128.00000	5.69489	2.170	1.0850
11	152.5 ≤* < 157.5	124.00000	5.54702	2.113	1.0565
10	147.5 ≤* < 152.5	120.00000	5.39915	2.057	1.0285
9	142.5 ≤* < 147.5	116.00000	5.25128	2.001	1.0005
8	137.5 ≤* < 142.5	112.00000	5.10340	1.944	0.9720
7	132.5 ≤* < 137.5	108.00000	4.95553	1.888	0.9440
6	127.5 ≤* < 132.5	104.00000	4.80766	1.832	0.9160
5	122.5 ≤* < 127.5	100.00000	4.65979	1.775	0.8875
4	117.5 ≤* < 122.5	96.00000	4.51192	1.719	0.8595
3	112.5 ≤* < 117.5	92.00000	4.36405	1.663	0.8315
2	107.5 ≤* < 112.5	88.00000	4.21618	1.606	0.8030
1	102.5 ≤* < 107.5	84.00000	4.06831	1.550	0.7750
0	97.5 ≤* < 102.5	80.00000	3.92044	1.494	0.7470
-1	92.5 ≤* < 97.5	76.00000	3.77257	1.437	0.7185
-2	87.5 ≤* < 92.5	72.00000	3.62470	1.381	0.6905
-3	82.5 ≤* < 87.5	68.00000	3.47683	1.325	0.6625
-4	77.5 ≤* < 82.5	64.00000	3.32896	1.268	0.6340
-5	72.5 ≤* < 77.5	60.00000	3.18109	1.212	0.6060
-6	67.5 ≤* < 72.5	56.00000	3.03322	1.156	0.5780
-7	62.5 ≤* < 67.5	52.00000	2.88535	1.099	0.5495
-8	57.5 ≤* < 62.5	48.00000	2.73748	1.043	0.5215
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.987	0.4935
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.930	0.4650
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.874	0.4370
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.818	0.4090
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.761	0.3805
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.705	0.3525
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.649	0.3245
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.592	0.2960
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.536	0.2680
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.480	0.2400
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.423	0.2115
-20	0 ≤* < 2.5	1.00000	1.00000	0.381	0.1905
		平均値		標準率	
		28.05069	2.00000	0.762	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	1.427	0.7135
19	192.5 ≤* < 197.5	156.00000	6.72998	1.396	0.6980
18	187.5 ≤* < 192.5	152.00000	6.58211	1.366	0.6830
17	182.5 ≤* < 187.5	148.00000	6.43424	1.335	0.6675
16	177.5 ≤* < 182.5	144.00000	6.28637	1.304	0.6520
15	172.5 ≤* < 177.5	140.00000	6.13850	1.274	0.6370
14	167.5 ≤* < 172.5	136.00000	5.99063	1.243	0.6215
13	162.5 ≤* < 167.5	132.00000	5.84276	1.212	0.6060
12	157.5 ≤* < 162.5	128.00000	5.69489	1.182	0.5910
11	152.5 ≤* < 157.5	124.00000	5.54702	1.151	0.5755
10	147.5 ≤* < 152.5	120.00000	5.39915	1.120	0.5600
9	142.5 ≤* < 147.5	116.00000	5.25128	1.090	0.5450
8	137.5 ≤* < 142.5	112.00000	5.10340	1.059	0.5295
7	132.5 ≤* < 137.5	108.00000	4.95553	1.028	0.5140
6	127.5 ≤* < 132.5	104.00000	4.80766	0.998	0.4990
5	122.5 ≤* < 127.5	100.00000	4.65979	0.967	0.4835
4	117.5 ≤* < 122.5	96.00000	4.51192	0.936	0.4680
3	112.5 ≤* < 117.5	92.00000	4.36405	0.906	0.4530
2	107.5 ≤* < 112.5	88.00000	4.21618	0.875	0.4375
1	102.5 ≤* < 107.5	84.00000	4.06831	0.844	0.4220
0	97.5 ≤* < 102.5	80.00000	3.92044	0.813	0.4065
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.783	0.3915
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.752	0.3760
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.721	0.3605
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.691	0.3455
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.660	0.3300
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.629	0.3145
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.599	0.2995
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.568	0.2840
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.537	0.2685
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.507	0.2535
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.476	0.2380
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.445	0.2225
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.415	0.2075
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.384	0.1920
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.353	0.1765
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.323	0.1615
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.292	0.1460
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.261	0.1305
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.231	0.1155
-20	0 ≤* < 2.5	1.00000	1.00000	0.207	0.1035
		平均値		標準率	
		28.05069	2.00000	0.415	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.227	0.1135
19	192.5 ≤* < 197.5	156.00000	6.72998	0.222	0.1110
18	187.5 ≤* < 192.5	152.00000	6.58211	0.217	0.1085
17	182.5 ≤* < 187.5	148.00000	6.43424	0.212	0.1060
16	177.5 ≤* < 182.5	144.00000	6.28637	0.207	0.1035
15	172.5 ≤* < 177.5	140.00000	6.13850	0.203	0.1015
14	167.5 ≤* < 172.5	136.00000	5.99063	0.198	0.0990
13	162.5 ≤* < 167.5	132.00000	5.84276	0.193	0.0965
12	157.5 ≤* < 162.5	128.00000	5.69489	0.188	0.0940
11	152.5 ≤* < 157.5	124.00000	5.54702	0.183	0.0915
10	147.5 ≤* < 152.5	120.00000	5.39915	0.178	0.0890
9	142.5 ≤* < 147.5	116.00000	5.25128	0.173	0.0865
8	137.5 ≤* < 142.5	112.00000	5.10340	0.168	0.0840
7	132.5 ≤* < 137.5	108.00000	4.95553	0.164	0.0820
6	127.5 ≤* < 132.5	104.00000	4.80766	0.159	0.0795
5	122.5 ≤* < 127.5	100.00000	4.65979	0.154	0.0770
4	117.5 ≤* < 122.5	96.00000	4.51192	0.149	0.0745
3	112.5 ≤* < 117.5	92.00000	4.36405	0.144	0.0720
2	107.5 ≤* < 112.5	88.00000	4.21618	0.139	0.0695
1	102.5 ≤* < 107.5	84.00000	4.06831	0.134	0.0670
0	97.5 ≤* < 102.5	80.00000	3.92044	0.129	0.0645
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.124	0.0620
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.120	0.0600
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.115	0.0575
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.110	0.0550
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.105	0.0525
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.100	0.0500
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.095	0.0475
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.090	0.0450
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.085	0.0425
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.081	0.0405
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.076	0.0380
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.071	0.0355
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.066	0.0330
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.061	0.0305
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.056	0.0280
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.051	0.0255
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.046	0.0230
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.042	0.0210
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.037	0.0185
-20	0 ≤* < 2.5	1.00000	1.00000	0.033	0.0165
		平均値		標準率	
		28.05069	2.00000	0.066	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.196	0.0980
19	192.5 ≤* < 197.5	156.00000	6.72998	0.192	0.0960
18	187.5 ≤* < 192.5	152.00000	6.58211	0.188	0.0940
17	182.5 ≤* < 187.5	148.00000	6.43424	0.183	0.0915
16	177.5 ≤* < 182.5	144.00000	6.28637	0.179	0.0895
15	172.5 ≤* < 177.5	140.00000	6.13850	0.175	0.0875
14	167.5 ≤* < 172.5	136.00000	5.99063	0.171	0.0855
13	162.5 ≤* < 167.5	132.00000	5.84276	0.167	0.0835
12	157.5 ≤* < 162.5	128.00000	5.69489	0.162	0.0810
11	152.5 ≤* < 157.5	124.00000	5.54702	0.158	0.0790
10	147.5 ≤* < 152.5	120.00000	5.39915	0.154	0.0770
9	142.5 ≤* < 147.5	116.00000	5.25128	0.150	0.0750
8	137.5 ≤* < 142.5	112.00000	5.10340	0.145	0.0725
7	132.5 ≤* < 137.5	108.00000	4.95553	0.141	0.0705
6	127.5 ≤* < 132.5	104.00000	4.80766	0.137	0.0685
5	122.5 ≤* < 127.5	100.00000	4.65979	0.133	0.0665
4	117.5 ≤* < 122.5	96.00000	4.51192	0.129	0.0645
3	112.5 ≤* < 117.5	92.00000	4.36405	0.124	0.0620
2	107.5 ≤* < 112.5	88.00000	4.21618	0.120	0.0600
1	102.5 ≤* < 107.5	84.00000	4.06831	0.116	0.0580
0	97.5 ≤* < 102.5	80.00000	3.92044	0.112	0.0560
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.108	0.0540
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.103	0.0515
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.099	0.0495
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.095	0.0475
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.091	0.0455
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.086	0.0430
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.082	0.0410
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.078	0.0390
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.074	0.0370
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.070	0.0350
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.065	0.0325
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.061	0.0305
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.057	0.0285
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.053	0.0265
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.049	0.0245
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.044	0.0220
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.040	0.0200
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.036	0.0180
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.032	0.0160
-20	0 ≤* < 2.5	1.00000	1.00000	0.028	0.0140
		平均値		標準率	
		28.05069	2.00000	0.057	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.182	0.0910
19	192.5 ≤* < 197.5	156.00000	6.72998	0.178	0.0890
18	187.5 ≤* < 192.5	152.00000	6.58211	0.174	0.0870
17	182.5 ≤* < 187.5	148.00000	6.43424	0.171	0.0855
16	177.5 ≤* < 182.5	144.00000	6.28637	0.167	0.0835
15	172.5 ≤* < 177.5	140.00000	6.13850	0.163	0.0815
14	167.5 ≤* < 172.5	136.00000	5.99063	0.159	0.0795
13	162.5 ≤* < 167.5	132.00000	5.84276	0.155	0.0775
12	157.5 ≤* < 162.5	128.00000	5.69489	0.151	0.0755
11	152.5 ≤* < 157.5	124.00000	5.54702	0.147	0.0735
10	147.5 ≤* < 152.5	120.00000	5.39915	0.143	0.0715
9	142.5 ≤* < 147.5	116.00000	5.25128	0.139	0.0695
8	137.5 ≤* < 142.5	112.00000	5.10340	0.135	0.0675
7	132.5 ≤* < 137.5	108.00000	4.95553	0.131	0.0655
6	127.5 ≤* < 132.5	104.00000	4.80766	0.127	0.0635
5	122.5 ≤* < 127.5	100.00000	4.65979	0.123	0.0615
4	117.5 ≤* < 122.5	96.00000	4.51192	0.120	0.0600
3	112.5 ≤* < 117.5	92.00000	4.36405	0.116	0.0580
2	107.5 ≤* < 112.5	88.00000	4.21618	0.112	0.0560
1	102.5 ≤* < 107.5	84.00000	4.06831	0.108	0.0540
0	97.5 ≤* < 102.5	80.00000	3.92044	0.104	0.0520
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.100	0.0500
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.096	0.0480
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.092	0.0460
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.088	0.0440
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.084	0.0420
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.080	0.0400
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.076	0.0380
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.073	0.0365
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.069	0.0345
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.065	0.0325
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.061	0.0305
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.057	0.0285
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.053	0.0265
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.049	0.0245
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.045	0.0225
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.041	0.0205
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.037	0.0185
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.033	0.0165
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.029	0.0145
-20	0 ≤* < 2.5	1.00000	1.00000	0.026	0.0130
		平均値		標準率	
		28.05069	2.00000	0.053	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.117	0.0585
19	192.5 ≤* < 197.5	156.00000	6.72998	0.114	0.0570
18	187.5 ≤* < 192.5	152.00000	6.58211	0.112	0.0560
17	182.5 ≤* < 187.5	148.00000	6.43424	0.109	0.0545
16	177.5 ≤* < 182.5	144.00000	6.28637	0.107	0.0535
15	172.5 ≤* < 177.5	140.00000	6.13850	0.104	0.0520
14	167.5 ≤* < 172.5	136.00000	5.99063	0.102	0.0510
13	162.5 ≤* < 167.5	132.00000	5.84276	0.099	0.0495
12	157.5 ≤* < 162.5	128.00000	5.69489	0.097	0.0485
11	152.5 ≤* < 157.5	124.00000	5.54702	0.094	0.0470
10	147.5 ≤* < 152.5	120.00000	5.39915	0.092	0.0460
9	142.5 ≤* < 147.5	116.00000	5.25128	0.089	0.0445
8	137.5 ≤* < 142.5	112.00000	5.10340	0.087	0.0435
7	132.5 ≤* < 137.5	108.00000	4.95553	0.084	0.0420
6	127.5 ≤* < 132.5	104.00000	4.80766	0.082	0.0410
5	122.5 ≤* < 127.5	100.00000	4.65979	0.079	0.0395
4	117.5 ≤* < 122.5	96.00000	4.51192	0.077	0.0385
3	112.5 ≤* < 117.5	92.00000	4.36405	0.074	0.0370
2	107.5 ≤* < 112.5	88.00000	4.21618	0.072	0.0360
1	102.5 ≤* < 107.5	84.00000	4.06831	0.069	0.0345
0	97.5 ≤* < 102.5	80.00000	3.92044	0.067	0.0335
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.064	0.0320
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.062	0.0310
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.059	0.0295
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.057	0.0285
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.054	0.0270
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.052	0.0260
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.049	0.0245
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.047	0.0235
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.044	0.0220
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.042	0.0210
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.039	0.0195
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.036	0.0180
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.034	0.0170
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.031	0.0155
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.029	0.0145
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.026	0.0130
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.024	0.0120
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.021	0.0105
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.019	0.0095
-20	0 ≤* < 2.5	1.00000	1.00000	0.017	0.0085
		平均値		標準率	
		28.05069	2.00000	0.034	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.065	0.0325
19	192.5 ≤* < 197.5	156.00000	6.72998	0.064	0.0320
18	187.5 ≤* < 192.5	152.00000	6.58211	0.063	0.0315
17	182.5 ≤* < 187.5	148.00000	6.43424	0.061	0.0305
16	177.5 ≤* < 182.5	144.00000	6.28637	0.060	0.0300
15	172.5 ≤* < 177.5	140.00000	6.13850	0.058	0.0290
14	167.5 ≤* < 172.5	136.00000	5.99063	0.057	0.0285
13	162.5 ≤* < 167.5	132.00000	5.84276	0.056	0.0280
12	157.5 ≤* < 162.5	128.00000	5.69489	0.054	0.0270
11	152.5 ≤* < 157.5	124.00000	5.54702	0.053	0.0265
10	147.5 ≤* < 152.5	120.00000	5.39915	0.051	0.0255
9	142.5 ≤* < 147.5	116.00000	5.25128	0.050	0.0250
8	137.5 ≤* < 142.5	112.00000	5.10340	0.048	0.0240
7	132.5 ≤* < 137.5	108.00000	4.95553	0.047	0.0235
6	127.5 ≤* < 132.5	104.00000	4.80766	0.046	0.0230
5	122.5 ≤* < 127.5	100.00000	4.65979	0.044	0.0220
4	117.5 ≤* < 122.5	96.00000	4.51192	0.043	0.0215
3	112.5 ≤* < 117.5	92.00000	4.36405	0.041	0.0205
2	107.5 ≤* < 112.5	88.00000	4.21618	0.040	0.0200
1	102.5 ≤* < 107.5	84.00000	4.06831	0.039	0.0195
0	97.5 ≤* < 102.5	80.00000	3.92044	0.037	0.0185
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.036	0.0180
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.034	0.0170
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.033	0.0165
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.032	0.0160
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.030	0.0150
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.029	0.0145
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.027	0.0135
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.026	0.0130
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.025	0.0125
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.023	0.0115
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.022	0.0110
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.020	0.0100
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.019	0.0095
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.018	0.0090
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.016	0.0080
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.015	0.0075
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.013	0.0065
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.012	0.0060
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.011	0.0055
-20	0 ≤* < 2.5	1.00000	1.00000	0.009	0.0045
		平均値		標準率	
		28.05069	2.00000	0.019	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.275	0.2750
19	192.5 ≤* < 197.5	156.00000	6.72998	0.269	0.2690
18	187.5 ≤* < 192.5	152.00000	6.58211	0.263	0.2630
17	182.5 ≤* < 187.5	148.00000	6.43424	0.257	0.2570
16	177.5 ≤* < 182.5	144.00000	6.28637	0.251	0.2510
15	172.5 ≤* < 177.5	140.00000	6.13850	0.246	0.2460
14	167.5 ≤* < 172.5	136.00000	5.99063	0.240	0.2400
13	162.5 ≤* < 167.5	132.00000	5.84276	0.234	0.2340
12	157.5 ≤* < 162.5	128.00000	5.69489	0.228	0.2280
11	152.5 ≤* < 157.5	124.00000	5.54702	0.222	0.2220
10	147.5 ≤* < 152.5	120.00000	5.39915	0.216	0.2160
9	142.5 ≤* < 147.5	116.00000	5.25128	0.210	0.2100
8	137.5 ≤* < 142.5	112.00000	5.10340	0.204	0.2040
7	132.5 ≤* < 137.5	108.00000	4.95553	0.198	0.1980
6	127.5 ≤* < 132.5	104.00000	4.80766	0.192	0.1920
5	122.5 ≤* < 127.5	100.00000	4.65979	0.186	0.1860
4	117.5 ≤* < 122.5	96.00000	4.51192	0.180	0.1800
3	112.5 ≤* < 117.5	92.00000	4.36405	0.175	0.1750
2	107.5 ≤* < 112.5	88.00000	4.21618	0.169	0.1690
1	102.5 ≤* < 107.5	84.00000	4.06831	0.163	0.1630
0	97.5 ≤* < 102.5	80.00000	3.92044	0.157	0.1570
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.151	0.1510
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.145	0.1450
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.139	0.1390
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.133	0.1330
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.127	0.1270
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.121	0.1210
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.115	0.1150
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.109	0.1090
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.104	0.1040
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.098	0.0980
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.092	0.0920
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.086	0.0860
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.080	0.0800
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.074	0.0740
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.068	0.0680
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.062	0.0620
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.056	0.0560
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.050	0.0500
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.044	0.0440
-20	0 ≤* < 2.5	1.00000	1.00000	0.040	0.0400
		平均値		標準率	
		28.05069	2.00000	0.080	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.237	0.2370
19	192.5 ≤* < 197.5	156.00000	6.72998	0.232	0.2320
18	187.5 ≤* < 192.5	152.00000	6.58211	0.227	0.2270
17	182.5 ≤* < 187.5	148.00000	6.43424	0.222	0.2220
16	177.5 ≤* < 182.5	144.00000	6.28637	0.217	0.2170
15	172.5 ≤* < 177.5	140.00000	6.13850	0.212	0.2120
14	167.5 ≤* < 172.5	136.00000	5.99063	0.207	0.2070
13	162.5 ≤* < 167.5	132.00000	5.84276	0.202	0.2020
12	157.5 ≤* < 162.5	128.00000	5.69489	0.196	0.1960
11	152.5 ≤* < 157.5	124.00000	5.54702	0.191	0.1910
10	147.5 ≤* < 152.5	120.00000	5.39915	0.186	0.1860
9	142.5 ≤* < 147.5	116.00000	5.25128	0.181	0.1810
8	137.5 ≤* < 142.5	112.00000	5.10340	0.176	0.1760
7	132.5 ≤* < 137.5	108.00000	4.95553	0.171	0.1710
6	127.5 ≤* < 132.5	104.00000	4.80766	0.166	0.1660
5	122.5 ≤* < 127.5	100.00000	4.65979	0.161	0.1610
4	117.5 ≤* < 122.5	96.00000	4.51192	0.156	0.1560
3	112.5 ≤* < 117.5	92.00000	4.36405	0.151	0.1510
2	107.5 ≤* < 112.5	88.00000	4.21618	0.145	0.1450
1	102.5 ≤* < 107.5	84.00000	4.06831	0.140	0.1400
0	97.5 ≤* < 102.5	80.00000	3.92044	0.135	0.1350
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.130	0.1300
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.125	0.1250
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.120	0.1200
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.115	0.1150
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.110	0.1100
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.105	0.1050
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.100	0.1000
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.094	0.0940
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.089	0.0890
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.084	0.0840
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.079	0.0790
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.074	0.0740
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.069	0.0690
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.064	0.0640
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.059	0.0590
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.054	0.0540
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.049	0.0490
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.043	0.0430
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.038	0.0380
-20	0 ≤* < 2.5	1.00000	1.00000	0.034	0.0340
		平均値		標準率	
		28.05069	2.00000	0.069	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.220	0.2200
19	192.5 ≤* < 197.5	156.00000	6.72998	0.215	0.2150
18	187.5 ≤* < 192.5	152.00000	6.58211	0.211	0.2110
17	182.5 ≤* < 187.5	148.00000	6.43424	0.206	0.2060
16	177.5 ≤* < 182.5	144.00000	6.28637	0.201	0.2010
15	172.5 ≤* < 177.5	140.00000	6.13850	0.196	0.1960
14	167.5 ≤* < 172.5	136.00000	5.99063	0.192	0.1920
13	162.5 ≤* < 167.5	132.00000	5.84276	0.187	0.1870
12	157.5 ≤* < 162.5	128.00000	5.69489	0.182	0.1820
11	152.5 ≤* < 157.5	124.00000	5.54702	0.178	0.1780
10	147.5 ≤* < 152.5	120.00000	5.39915	0.173	0.1730
9	142.5 ≤* < 147.5	116.00000	5.25128	0.168	0.1680
8	137.5 ≤* < 142.5	112.00000	5.10340	0.163	0.1630
7	132.5 ≤* < 137.5	108.00000	4.95553	0.159	0.1590
6	127.5 ≤* < 132.5	104.00000	4.80766	0.154	0.1540
5	122.5 ≤* < 127.5	100.00000	4.65979	0.149	0.1490
4	117.5 ≤* < 122.5	96.00000	4.51192	0.144	0.1440
3	112.5 ≤* < 117.5	92.00000	4.36405	0.140	0.1400
2	107.5 ≤* < 112.5	88.00000	4.21618	0.135	0.1350
1	102.5 ≤* < 107.5	84.00000	4.06831	0.130	0.1300
0	97.5 ≤* < 102.5	80.00000	3.92044	0.125	0.1250
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.121	0.1210
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.116	0.1160
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.111	0.1110
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.107	0.1070
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.102	0.1020
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.097	0.0970
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.092	0.0920
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.088	0.0880
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.083	0.0830
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.078	0.0780
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.073	0.0730
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.069	0.0690
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.064	0.0640
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.059	0.0590
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.054	0.0540
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.050	0.0500
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.045	0.0450
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.040	0.0400
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.036	0.0360
-20	0 ≤* < 2.5	1.00000	1.00000	0.032	0.0320
		平均値		標準率	
		28.05069	2.00000	0.064	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.144	0.1440
19	192.5 ≤* < 197.5	156.00000	6.72998	0.141	0.1410
18	187.5 ≤* < 192.5	152.00000	6.58211	0.138	0.1380
17	182.5 ≤* < 187.5	148.00000	6.43424	0.135	0.1350
16	177.5 ≤* < 182.5	144.00000	6.28637	0.132	0.1320
15	172.5 ≤* < 177.5	140.00000	6.13850	0.129	0.1290
14	167.5 ≤* < 172.5	136.00000	5.99063	0.126	0.1260
13	162.5 ≤* < 167.5	132.00000	5.84276	0.123	0.1230
12	157.5 ≤* < 162.5	128.00000	5.69489	0.120	0.1200
11	152.5 ≤* < 157.5	124.00000	5.54702	0.116	0.1160
10	147.5 ≤* < 152.5	120.00000	5.39915	0.113	0.1130
9	142.5 ≤* < 147.5	116.00000	5.25128	0.110	0.1100
8	137.5 ≤* < 142.5	112.00000	5.10340	0.107	0.1070
7	132.5 ≤* < 137.5	108.00000	4.95553	0.104	0.1040
6	127.5 ≤* < 132.5	104.00000	4.80766	0.101	0.1010
5	122.5 ≤* < 127.5	100.00000	4.65979	0.098	0.0980
4	117.5 ≤* < 122.5	96.00000	4.51192	0.095	0.0950
3	112.5 ≤* < 117.5	92.00000	4.36405	0.092	0.0920
2	107.5 ≤* < 112.5	88.00000	4.21618	0.089	0.0890
1	102.5 ≤* < 107.5	84.00000	4.06831	0.085	0.0850
0	97.5 ≤* < 102.5	80.00000	3.92044	0.082	0.0820
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.079	0.0790
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.076	0.0760
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.073	0.0730
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.070	0.0700
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.067	0.0670
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.064	0.0640
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.061	0.0610
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.057	0.0570
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.054	0.0540
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.051	0.0510
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.048	0.0480
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.045	0.0450
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.042	0.0420
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.039	0.0390
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.036	0.0360
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.033	0.0330
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.030	0.0300
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.026	0.0260
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.023	0.0230
-20	0 ≤* < 2.5	1.00000	1.00000	0.021	0.0210
		平均値		標準率	
		28.05069	2.00000	0.042	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.079	0.0790
19	192.5 ≤* < 197.5	156.00000	6.72998	0.077	0.0770
18	187.5 ≤* < 192.5	152.00000	6.58211	0.076	0.0760
17	182.5 ≤* < 187.5	148.00000	6.43424	0.074	0.0740
16	177.5 ≤* < 182.5	144.00000	6.28637	0.072	0.0720
15	172.5 ≤* < 177.5	140.00000	6.13850	0.071	0.0710
14	167.5 ≤* < 172.5	136.00000	5.99063	0.069	0.0690
13	162.5 ≤* < 167.5	132.00000	5.84276	0.067	0.0670
12	157.5 ≤* < 162.5	128.00000	5.69489	0.065	0.0650
11	152.5 ≤* < 157.5	124.00000	5.54702	0.064	0.0640
10	147.5 ≤* < 152.5	120.00000	5.39915	0.062	0.0620
9	142.5 ≤* < 147.5	116.00000	5.25128	0.060	0.0600
8	137.5 ≤* < 142.5	112.00000	5.10340	0.059	0.0590
7	132.5 ≤* < 137.5	108.00000	4.95553	0.057	0.0570
6	127.5 ≤* < 132.5	104.00000	4.80766	0.055	0.0550
5	122.5 ≤* < 127.5	100.00000	4.65979	0.054	0.0540
4	117.5 ≤* < 122.5	96.00000	4.51192	0.052	0.0520
3	112.5 ≤* < 117.5	92.00000	4.36405	0.050	0.0500
2	107.5 ≤* < 112.5	88.00000	4.21618	0.048	0.0480
1	102.5 ≤* < 107.5	84.00000	4.06831	0.047	0.0470
0	97.5 ≤* < 102.5	80.00000	3.92044	0.045	0.0450
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.043	0.0430
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.042	0.0420
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.040	0.0400
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.038	0.0380
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.037	0.0370
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.035	0.0350
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.033	0.0330
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.031	0.0310
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.030	0.0300
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.028	0.0280
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.026	0.0260
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.025	0.0250
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.023	0.0230
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.021	0.0210
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.020	0.0200
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.018	0.0180
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.016	0.0160
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.014	0.0140
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.013	0.0130
-20	0 ≤* < 2.5	1.00000	1.00000	0.011	0.0110
		平均値		標準率	
		28.05069	2.00000	0.023	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.275	0.1375
19	192.5 ≤* < 197.5	156.00000	6.72998	0.269	0.1345
18	187.5 ≤* < 192.5	152.00000	6.58211	0.263	0.1315
17	182.5 ≤* < 187.5	148.00000	6.43424	0.257	0.1285
16	177.5 ≤* < 182.5	144.00000	6.28637	0.251	0.1255
15	172.5 ≤* < 177.5	140.00000	6.13850	0.246	0.1230
14	167.5 ≤* < 172.5	136.00000	5.99063	0.240	0.1200
13	162.5 ≤* < 167.5	132.00000	5.84276	0.234	0.1170
12	157.5 ≤* < 162.5	128.00000	5.69489	0.228	0.1140
11	152.5 ≤* < 157.5	124.00000	5.54702	0.222	0.1110
10	147.5 ≤* < 152.5	120.00000	5.39915	0.216	0.1080
9	142.5 ≤* < 147.5	116.00000	5.25128	0.210	0.1050
8	137.5 ≤* < 142.5	112.00000	5.10340	0.204	0.1020
7	132.5 ≤* < 137.5	108.00000	4.95553	0.198	0.0990
6	127.5 ≤* < 132.5	104.00000	4.80766	0.192	0.0960
5	122.5 ≤* < 127.5	100.00000	4.65979	0.186	0.0930
4	117.5 ≤* < 122.5	96.00000	4.51192	0.180	0.0900
3	112.5 ≤* < 117.5	92.00000	4.36405	0.175	0.0875
2	107.5 ≤* < 112.5	88.00000	4.21618	0.169	0.0845
1	102.5 ≤* < 107.5	84.00000	4.06831	0.163	0.0815
0	97.5 ≤* < 102.5	80.00000	3.92044	0.157	0.0785
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.151	0.0755
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.145	0.0725
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.139	0.0695
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.133	0.0665
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.127	0.0635
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.121	0.0605
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.115	0.0575
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.109	0.0545
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.104	0.0520
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.098	0.0490
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.092	0.0460
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.086	0.0430
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.080	0.0400
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.074	0.0370
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.068	0.0340
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.062	0.0310
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.056	0.0280
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.050	0.0250
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.044	0.0220
-20	0 ≤* < 2.5	1.00000	1.00000	0.040	0.0200
		平均値		標準率	
		28.05069	2.00000	0.080	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.237	0.1185
19	192.5 ≤* < 197.5	156.00000	6.72998	0.232	0.1160
18	187.5 ≤* < 192.5	152.00000	6.58211	0.227	0.1135
17	182.5 ≤* < 187.5	148.00000	6.43424	0.222	0.1110
16	177.5 ≤* < 182.5	144.00000	6.28637	0.217	0.1085
15	172.5 ≤* < 177.5	140.00000	6.13850	0.212	0.1060
14	167.5 ≤* < 172.5	136.00000	5.99063	0.207	0.1035
13	162.5 ≤* < 167.5	132.00000	5.84276	0.202	0.1010
12	157.5 ≤* < 162.5	128.00000	5.69489	0.196	0.0980
11	152.5 ≤* < 157.5	124.00000	5.54702	0.191	0.0955
10	147.5 ≤* < 152.5	120.00000	5.39915	0.186	0.0930
9	142.5 ≤* < 147.5	116.00000	5.25128	0.181	0.0905
8	137.5 ≤* < 142.5	112.00000	5.10340	0.176	0.0880
7	132.5 ≤* < 137.5	108.00000	4.95553	0.171	0.0855
6	127.5 ≤* < 132.5	104.00000	4.80766	0.166	0.0830
5	122.5 ≤* < 127.5	100.00000	4.65979	0.161	0.0805
4	117.5 ≤* < 122.5	96.00000	4.51192	0.156	0.0780
3	112.5 ≤* < 117.5	92.00000	4.36405	0.151	0.0755
2	107.5 ≤* < 112.5	88.00000	4.21618	0.145	0.0725
1	102.5 ≤* < 107.5	84.00000	4.06831	0.140	0.0700
0	97.5 ≤* < 102.5	80.00000	3.92044	0.135	0.0675
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.130	0.0650
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.125	0.0625
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.120	0.0600
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.115	0.0575
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.110	0.0550
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.105	0.0525
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.100	0.0500
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.094	0.0470
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.089	0.0445
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.084	0.0420
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.079	0.0395
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.074	0.0370
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.069	0.0345
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.064	0.0320
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.059	0.0295
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.054	0.0270
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.049	0.0245
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.043	0.0215
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.038	0.0190
-20	0 ≤* < 2.5	1.00000	1.00000	0.034	0.0170
		平均値		標準率	
		28.05069	2.00000	0.069	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.220	0.1100
19	192.5 ≤* < 197.5	156.00000	6.72998	0.215	0.1075
18	187.5 ≤* < 192.5	152.00000	6.58211	0.211	0.1055
17	182.5 ≤* < 187.5	148.00000	6.43424	0.206	0.1030
16	177.5 ≤* < 182.5	144.00000	6.28637	0.201	0.1005
15	172.5 ≤* < 177.5	140.00000	6.13850	0.196	0.0980
14	167.5 ≤* < 172.5	136.00000	5.99063	0.192	0.0960
13	162.5 ≤* < 167.5	132.00000	5.84276	0.187	0.0935
12	157.5 ≤* < 162.5	128.00000	5.69489	0.182	0.0910
11	152.5 ≤* < 157.5	124.00000	5.54702	0.178	0.0890
10	147.5 ≤* < 152.5	120.00000	5.39915	0.173	0.0865
9	142.5 ≤* < 147.5	116.00000	5.25128	0.168	0.0840
8	137.5 ≤* < 142.5	112.00000	5.10340	0.163	0.0815
7	132.5 ≤* < 137.5	108.00000	4.95553	0.159	0.0795
6	127.5 ≤* < 132.5	104.00000	4.80766	0.154	0.0770
5	122.5 ≤* < 127.5	100.00000	4.65979	0.149	0.0745
4	117.5 ≤* < 122.5	96.00000	4.51192	0.144	0.0720
3	112.5 ≤* < 117.5	92.00000	4.36405	0.140	0.0700
2	107.5 ≤* < 112.5	88.00000	4.21618	0.135	0.0675
1	102.5 ≤* < 107.5	84.00000	4.06831	0.130	0.0650
0	97.5 ≤* < 102.5	80.00000	3.92044	0.125	0.0625
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.121	0.0605
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.116	0.0580
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.111	0.0555
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.107	0.0535
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.102	0.0510
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.097	0.0485
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.092	0.0460
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.088	0.0440
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.083	0.0415
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.078	0.0390
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.073	0.0365
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.069	0.0345
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.064	0.0320
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.059	0.0295
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.054	0.0270
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.050	0.0250
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.045	0.0225
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.040	0.0200
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.036	0.0180
-20	0 ≤* < 2.5	1.00000	1.00000	0.032	0.0160
		平均値		標準率	
		28.05069	2.00000	0.064	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.144	0.0720
19	192.5 ≤* < 197.5	156.00000	6.72998	0.141	0.0705
18	187.5 ≤* < 192.5	152.00000	6.58211	0.138	0.0690
17	182.5 ≤* < 187.5	148.00000	6.43424	0.135	0.0675
16	177.5 ≤* < 182.5	144.00000	6.28637	0.132	0.0660
15	172.5 ≤* < 177.5	140.00000	6.13850	0.129	0.0645
14	167.5 ≤* < 172.5	136.00000	5.99063	0.126	0.0630
13	162.5 ≤* < 167.5	132.00000	5.84276	0.123	0.0615
12	157.5 ≤* < 162.5	128.00000	5.69489	0.120	0.0600
11	152.5 ≤* < 157.5	124.00000	5.54702	0.116	0.0580
10	147.5 ≤* < 152.5	120.00000	5.39915	0.113	0.0565
9	142.5 ≤* < 147.5	116.00000	5.25128	0.110	0.0550
8	137.5 ≤* < 142.5	112.00000	5.10340	0.107	0.0535
7	132.5 ≤* < 137.5	108.00000	4.95553	0.104	0.0520
6	127.5 ≤* < 132.5	104.00000	4.80766	0.101	0.0505
5	122.5 ≤* < 127.5	100.00000	4.65979	0.098	0.0490
4	117.5 ≤* < 122.5	96.00000	4.51192	0.095	0.0475
3	112.5 ≤* < 117.5	92.00000	4.36405	0.092	0.0460
2	107.5 ≤* < 112.5	88.00000	4.21618	0.089	0.0445
1	102.5 ≤* < 107.5	84.00000	4.06831	0.085	0.0425
0	97.5 ≤* < 102.5	80.00000	3.92044	0.082	0.0410
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.079	0.0395
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.076	0.0380
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.073	0.0365
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.070	0.0350
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.067	0.0335
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.064	0.0320
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.061	0.0305
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.057	0.0285
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.054	0.0270
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.051	0.0255
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.048	0.0240
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.045	0.0225
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.042	0.0210
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.039	0.0195
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.036	0.0180
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.033	0.0165
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.030	0.0150
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.026	0.0130
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.023	0.0115
-20	0 ≤* < 2.5	1.00000	1.00000	0.021	0.0105
		平均値		標準率	
		28.05069	2.00000	0.042	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.083	0.0415
19	192.5 ≤* < 197.5	156.00000	6.72998	0.081	0.0405
18	187.5 ≤* < 192.5	152.00000	6.58211	0.079	0.0395
17	182.5 ≤* < 187.5	148.00000	6.43424	0.077	0.0385
16	177.5 ≤* < 182.5	144.00000	6.28637	0.075	0.0375
15	172.5 ≤* < 177.5	140.00000	6.13850	0.074	0.0370
14	167.5 ≤* < 172.5	136.00000	5.99063	0.072	0.0360
13	162.5 ≤* < 167.5	132.00000	5.84276	0.070	0.0350
12	157.5 ≤* < 162.5	128.00000	5.69489	0.068	0.0340
11	152.5 ≤* < 157.5	124.00000	5.54702	0.067	0.0335
10	147.5 ≤* < 152.5	120.00000	5.39915	0.065	0.0325
9	142.5 ≤* < 147.5	116.00000	5.25128	0.063	0.0315
8	137.5 ≤* < 142.5	112.00000	5.10340	0.061	0.0305
7	132.5 ≤* < 137.5	108.00000	4.95553	0.059	0.0295
6	127.5 ≤* < 132.5	104.00000	4.80766	0.058	0.0290
5	122.5 ≤* < 127.5	100.00000	4.65979	0.056	0.0280
4	117.5 ≤* < 122.5	96.00000	4.51192	0.054	0.0270
3	112.5 ≤* < 117.5	92.00000	4.36405	0.052	0.0260
2	107.5 ≤* < 112.5	88.00000	4.21618	0.051	0.0255
1	102.5 ≤* < 107.5	84.00000	4.06831	0.049	0.0245
0	97.5 ≤* < 102.5	80.00000	3.92044	0.047	0.0235
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.045	0.0225
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.043	0.0215
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.042	0.0210
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.040	0.0200
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.038	0.0190
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.036	0.0180
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.035	0.0175
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.033	0.0165
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.031	0.0155
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.029	0.0145
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.028	0.0140
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.026	0.0130
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.024	0.0120
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.022	0.0110
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.020	0.0100
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.019	0.0095
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.017	0.0085
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.015	0.0075
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.013	0.0065
-20	0 ≤* < 2.5	1.00000	1.00000	0.012	0.0060
		平均値		標準率	
		28.05069	2.00000	0.024	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	10.588	5.2940
19	192.5 ≤* < 197.5	156.00000	6.72998	10.361	5.1805
18	187.5 ≤* < 192.5	152.00000	6.58211	10.133	5.0665
17	182.5 ≤* < 187.5	148.00000	6.43424	9.906	4.9530
16	177.5 ≤* < 182.5	144.00000	6.28637	9.678	4.8390
15	172.5 ≤* < 177.5	140.00000	6.13850	9.450	4.7250
14	167.5 ≤* < 172.5	136.00000	5.99063	9.223	4.6115
13	162.5 ≤* < 167.5	132.00000	5.84276	8.995	4.4975
12	157.5 ≤* < 162.5	128.00000	5.69489	8.767	4.3835
11	152.5 ≤* < 157.5	124.00000	5.54702	8.540	4.2700
10	147.5 ≤* < 152.5	120.00000	5.39915	8.312	4.1560
9	142.5 ≤* < 147.5	116.00000	5.25128	8.084	4.0420
8	137.5 ≤* < 142.5	112.00000	5.10340	7.857	3.9285
7	132.5 ≤* < 137.5	108.00000	4.95553	7.629	3.8145
6	127.5 ≤* < 132.5	104.00000	4.80766	7.401	3.7005
5	122.5 ≤* < 127.5	100.00000	4.65979	7.174	3.5870
4	117.5 ≤* < 122.5	96.00000	4.51192	6.946	3.4730
3	112.5 ≤* < 117.5	92.00000	4.36405	6.718	3.3590
2	107.5 ≤* < 112.5	88.00000	4.21618	6.491	3.2455
1	102.5 ≤* < 107.5	84.00000	4.06831	6.263	3.1315
0	97.5 ≤* < 102.5	80.00000	3.92044	6.036	3.0180
-1	92.5 ≤* < 97.5	76.00000	3.77257	5.808	2.9040
-2	87.5 ≤* < 92.5	72.00000	3.62470	5.580	2.7900
-3	82.5 ≤* < 87.5	68.00000	3.47683	5.353	2.6765
-4	77.5 ≤* < 82.5	64.00000	3.32896	5.125	2.5625
-5	72.5 ≤* < 77.5	60.00000	3.18109	4.897	2.4485
-6	67.5 ≤* < 72.5	56.00000	3.03322	4.670	2.3350
-7	62.5 ≤* < 67.5	52.00000	2.88535	4.442	2.2210
-8	57.5 ≤* < 62.5	48.00000	2.73748	4.214	2.1070
-9	52.5 ≤* < 57.5	44.00000	2.58961	3.987	1.9935
-10	47.5 ≤* < 52.5	40.00000	2.44174	3.759	1.8795
-11	42.5 ≤* < 47.5	36.00000	2.29387	3.531	1.7655
-12	37.5 ≤* < 42.5	32.00000	2.14600	3.304	1.6520
-13	32.5 ≤* < 37.5	28.00000	1.99813	3.076	1.5380
-14	27.5 ≤* < 32.5	24.00000	1.85026	2.848	1.4240
-15	22.5 ≤* < 27.5	20.00000	1.70238	2.621	1.3105
-16	17.5 ≤* < 22.5	16.00000	1.55451	2.393	1.1965
-17	12.5 ≤* < 17.5	12.00000	1.40664	2.166	1.0830
-18	7.5 ≤* < 12.5	8.00000	1.25877	1.938	0.9690
-19	2.5 ≤* < 7.5	4.00000	1.11090	1.710	0.8550
-20	0 ≤* < 2.5	1.00000	1.00000	1.539	0.7695
		平均値		標準率	
		28.05069	2.00000	3.079	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	8.391	4.1955
19	192.5 ≤* < 197.5	156.00000	6.72998	8.211	4.1055
18	187.5 ≤* < 192.5	152.00000	6.58211	8.030	4.0150
17	182.5 ≤* < 187.5	148.00000	6.43424	7.850	3.9250
16	177.5 ≤* < 182.5	144.00000	6.28637	7.669	3.8345
15	172.5 ≤* < 177.5	140.00000	6.13850	7.489	3.7445
14	167.5 ≤* < 172.5	136.00000	5.99063	7.309	3.6545
13	162.5 ≤* < 167.5	132.00000	5.84276	7.128	3.5640
12	157.5 ≤* < 162.5	128.00000	5.69489	6.948	3.4740
11	152.5 ≤* < 157.5	124.00000	5.54702	6.767	3.3835
10	147.5 ≤* < 152.5	120.00000	5.39915	6.587	3.2935
9	142.5 ≤* < 147.5	116.00000	5.25128	6.407	3.2035
8	137.5 ≤* < 142.5	112.00000	5.10340	6.226	3.1130
7	132.5 ≤* < 137.5	108.00000	4.95553	6.046	3.0230
6	127.5 ≤* < 132.5	104.00000	4.80766	5.865	2.9325
5	122.5 ≤* < 127.5	100.00000	4.65979	5.685	2.8425
4	117.5 ≤* < 122.5	96.00000	4.51192	5.505	2.7525
3	112.5 ≤* < 117.5	92.00000	4.36405	5.324	2.6620
2	107.5 ≤* < 112.5	88.00000	4.21618	5.144	2.5720
1	102.5 ≤* < 107.5	84.00000	4.06831	4.963	2.4815
0	97.5 ≤* < 102.5	80.00000	3.92044	4.783	2.3915
-1	92.5 ≤* < 97.5	76.00000	3.77257	4.603	2.3015
-2	87.5 ≤* < 92.5	72.00000	3.62470	4.422	2.2110
-3	82.5 ≤* < 87.5	68.00000	3.47683	4.242	2.1210
-4	77.5 ≤* < 82.5	64.00000	3.32896	4.061	2.0305
-5	72.5 ≤* < 77.5	60.00000	3.18109	3.881	1.9405
-6	67.5 ≤* < 72.5	56.00000	3.03322	3.701	1.8505
-7	62.5 ≤* < 67.5	52.00000	2.88535	3.520	1.7600
-8	57.5 ≤* < 62.5	48.00000	2.73748	3.340	1.6700
-9	52.5 ≤* < 57.5	44.00000	2.58961	3.159	1.5795
-10	47.5 ≤* < 52.5	40.00000	2.44174	2.979	1.4895
-11	42.5 ≤* < 47.5	36.00000	2.29387	2.799	1.3995
-12	37.5 ≤* < 42.5	32.00000	2.14600	2.618	1.3090
-13	32.5 ≤* < 37.5	28.00000	1.99813	2.438	1.2190
-14	27.5 ≤* < 32.5	24.00000	1.85026	2.257	1.1285
-15	22.5 ≤* < 27.5	20.00000	1.70238	2.077	1.0385
-16	17.5 ≤* < 22.5	16.00000	1.55451	1.897	0.9485
-17	12.5 ≤* < 17.5	12.00000	1.40664	1.716	0.8580
-18	7.5 ≤* < 12.5	8.00000	1.25877	1.536	0.7680
-19	2.5 ≤* < 7.5	4.00000	1.11090	1.355	0.6775
-20	0 ≤* < 2.5	1.00000	1.00000	1.220	0.6100
		平均値		標準率	
		28.05069	2.00000	2.440	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	6.328	3.1640
19	192.5 ≤* < 197.5	156.00000	6.72998	6.192	3.0960
18	187.5 ≤* < 192.5	152.00000	6.58211	6.056	3.0280
17	182.5 ≤* < 187.5	148.00000	6.43424	5.920	2.9600
16	177.5 ≤* < 182.5	144.00000	6.28637	5.783	2.8915
15	172.5 ≤* < 177.5	140.00000	6.13850	5.647	2.8235
14	167.5 ≤* < 172.5	136.00000	5.99063	5.511	2.7555
13	162.5 ≤* < 167.5	132.00000	5.84276	5.375	2.6875
12	157.5 ≤* < 162.5	128.00000	5.69489	5.239	2.6195
11	152.5 ≤* < 157.5	124.00000	5.54702	5.103	2.5515
10	147.5 ≤* < 152.5	120.00000	5.39915	4.967	2.4835
9	142.5 ≤* < 147.5	116.00000	5.25128	4.831	2.4155
8	137.5 ≤* < 142.5	112.00000	5.10340	4.695	2.3475
7	132.5 ≤* < 137.5	108.00000	4.95553	4.559	2.2795
6	127.5 ≤* < 132.5	104.00000	4.80766	4.423	2.2115
5	122.5 ≤* < 127.5	100.00000	4.65979	4.287	2.1435
4	117.5 ≤* < 122.5	96.00000	4.51192	4.151	2.0755
3	112.5 ≤* < 117.5	92.00000	4.36405	4.015	2.0075
2	107.5 ≤* < 112.5	88.00000	4.21618	3.879	1.9395
1	102.5 ≤* < 107.5	84.00000	4.06831	3.743	1.8715
0	97.5 ≤* < 102.5	80.00000	3.92044	3.607	1.8035
-1	92.5 ≤* < 97.5	76.00000	3.77257	3.471	1.7355
-2	87.5 ≤* < 92.5	72.00000	3.62470	3.335	1.6675
-3	82.5 ≤* < 87.5	68.00000	3.47683	3.199	1.5995
-4	77.5 ≤* < 82.5	64.00000	3.32896	3.063	1.5315
-5	72.5 ≤* < 77.5	60.00000	3.18109	2.927	1.4635
-6	67.5 ≤* < 72.5	56.00000	3.03322	2.791	1.3955
-7	62.5 ≤* < 67.5	52.00000	2.88535	2.655	1.3275
-8	57.5 ≤* < 62.5	48.00000	2.73748	2.518	1.2590
-9	52.5 ≤* < 57.5	44.00000	2.58961	2.382	1.1910
-10	47.5 ≤* < 52.5	40.00000	2.44174	2.246	1.1230
-11	42.5 ≤* < 47.5	36.00000	2.29387	2.110	1.0550
-12	37.5 ≤* < 42.5	32.00000	2.14600	1.974	0.9870
-13	32.5 ≤* < 37.5	28.00000	1.99813	1.838	0.9190
-14	27.5 ≤* < 32.5	24.00000	1.85026	1.702	0.8510
-15	22.5 ≤* < 27.5	20.00000	1.70238	1.566	0.7830
-16	17.5 ≤* < 22.5	16.00000	1.55451	1.430	0.7150
-17	12.5 ≤* < 17.5	12.00000	1.40664	1.294	0.6470
-18	7.5 ≤* < 12.5	8.00000	1.25877	1.158	0.5790
-19	2.5 ≤* < 7.5	4.00000	1.11090	1.022	0.5110
-20	0 ≤* < 2.5	1.00000	1.00000	0.920	0.4600
		平均値		標準率	
		28.05069	2.00000	1.840	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	5.547	2.7735
19	192.5 ≤* < 197.5	156.00000	6.72998	5.428	2.7140
18	187.5 ≤* < 192.5	152.00000	6.58211	5.308	2.6540
17	182.5 ≤* < 187.5	148.00000	6.43424	5.189	2.5945
16	177.5 ≤* < 182.5	144.00000	6.28637	5.070	2.5350
15	172.5 ≤* < 177.5	140.00000	6.13850	4.951	2.4755
14	167.5 ≤* < 172.5	136.00000	5.99063	4.831	2.4155
13	162.5 ≤* < 167.5	132.00000	5.84276	4.712	2.3560
12	157.5 ≤* < 162.5	128.00000	5.69489	4.593	2.2965
11	152.5 ≤* < 157.5	124.00000	5.54702	4.474	2.2370
10	147.5 ≤* < 152.5	120.00000	5.39915	4.354	2.1770
9	142.5 ≤* < 147.5	116.00000	5.25128	4.235	2.1175
8	137.5 ≤* < 142.5	112.00000	5.10340	4.116	2.0580
7	132.5 ≤* < 137.5	108.00000	4.95553	3.997	1.9985
6	127.5 ≤* < 132.5	104.00000	4.80766	3.877	1.9385
5	122.5 ≤* < 127.5	100.00000	4.65979	3.758	1.8790
4	117.5 ≤* < 122.5	96.00000	4.51192	3.639	1.8195
3	112.5 ≤* < 117.5	92.00000	4.36405	3.520	1.7600
2	107.5 ≤* < 112.5	88.00000	4.21618	3.400	1.7000
1	102.5 ≤* < 107.5	84.00000	4.06831	3.281	1.6405
0	97.5 ≤* < 102.5	80.00000	3.92044	3.162	1.5810
-1	92.5 ≤* < 97.5	76.00000	3.77257	3.043	1.5215
-2	87.5 ≤* < 92.5	72.00000	3.62470	2.923	1.4615
-3	82.5 ≤* < 87.5	68.00000	3.47683	2.804	1.4020
-4	77.5 ≤* < 82.5	64.00000	3.32896	2.685	1.3425
-5	72.5 ≤* < 77.5	60.00000	3.18109	2.566	1.2830
-6	67.5 ≤* < 72.5	56.00000	3.03322	2.446	1.2230
-7	62.5 ≤* < 67.5	52.00000	2.88535	2.327	1.1635
-8	57.5 ≤* < 62.5	48.00000	2.73748	2.208	1.1040
-9	52.5 ≤* < 57.5	44.00000	2.58961	2.089	1.0445
-10	47.5 ≤* < 52.5	40.00000	2.44174	1.969	0.9845
-11	42.5 ≤* < 47.5	36.00000	2.29387	1.850	0.9250
-12	37.5 ≤* < 42.5	32.00000	2.14600	1.731	0.8655
-13	32.5 ≤* < 37.5	28.00000	1.99813	1.611	0.8055
-14	27.5 ≤* < 32.5	24.00000	1.85026	1.492	0.7460
-15	22.5 ≤* < 27.5	20.00000	1.70238	1.373	0.6865
-16	17.5 ≤* < 22.5	16.00000	1.55451	1.254	0.6270
-17	12.5 ≤* < 17.5	12.00000	1.40664	1.134	0.5670
-18	7.5 ≤* < 12.5	8.00000	1.25877	1.015	0.5075
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.896	0.4480
-20	0 ≤* < 2.5	1.00000	1.00000	0.806	0.4030
		平均値		標準率	
		28.05069	2.00000	1.613	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	3.026	1.5130
19	192.5 ≤* < 197.5	156.00000	6.72998	2.961	1.4805
18	187.5 ≤* < 192.5	152.00000	6.58211	2.896	1.4480
17	182.5 ≤* < 187.5	148.00000	6.43424	2.831	1.4155
16	177.5 ≤* < 182.5	144.00000	6.28637	2.766	1.3830
15	172.5 ≤* < 177.5	140.00000	6.13850	2.701	1.3505
14	167.5 ≤* < 172.5	136.00000	5.99063	2.636	1.3180
13	162.5 ≤* < 167.5	132.00000	5.84276	2.571	1.2855
12	157.5 ≤* < 162.5	128.00000	5.69489	2.506	1.2530
11	152.5 ≤* < 157.5	124.00000	5.54702	2.441	1.2205
10	147.5 ≤* < 152.5	120.00000	5.39915	2.376	1.1880
9	142.5 ≤* < 147.5	116.00000	5.25128	2.311	1.1555
8	137.5 ≤* < 142.5	112.00000	5.10340	2.245	1.1225
7	132.5 ≤* < 137.5	108.00000	4.95553	2.180	1.0900
6	127.5 ≤* < 132.5	104.00000	4.80766	2.115	1.0575
5	122.5 ≤* < 127.5	100.00000	4.65979	2.050	1.0250
4	117.5 ≤* < 122.5	96.00000	4.51192	1.985	0.9925
3	112.5 ≤* < 117.5	92.00000	4.36405	1.920	0.9600
2	107.5 ≤* < 112.5	88.00000	4.21618	1.855	0.9275
1	102.5 ≤* < 107.5	84.00000	4.06831	1.790	0.8950
0	97.5 ≤* < 102.5	80.00000	3.92044	1.725	0.8625
-1	92.5 ≤* < 97.5	76.00000	3.77257	1.660	0.8300
-2	87.5 ≤* < 92.5	72.00000	3.62470	1.595	0.7975
-3	82.5 ≤* < 87.5	68.00000	3.47683	1.530	0.7650
-4	77.5 ≤* < 82.5	64.00000	3.32896	1.465	0.7325
-5	72.5 ≤* < 77.5	60.00000	3.18109	1.400	0.7000
-6	67.5 ≤* < 72.5	56.00000	3.03322	1.335	0.6675
-7	62.5 ≤* < 67.5	52.00000	2.88535	1.270	0.6350
-8	57.5 ≤* < 62.5	48.00000	2.73748	1.204	0.6020
-9	52.5 ≤* < 57.5	44.00000	2.58961	1.139	0.5695
-10	47.5 ≤* < 52.5	40.00000	2.44174	1.074	0.5370
-11	42.5 ≤* < 47.5	36.00000	2.29387	1.009	0.5045
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.944	0.4720
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.879	0.4395
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.814	0.4070
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.749	0.3745
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.684	0.3420
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.619	0.3095
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.554	0.2770
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.489	0.2445
-20	0 ≤* < 2.5	1.00000	1.00000	0.440	0.2200
		平均値		標準率	
		28.05069	2.00000	0.880	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	4.749	2.3745
19	192.5 ≤* < 197.5	156.00000	6.72998	4.647	2.3235
18	187.5 ≤* < 192.5	152.00000	6.58211	4.545	2.2725
17	182.5 ≤* < 187.5	148.00000	6.43424	4.443	2.2215
16	177.5 ≤* < 182.5	144.00000	6.28637	4.341	2.1705
15	172.5 ≤* < 177.5	140.00000	6.13850	4.239	2.1195
14	167.5 ≤* < 172.5	136.00000	5.99063	4.137	2.0685
13	162.5 ≤* < 167.5	132.00000	5.84276	4.034	2.0170
12	157.5 ≤* < 162.5	128.00000	5.69489	3.932	1.9660
11	152.5 ≤* < 157.5	124.00000	5.54702	3.830	1.9150
10	147.5 ≤* < 152.5	120.00000	5.39915	3.728	1.8640
9	142.5 ≤* < 147.5	116.00000	5.25128	3.626	1.8130
8	137.5 ≤* < 142.5	112.00000	5.10340	3.524	1.7620
7	132.5 ≤* < 137.5	108.00000	4.95553	3.422	1.7110
6	127.5 ≤* < 132.5	104.00000	4.80766	3.320	1.6600
5	122.5 ≤* < 127.5	100.00000	4.65979	3.218	1.6090
4	117.5 ≤* < 122.5	96.00000	4.51192	3.115	1.5575
3	112.5 ≤* < 117.5	92.00000	4.36405	3.013	1.5065
2	107.5 ≤* < 112.5	88.00000	4.21618	2.911	1.4555
1	102.5 ≤* < 107.5	84.00000	4.06831	2.809	1.4045
0	97.5 ≤* < 102.5	80.00000	3.92044	2.707	1.3535
-1	92.5 ≤* < 97.5	76.00000	3.77257	2.605	1.3025
-2	87.5 ≤* < 92.5	72.00000	3.62470	2.503	1.2515
-3	82.5 ≤* < 87.5	68.00000	3.47683	2.401	1.2005
-4	77.5 ≤* < 82.5	64.00000	3.32896	2.299	1.1495
-5	72.5 ≤* < 77.5	60.00000	3.18109	2.197	1.0985
-6	67.5 ≤* < 72.5	56.00000	3.03322	2.094	1.0470
-7	62.5 ≤* < 67.5	52.00000	2.88535	1.992	0.9960
-8	57.5 ≤* < 62.5	48.00000	2.73748	1.890	0.9450
-9	52.5 ≤* < 57.5	44.00000	2.58961	1.788	0.8940
-10	47.5 ≤* < 52.5	40.00000	2.44174	1.686	0.8430
-11	42.5 ≤* < 47.5	36.00000	2.29387	1.584	0.7920
-12	37.5 ≤* < 42.5	32.00000	2.14600	1.482	0.7410
-13	32.5 ≤* < 37.5	28.00000	1.99813	1.380	0.6900
-14	27.5 ≤* < 32.5	24.00000	1.85026	1.278	0.6390
-15	22.5 ≤* < 27.5	20.00000	1.70238	1.175	0.5875
-16	17.5 ≤* < 22.5	16.00000	1.55451	1.073	0.5365
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.971	0.4855
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.869	0.4345
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.767	0.3835
-20	0 ≤* < 2.5	1.00000	1.00000	0.690	0.3450
		平均値		標準率	
		28.05069	2.00000	1.381	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	4.746	2.3730
19	192.5 ≤* < 197.5	156.00000	6.72998	4.644	2.3220
18	187.5 ≤* < 192.5	152.00000	6.58211	4.542	2.2710
17	182.5 ≤* < 187.5	148.00000	6.43424	4.440	2.2200
16	177.5 ≤* < 182.5	144.00000	6.28637	4.338	2.1690
15	172.5 ≤* < 177.5	140.00000	6.13850	4.236	2.1180
14	167.5 ≤* < 172.5	136.00000	5.99063	4.134	2.0670
13	162.5 ≤* < 167.5	132.00000	5.84276	4.032	2.0160
12	157.5 ≤* < 162.5	128.00000	5.69489	3.929	1.9645
11	152.5 ≤* < 157.5	124.00000	5.54702	3.827	1.9135
10	147.5 ≤* < 152.5	120.00000	5.39915	3.725	1.8625
9	142.5 ≤* < 147.5	116.00000	5.25128	3.623	1.8115
8	137.5 ≤* < 142.5	112.00000	5.10340	3.521	1.7605
7	132.5 ≤* < 137.5	108.00000	4.95553	3.419	1.7095
6	127.5 ≤* < 132.5	104.00000	4.80766	3.317	1.6585
5	122.5 ≤* < 127.5	100.00000	4.65979	3.215	1.6075
4	117.5 ≤* < 122.5	96.00000	4.51192	3.113	1.5565
3	112.5 ≤* < 117.5	92.00000	4.36405	3.011	1.5055
2	107.5 ≤* < 112.5	88.00000	4.21618	2.909	1.4545
1	102.5 ≤* < 107.5	84.00000	4.06831	2.807	1.4035
0	97.5 ≤* < 102.5	80.00000	3.92044	2.705	1.3525
-1	92.5 ≤* < 97.5	76.00000	3.77257	2.603	1.3015
-2	87.5 ≤* < 92.5	72.00000	3.62470	2.501	1.2505
-3	82.5 ≤* < 87.5	68.00000	3.47683	2.399	1.1995
-4	77.5 ≤* < 82.5	64.00000	3.32896	2.297	1.1485
-5	72.5 ≤* < 77.5	60.00000	3.18109	2.195	1.0975
-6	67.5 ≤* < 72.5	56.00000	3.03322	2.093	1.0465
-7	62.5 ≤* < 67.5	52.00000	2.88535	1.991	0.9955
-8	57.5 ≤* < 62.5	48.00000	2.73748	1.889	0.9445
-9	52.5 ≤* < 57.5	44.00000	2.58961	1.787	0.8935
-10	47.5 ≤* < 52.5	40.00000	2.44174	1.685	0.8425
-11	42.5 ≤* < 47.5	36.00000	2.29387	1.583	0.7915
-12	37.5 ≤* < 42.5	32.00000	2.14600	1.481	0.7405
-13	32.5 ≤* < 37.5	28.00000	1.99813	1.379	0.6895
-14	27.5 ≤* < 32.5	24.00000	1.85026	1.277	0.6385
-15	22.5 ≤* < 27.5	20.00000	1.70238	1.175	0.5875
-16	17.5 ≤* < 22.5	16.00000	1.55451	1.073	0.5365
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.971	0.4855
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.869	0.4345
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.767	0.3835
-20	0 ≤* < 2.5	1.00000	1.00000	0.690	0.3450
		平均値		標準率	
		28.05069	2.00000	1.380	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	4.742	2.3710
19	192.5 ≤* < 197.5	156.00000	6.72998	4.640	2.3200
18	187.5 ≤* < 192.5	152.00000	6.58211	4.538	2.2690
17	182.5 ≤* < 187.5	148.00000	6.43424	4.436	2.2180
16	177.5 ≤* < 182.5	144.00000	6.28637	4.334	2.1670
15	172.5 ≤* < 177.5	140.00000	6.13850	4.232	2.1160
14	167.5 ≤* < 172.5	136.00000	5.99063	4.131	2.0655
13	162.5 ≤* < 167.5	132.00000	5.84276	4.029	2.0145
12	157.5 ≤* < 162.5	128.00000	5.69489	3.927	1.9635
11	152.5 ≤* < 157.5	124.00000	5.54702	3.825	1.9125
10	147.5 ≤* < 152.5	120.00000	5.39915	3.723	1.8615
9	142.5 ≤* < 147.5	116.00000	5.25128	3.621	1.8105
8	137.5 ≤* < 142.5	112.00000	5.10340	3.519	1.7595
7	132.5 ≤* < 137.5	108.00000	4.95553	3.417	1.7085
6	127.5 ≤* < 132.5	104.00000	4.80766	3.315	1.6575
5	122.5 ≤* < 127.5	100.00000	4.65979	3.213	1.6065
4	117.5 ≤* < 122.5	96.00000	4.51192	3.111	1.5555
3	112.5 ≤* < 117.5	92.00000	4.36405	3.009	1.5045
2	107.5 ≤* < 112.5	88.00000	4.21618	2.907	1.4535
1	102.5 ≤* < 107.5	84.00000	4.06831	2.805	1.4025
0	97.5 ≤* < 102.5	80.00000	3.92044	2.703	1.3515
-1	92.5 ≤* < 97.5	76.00000	3.77257	2.601	1.3005
-2	87.5 ≤* < 92.5	72.00000	3.62470	2.499	1.2495
-3	82.5 ≤* < 87.5	68.00000	3.47683	2.397	1.1985
-4	77.5 ≤* < 82.5	64.00000	3.32896	2.295	1.1475
-5	72.5 ≤* < 77.5	60.00000	3.18109	2.193	1.0965
-6	67.5 ≤* < 72.5	56.00000	3.03322	2.091	1.0455
-7	62.5 ≤* < 67.5	52.00000	2.88535	1.989	0.9945
-8	57.5 ≤* < 62.5	48.00000	2.73748	1.887	0.9435
-9	52.5 ≤* < 57.5	44.00000	2.58961	1.786	0.8930
-10	47.5 ≤* < 52.5	40.00000	2.44174	1.684	0.8420
-11	42.5 ≤* < 47.5	36.00000	2.29387	1.582	0.7910
-12	37.5 ≤* < 42.5	32.00000	2.14600	1.480	0.7400
-13	32.5 ≤* < 37.5	28.00000	1.99813	1.378	0.6890
-14	27.5 ≤* < 32.5	24.00000	1.85026	1.276	0.6380
-15	22.5 ≤* < 27.5	20.00000	1.70238	1.174	0.5870
-16	17.5 ≤* < 22.5	16.00000	1.55451	1.072	0.5360
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.970	0.4850
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.868	0.4340
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.766	0.3830
-20	0 ≤* < 2.5	1.00000	1.00000	0.689	0.3445
		平均値		標準率	
		28.05069	2.00000	1.379	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	2.490	1.2450
19	192.5 ≤* < 197.5	156.00000	6.72998	2.436	1.2180
18	187.5 ≤* < 192.5	152.00000	6.58211	2.383	1.1915
17	182.5 ≤* < 187.5	148.00000	6.43424	2.329	1.1645
16	177.5 ≤* < 182.5	144.00000	6.28637	2.276	1.1380
15	172.5 ≤* < 177.5	140.00000	6.13850	2.222	1.1110
14	167.5 ≤* < 172.5	136.00000	5.99063	2.169	1.0845
13	162.5 ≤* < 167.5	132.00000	5.84276	2.115	1.0575
12	157.5 ≤* < 162.5	128.00000	5.69489	2.062	1.0310
11	152.5 ≤* < 157.5	124.00000	5.54702	2.008	1.0040
10	147.5 ≤* < 152.5	120.00000	5.39915	1.954	0.9770
9	142.5 ≤* < 147.5	116.00000	5.25128	1.901	0.9505
8	137.5 ≤* < 142.5	112.00000	5.10340	1.847	0.9235
7	132.5 ≤* < 137.5	108.00000	4.95553	1.794	0.8970
6	127.5 ≤* < 132.5	104.00000	4.80766	1.740	0.8700
5	122.5 ≤* < 127.5	100.00000	4.65979	1.687	0.8435
4	117.5 ≤* < 122.5	96.00000	4.51192	1.633	0.8165
3	112.5 ≤* < 117.5	92.00000	4.36405	1.580	0.7900
2	107.5 ≤* < 112.5	88.00000	4.21618	1.526	0.7630
1	102.5 ≤* < 107.5	84.00000	4.06831	1.473	0.7365
0	97.5 ≤* < 102.5	80.00000	3.92044	1.419	0.7095
-1	92.5 ≤* < 97.5	76.00000	3.77257	1.366	0.6830
-2	87.5 ≤* < 92.5	72.00000	3.62470	1.312	0.6560
-3	82.5 ≤* < 87.5	68.00000	3.47683	1.259	0.6295
-4	77.5 ≤* < 82.5	64.00000	3.32896	1.205	0.6025
-5	72.5 ≤* < 77.5	60.00000	3.18109	1.152	0.5760
-6	67.5 ≤* < 72.5	56.00000	3.03322	1.098	0.5490
-7	62.5 ≤* < 67.5	52.00000	2.88535	1.044	0.5220
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.991	0.4955
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.937	0.4685
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.884	0.4420
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.830	0.4150
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.777	0.3885
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.723	0.3615
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.670	0.3350
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.616	0.3080
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.563	0.2815
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.509	0.2545
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.456	0.2280
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.402	0.2010
-20	0 ≤* < 2.5	1.00000	1.00000	0.362	0.1810
		平均値		標準率	
		28.05069	2.00000	0.724	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	1.355	0.6775
19	192.5 ≤* < 197.5	156.00000	6.72998	1.326	0.6630
18	187.5 ≤* < 192.5	152.00000	6.58211	1.297	0.6485
17	182.5 ≤* < 187.5	148.00000	6.43424	1.268	0.6340
16	177.5 ≤* < 182.5	144.00000	6.28637	1.238	0.6190
15	172.5 ≤* < 177.5	140.00000	6.13850	1.209	0.6045
14	167.5 ≤* < 172.5	136.00000	5.99063	1.180	0.5900
13	162.5 ≤* < 167.5	132.00000	5.84276	1.151	0.5755
12	157.5 ≤* < 162.5	128.00000	5.69489	1.122	0.5610
11	152.5 ≤* < 157.5	124.00000	5.54702	1.093	0.5465
10	147.5 ≤* < 152.5	120.00000	5.39915	1.064	0.5320
9	142.5 ≤* < 147.5	116.00000	5.25128	1.035	0.5175
8	137.5 ≤* < 142.5	112.00000	5.10340	1.005	0.5025
7	132.5 ≤* < 137.5	108.00000	4.95553	0.976	0.4880
6	127.5 ≤* < 132.5	104.00000	4.80766	0.947	0.4735
5	122.5 ≤* < 127.5	100.00000	4.65979	0.918	0.4590
4	117.5 ≤* < 122.5	96.00000	4.51192	0.889	0.4445
3	112.5 ≤* < 117.5	92.00000	4.36405	0.860	0.4300
2	107.5 ≤* < 112.5	88.00000	4.21618	0.831	0.4155
1	102.5 ≤* < 107.5	84.00000	4.06831	0.801	0.4005
0	97.5 ≤* < 102.5	80.00000	3.92044	0.772	0.3860
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.743	0.3715
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.714	0.3570
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.685	0.3425
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.656	0.3280
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.627	0.3135
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.598	0.2990
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.568	0.2840
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.539	0.2695
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.510	0.2550
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.481	0.2405
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.452	0.2260
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.423	0.2115
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.394	0.1970
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.365	0.1825
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.335	0.1675
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.306	0.1530
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.277	0.1385
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.248	0.1240
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.219	0.1095
-20	0 ≤* < 2.5	1.00000	1.00000	0.197	0.0985
		平均値		標準率	
		28.05069	2.00000	0.394	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.217	0.1085
19	192.5 ≤* < 197.5	156.00000	6.72998	0.212	0.1060
18	187.5 ≤* < 192.5	152.00000	6.58211	0.207	0.1035
17	182.5 ≤* < 187.5	148.00000	6.43424	0.203	0.1015
16	177.5 ≤* < 182.5	144.00000	6.28637	0.198	0.0990
15	172.5 ≤* < 177.5	140.00000	6.13850	0.193	0.0965
14	167.5 ≤* < 172.5	136.00000	5.99063	0.189	0.0945
13	162.5 ≤* < 167.5	132.00000	5.84276	0.184	0.0920
12	157.5 ≤* < 162.5	128.00000	5.69489	0.179	0.0895
11	152.5 ≤* < 157.5	124.00000	5.54702	0.175	0.0875
10	147.5 ≤* < 152.5	120.00000	5.39915	0.170	0.0850
9	142.5 ≤* < 147.5	116.00000	5.25128	0.165	0.0825
8	137.5 ≤* < 142.5	112.00000	5.10340	0.161	0.0805
7	132.5 ≤* < 137.5	108.00000	4.95553	0.156	0.0780
6	127.5 ≤* < 132.5	104.00000	4.80766	0.151	0.0755
5	122.5 ≤* < 127.5	100.00000	4.65979	0.147	0.0735
4	117.5 ≤* < 122.5	96.00000	4.51192	0.142	0.0710
3	112.5 ≤* < 117.5	92.00000	4.36405	0.137	0.0685
2	107.5 ≤* < 112.5	88.00000	4.21618	0.133	0.0665
1	102.5 ≤* < 107.5	84.00000	4.06831	0.128	0.0640
0	97.5 ≤* < 102.5	80.00000	3.92044	0.123	0.0615
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.119	0.0595
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.114	0.0570
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.110	0.0550
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.105	0.0525
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.100	0.0500
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.096	0.0480
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.091	0.0455
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.086	0.0430
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.082	0.0410
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.077	0.0385
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.072	0.0360
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.068	0.0340
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.063	0.0315
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.058	0.0290
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.054	0.0270
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.049	0.0245
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.044	0.0220
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.040	0.0200
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.035	0.0175
-20	0 ≤* < 2.5	1.00000	1.00000	0.031	0.0155
		平均値		標準率	
		28.05069	2.00000	0.063	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.186	0.0930
19	192.5 ≤* < 197.5	156.00000	6.72998	0.182	0.0910
18	187.5 ≤* < 192.5	152.00000	6.58211	0.178	0.0890
17	182.5 ≤* < 187.5	148.00000	6.43424	0.174	0.0870
16	177.5 ≤* < 182.5	144.00000	6.28637	0.170	0.0850
15	172.5 ≤* < 177.5	140.00000	6.13850	0.166	0.0830
14	167.5 ≤* < 172.5	136.00000	5.99063	0.162	0.0810
13	162.5 ≤* < 167.5	132.00000	5.84276	0.158	0.0790
12	157.5 ≤* < 162.5	128.00000	5.69489	0.154	0.0770
11	152.5 ≤* < 157.5	124.00000	5.54702	0.150	0.0750
10	147.5 ≤* < 152.5	120.00000	5.39915	0.146	0.0730
9	142.5 ≤* < 147.5	116.00000	5.25128	0.142	0.0710
8	137.5 ≤* < 142.5	112.00000	5.10340	0.138	0.0690
7	132.5 ≤* < 137.5	108.00000	4.95553	0.134	0.0670
6	127.5 ≤* < 132.5	104.00000	4.80766	0.130	0.0650
5	122.5 ≤* < 127.5	100.00000	4.65979	0.126	0.0630
4	117.5 ≤* < 122.5	96.00000	4.51192	0.122	0.0610
3	112.5 ≤* < 117.5	92.00000	4.36405	0.118	0.0590
2	107.5 ≤* < 112.5	88.00000	4.21618	0.114	0.0570
1	102.5 ≤* < 107.5	84.00000	4.06831	0.110	0.0550
0	97.5 ≤* < 102.5	80.00000	3.92044	0.106	0.0530
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.102	0.0510
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.098	0.0490
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.094	0.0470
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.090	0.0450
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.086	0.0430
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.082	0.0410
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.078	0.0390
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.074	0.0370
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.070	0.0350
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.066	0.0330
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.062	0.0310
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.058	0.0290
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.054	0.0270
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.050	0.0250
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.046	0.0230
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.042	0.0210
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.038	0.0190
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.034	0.0170
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.030	0.0150
-20	0 ≤* < 2.5	1.00000	1.00000	0.027	0.0135
		平均値		標準率	
		28.05069	2.00000	0.054	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.172	0.0860
19	192.5 ≤* < 197.5	156.00000	6.72998	0.168	0.0840
18	187.5 ≤* < 192.5	152.00000	6.58211	0.165	0.0825
17	182.5 ≤* < 187.5	148.00000	6.43424	0.161	0.0805
16	177.5 ≤* < 182.5	144.00000	6.28637	0.157	0.0785
15	172.5 ≤* < 177.5	140.00000	6.13850	0.153	0.0765
14	167.5 ≤* < 172.5	136.00000	5.99063	0.150	0.0750
13	162.5 ≤* < 167.5	132.00000	5.84276	0.146	0.0730
12	157.5 ≤* < 162.5	128.00000	5.69489	0.142	0.0710
11	152.5 ≤* < 157.5	124.00000	5.54702	0.139	0.0695
10	147.5 ≤* < 152.5	120.00000	5.39915	0.135	0.0675
9	142.5 ≤* < 147.5	116.00000	5.25128	0.131	0.0655
8	137.5 ≤* < 142.5	112.00000	5.10340	0.128	0.0640
7	132.5 ≤* < 137.5	108.00000	4.95553	0.124	0.0620
6	127.5 ≤* < 132.5	104.00000	4.80766	0.120	0.0600
5	122.5 ≤* < 127.5	100.00000	4.65979	0.116	0.0580
4	117.5 ≤* < 122.5	96.00000	4.51192	0.113	0.0565
3	112.5 ≤* < 117.5	92.00000	4.36405	0.109	0.0545
2	107.5 ≤* < 112.5	88.00000	4.21618	0.105	0.0525
1	102.5 ≤* < 107.5	84.00000	4.06831	0.102	0.0510
0	97.5 ≤* < 102.5	80.00000	3.92044	0.098	0.0490
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.094	0.0470
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.091	0.0455
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.087	0.0435
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.083	0.0415
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.080	0.0400
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.076	0.0380
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.072	0.0360
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.068	0.0340
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.065	0.0325
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.061	0.0305
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.057	0.0285
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.054	0.0270
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.050	0.0250
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.046	0.0230
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.043	0.0215
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.039	0.0195
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.035	0.0175
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.031	0.0155
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.028	0.0140
-20	0 ≤* < 2.5	1.00000	1.00000	0.025	0.0125
		平均値		標準率	
		28.05069	2.00000	0.050	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.110	0.0550
19	192.5 ≤* < 197.5	156.00000	6.72998	0.108	0.0540
18	187.5 ≤* < 192.5	152.00000	6.58211	0.105	0.0525
17	182.5 ≤* < 187.5	148.00000	6.43424	0.103	0.0515
16	177.5 ≤* < 182.5	144.00000	6.28637	0.101	0.0505
15	172.5 ≤* < 177.5	140.00000	6.13850	0.098	0.0490
14	167.5 ≤* < 172.5	136.00000	5.99063	0.096	0.0480
13	162.5 ≤* < 167.5	132.00000	5.84276	0.093	0.0465
12	157.5 ≤* < 162.5	128.00000	5.69489	0.091	0.0455
11	152.5 ≤* < 157.5	124.00000	5.54702	0.089	0.0445
10	147.5 ≤* < 152.5	120.00000	5.39915	0.086	0.0430
9	142.5 ≤* < 147.5	116.00000	5.25128	0.084	0.0420
8	137.5 ≤* < 142.5	112.00000	5.10340	0.082	0.0410
7	132.5 ≤* < 137.5	108.00000	4.95553	0.079	0.0395
6	127.5 ≤* < 132.5	104.00000	4.80766	0.077	0.0385
5	122.5 ≤* < 127.5	100.00000	4.65979	0.075	0.0375
4	117.5 ≤* < 122.5	96.00000	4.51192	0.072	0.0360
3	112.5 ≤* < 117.5	92.00000	4.36405	0.070	0.0350
2	107.5 ≤* < 112.5	88.00000	4.21618	0.067	0.0335
1	102.5 ≤* < 107.5	84.00000	4.06831	0.065	0.0325
0	97.5 ≤* < 102.5	80.00000	3.92044	0.063	0.0315
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.060	0.0300
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.058	0.0290
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.056	0.0280
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.053	0.0265
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.051	0.0255
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.049	0.0245
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.046	0.0230
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.044	0.0220
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.041	0.0205
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.039	0.0195
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.037	0.0185
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.034	0.0170
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.032	0.0160
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.030	0.0150
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.027	0.0135
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.025	0.0125
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.023	0.0115
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.020	0.0100
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.018	0.0090
-20	0 ≤* < 2.5	1.00000	1.00000	0.016	0.0080
		平均値		標準率	
		28.05069	2.00000	0.032	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.062	0.0310
19	192.5 ≤* < 197.5	156.00000	6.72998	0.061	0.0305
18	187.5 ≤* < 192.5	152.00000	6.58211	0.059	0.0295
17	182.5 ≤* < 187.5	148.00000	6.43424	0.058	0.0290
16	177.5 ≤* < 182.5	144.00000	6.28637	0.057	0.0285
15	172.5 ≤* < 177.5	140.00000	6.13850	0.055	0.0275
14	167.5 ≤* < 172.5	136.00000	5.99063	0.054	0.0270
13	162.5 ≤* < 167.5	132.00000	5.84276	0.053	0.0265
12	157.5 ≤* < 162.5	128.00000	5.69489	0.051	0.0255
11	152.5 ≤* < 157.5	124.00000	5.54702	0.050	0.0250
10	147.5 ≤* < 152.5	120.00000	5.39915	0.049	0.0245
9	142.5 ≤* < 147.5	116.00000	5.25128	0.047	0.0235
8	137.5 ≤* < 142.5	112.00000	5.10340	0.046	0.0230
7	132.5 ≤* < 137.5	108.00000	4.95553	0.045	0.0225
6	127.5 ≤* < 132.5	104.00000	4.80766	0.043	0.0215
5	122.5 ≤* < 127.5	100.00000	4.65979	0.042	0.0210
4	117.5 ≤* < 122.5	96.00000	4.51192	0.041	0.0205
3	112.5 ≤* < 117.5	92.00000	4.36405	0.039	0.0195
2	107.5 ≤* < 112.5	88.00000	4.21618	0.038	0.0190
1	102.5 ≤* < 107.5	84.00000	4.06831	0.037	0.0185
0	97.5 ≤* < 102.5	80.00000	3.92044	0.035	0.0175
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.034	0.0170
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.033	0.0165
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.031	0.0155
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.030	0.0150
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.029	0.0145
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.027	0.0135
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.026	0.0130
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.025	0.0125
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.023	0.0115
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.022	0.0110
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.021	0.0105
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.019	0.0095
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.018	0.0090
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.017	0.0085
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.015	0.0075
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.014	0.0070
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.013	0.0065
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.011	0.0055
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.010	0.0050
-20	0 ≤* < 2.5	1.00000	1.00000	0.009	0.0045
		平均値		標準率	
		28.05069	2.00000	0.018	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.261	0.2610
19	192.5 ≤* < 197.5	156.00000	6.72998	0.256	0.2560
18	187.5 ≤* < 192.5	152.00000	6.58211	0.250	0.2500
17	182.5 ≤* < 187.5	148.00000	6.43424	0.245	0.2450
16	177.5 ≤* < 182.5	144.00000	6.28637	0.239	0.2390
15	172.5 ≤* < 177.5	140.00000	6.13850	0.233	0.2330
14	167.5 ≤* < 172.5	136.00000	5.99063	0.228	0.2280
13	162.5 ≤* < 167.5	132.00000	5.84276	0.222	0.2220
12	157.5 ≤* < 162.5	128.00000	5.69489	0.216	0.2160
11	152.5 ≤* < 157.5	124.00000	5.54702	0.211	0.2110
10	147.5 ≤* < 152.5	120.00000	5.39915	0.205	0.2050
9	142.5 ≤* < 147.5	116.00000	5.25128	0.200	0.2000
8	137.5 ≤* < 142.5	112.00000	5.10340	0.194	0.1940
7	132.5 ≤* < 137.5	108.00000	4.95553	0.188	0.1880
6	127.5 ≤* < 132.5	104.00000	4.80766	0.183	0.1830
5	122.5 ≤* < 127.5	100.00000	4.65979	0.177	0.1770
4	117.5 ≤* < 122.5	96.00000	4.51192	0.171	0.1710
3	112.5 ≤* < 117.5	92.00000	4.36405	0.166	0.1660
2	107.5 ≤* < 112.5	88.00000	4.21618	0.160	0.1600
1	102.5 ≤* < 107.5	84.00000	4.06831	0.155	0.1550
0	97.5 ≤* < 102.5	80.00000	3.92044	0.149	0.1490
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.143	0.1430
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.138	0.1380
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.132	0.1320
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.127	0.1270
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.121	0.1210
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.115	0.1150
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.110	0.1100
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.104	0.1040
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.098	0.0980
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.093	0.0930
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.087	0.0870
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.082	0.0820
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.076	0.0760
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.070	0.0700
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.065	0.0650
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.059	0.0590
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.053	0.0530
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.048	0.0480
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.042	0.0420
-20	0 ≤* < 2.5	1.00000	1.00000	0.038	0.0380
		平均値		標準率	
		28.05069	2.00000	0.076	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.227	0.2270
19	192.5 ≤* < 197.5	156.00000	6.72998	0.222	0.2220
18	187.5 ≤* < 192.5	152.00000	6.58211	0.217	0.2170
17	182.5 ≤* < 187.5	148.00000	6.43424	0.212	0.2120
16	177.5 ≤* < 182.5	144.00000	6.28637	0.207	0.2070
15	172.5 ≤* < 177.5	140.00000	6.13850	0.203	0.2030
14	167.5 ≤* < 172.5	136.00000	5.99063	0.198	0.1980
13	162.5 ≤* < 167.5	132.00000	5.84276	0.193	0.1930
12	157.5 ≤* < 162.5	128.00000	5.69489	0.188	0.1880
11	152.5 ≤* < 157.5	124.00000	5.54702	0.183	0.1830
10	147.5 ≤* < 152.5	120.00000	5.39915	0.178	0.1780
9	142.5 ≤* < 147.5	116.00000	5.25128	0.173	0.1730
8	137.5 ≤* < 142.5	112.00000	5.10340	0.168	0.1680
7	132.5 ≤* < 137.5	108.00000	4.95553	0.164	0.1640
6	127.5 ≤* < 132.5	104.00000	4.80766	0.159	0.1590
5	122.5 ≤* < 127.5	100.00000	4.65979	0.154	0.1540
4	117.5 ≤* < 122.5	96.00000	4.51192	0.149	0.1490
3	112.5 ≤* < 117.5	92.00000	4.36405	0.144	0.1440
2	107.5 ≤* < 112.5	88.00000	4.21618	0.139	0.1390
1	102.5 ≤* < 107.5	84.00000	4.06831	0.134	0.1340
0	97.5 ≤* < 102.5	80.00000	3.92044	0.129	0.1290
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.124	0.1240
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.120	0.1200
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.115	0.1150
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.110	0.1100
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.105	0.1050
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.100	0.1000
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.095	0.0950
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.090	0.0900
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.085	0.0850
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.081	0.0810
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.076	0.0760
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.071	0.0710
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.066	0.0660
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.061	0.0610
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.056	0.0560
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.051	0.0510
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.046	0.0460
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.042	0.0420
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.037	0.0370
-20	0 ≤* < 2.5	1.00000	1.00000	0.033	0.0330
		平均値		標準率	
		28.05069	2.00000	0.066	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.210	0.2100
19	192.5 ≤* < 197.5	156.00000	6.72998	0.205	0.2050
18	187.5 ≤* < 192.5	152.00000	6.58211	0.201	0.2010
17	182.5 ≤* < 187.5	148.00000	6.43424	0.196	0.1960
16	177.5 ≤* < 182.5	144.00000	6.28637	0.192	0.1920
15	172.5 ≤* < 177.5	140.00000	6.13850	0.187	0.1870
14	167.5 ≤* < 172.5	136.00000	5.99063	0.183	0.1830
13	162.5 ≤* < 167.5	132.00000	5.84276	0.178	0.1780
12	157.5 ≤* < 162.5	128.00000	5.69489	0.174	0.1740
11	152.5 ≤* < 157.5	124.00000	5.54702	0.169	0.1690
10	147.5 ≤* < 152.5	120.00000	5.39915	0.165	0.1650
9	142.5 ≤* < 147.5	116.00000	5.25128	0.160	0.1600
8	137.5 ≤* < 142.5	112.00000	5.10340	0.156	0.1560
7	132.5 ≤* < 137.5	108.00000	4.95553	0.151	0.1510
6	127.5 ≤* < 132.5	104.00000	4.80766	0.147	0.1470
5	122.5 ≤* < 127.5	100.00000	4.65979	0.142	0.1420
4	117.5 ≤* < 122.5	96.00000	4.51192	0.138	0.1380
3	112.5 ≤* < 117.5	92.00000	4.36405	0.133	0.1330
2	107.5 ≤* < 112.5	88.00000	4.21618	0.129	0.1290
1	102.5 ≤* < 107.5	84.00000	4.06831	0.124	0.1240
0	97.5 ≤* < 102.5	80.00000	3.92044	0.120	0.1200
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.115	0.1150
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.111	0.1110
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.106	0.1060
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.102	0.1020
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.097	0.0970
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.093	0.0930
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.088	0.0880
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.083	0.0830
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.079	0.0790
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.074	0.0740
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.070	0.0700
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.065	0.0650
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.061	0.0610
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.056	0.0560
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.052	0.0520
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.047	0.0470
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.043	0.0430
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.038	0.0380
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.034	0.0340
-20	0 ≤* < 2.5	1.00000	1.00000	0.030	0.0300
		平均値		標準率	
		28.05069	2.00000	0.061	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.138	0.1380
19	192.5 ≤* < 197.5	156.00000	6.72998	0.135	0.1350
18	187.5 ≤* < 192.5	152.00000	6.58211	0.132	0.1320
17	182.5 ≤* < 187.5	148.00000	6.43424	0.129	0.1290
16	177.5 ≤* < 182.5	144.00000	6.28637	0.126	0.1260
15	172.5 ≤* < 177.5	140.00000	6.13850	0.123	0.1230
14	167.5 ≤* < 172.5	136.00000	5.99063	0.120	0.1200
13	162.5 ≤* < 167.5	132.00000	5.84276	0.117	0.1170
12	157.5 ≤* < 162.5	128.00000	5.69489	0.114	0.1140
11	152.5 ≤* < 157.5	124.00000	5.54702	0.111	0.1110
10	147.5 ≤* < 152.5	120.00000	5.39915	0.108	0.1080
9	142.5 ≤* < 147.5	116.00000	5.25128	0.105	0.1050
8	137.5 ≤* < 142.5	112.00000	5.10340	0.102	0.1020
7	132.5 ≤* < 137.5	108.00000	4.95553	0.099	0.0990
6	127.5 ≤* < 132.5	104.00000	4.80766	0.096	0.0960
5	122.5 ≤* < 127.5	100.00000	4.65979	0.093	0.0930
4	117.5 ≤* < 122.5	96.00000	4.51192	0.090	0.0900
3	112.5 ≤* < 117.5	92.00000	4.36405	0.087	0.0870
2	107.5 ≤* < 112.5	88.00000	4.21618	0.084	0.0840
1	102.5 ≤* < 107.5	84.00000	4.06831	0.081	0.0810
0	97.5 ≤* < 102.5	80.00000	3.92044	0.078	0.0780
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.075	0.0750
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.072	0.0720
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.070	0.0700
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.067	0.0670
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.064	0.0640
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.061	0.0610
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.058	0.0580
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.055	0.0550
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.052	0.0520
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.049	0.0490
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.046	0.0460
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.043	0.0430
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.040	0.0400
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.037	0.0370
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.034	0.0340
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.031	0.0310
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.028	0.0280
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.025	0.0250
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.022	0.0220
-20	0 ≤* < 2.5	1.00000	1.00000	0.020	0.0200
		平均値		標準率	
		28.05069	2.00000	0.040	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	6.87785	0.076	0.0760
19	192.5 ≤* < 197.5	156.00000	6.72998	0.074	0.0740
18	187.5 ≤* < 192.5	152.00000	6.58211	0.072	0.0720
17	182.5 ≤* < 187.5	148.00000	6.43424	0.071	0.0710
16	177.5 ≤* < 182.5	144.00000	6.28637	0.069	0.0690
15	172.5 ≤* < 177.5	140.00000	6.13850	0.068	0.0680
14	167.5 ≤* < 172.5	136.00000	5.99063	0.066	0.0660
13	162.5 ≤* < 167.5	132.00000	5.84276	0.064	0.0640
12	157.5 ≤* < 162.5	128.00000	5.69489	0.063	0.0630
11	152.5 ≤* < 157.5	124.00000	5.54702	0.061	0.0610
10	147.5 ≤* < 152.5	120.00000	5.39915	0.059	0.0590
9	142.5 ≤* < 147.5	116.00000	5.25128	0.058	0.0580
8	137.5 ≤* < 142.5	112.00000	5.10340	0.056	0.0560
7	132.5 ≤* < 137.5	108.00000	4.95553	0.055	0.0550
6	127.5 ≤* < 132.5	104.00000	4.80766	0.053	0.0530
5	122.5 ≤* < 127.5	100.00000	4.65979	0.051	0.0510
4	117.5 ≤* < 122.5	96.00000	4.51192	0.050	0.0500
3	112.5 ≤* < 117.5	92.00000	4.36405	0.048	0.0480
2	107.5 ≤* < 112.5	88.00000	4.21618	0.046	0.0460
1	102.5 ≤* < 107.5	84.00000	4.06831	0.045	0.0450
0	97.5 ≤* < 102.5	80.00000	3.92044	0.043	0.0430
-1	92.5 ≤* < 97.5	76.00000	3.77257	0.041	0.0410
-2	87.5 ≤* < 92.5	72.00000	3.62470	0.040	0.0400
-3	82.5 ≤* < 87.5	68.00000	3.47683	0.038	0.0380
-4	77.5 ≤* < 82.5	64.00000	3.32896	0.037	0.0370
-5	72.5 ≤* < 77.5	60.00000	3.18109	0.035	0.0350
-6	67.5 ≤* < 72.5	56.00000	3.03322	0.033	0.0330
-7	62.5 ≤* < 67.5	52.00000	2.88535	0.032	0.0320
-8	57.5 ≤* < 62.5	48.00000	2.73748	0.030	0.0300
-9	52.5 ≤* < 57.5	44.00000	2.58961	0.028	0.0280
-10	47.5 ≤* < 52.5	40.00000	2.44174	0.027	0.0270
-11	42.5 ≤* < 47.5	36.00000	2.29387	0.025	0.0250
-12	37.5 ≤* < 42.5	32.00000	2.14600	0.024	0.0240
-13	32.5 ≤* < 37.5	28.00000	1.99813	0.022	0.0220
-14	27.5 ≤* < 32.5	24.00000	1.85026	0.020	0.0200
-15	22.5 ≤* < 27.5	20.00000	1.70238	0.019	0.0190
-16	17.5 ≤* < 22.5	16.00000	1.55451	0.017	0.0170
-17	12.5 ≤* < 17.5	12.00000	1.40664	0.015	0.0150
-18	7.5 ≤* < 12.5	8.00000	1.25877	0.014	0.0140
-19	2.5 ≤* < 7.5	4.00000	1.11090	0.012	0.0120
-20	0 ≤* < 2.5	1.00000	1.00000	0.011	0.0110
		平均値		標準率	
		28.05069	2.00000	0.022	