

園芸施設共済 危険段階別共済掛金率表

1 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、3万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.087	0.044
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.072	0.036
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.071	0.036
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.069	0.035
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.068	0.034
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.066	0.033
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.065	0.033
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.064	0.032
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.062	0.031
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.061	0.031
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.060	0.030
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.058	0.029
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.057	0.029
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.055	0.028
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.054	0.027
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.053	0.027
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.051	0.026
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.050	0.025
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.048	0.024
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.047	0.024
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.046	0.023
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.044	0.022
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.043	0.022
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.042	0.021
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.040	0.020
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.039	0.020
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.037	0.019
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.036	0.018
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.035	0.018
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.033	0.017
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.032	0.016
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.031	0.016
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.029	0.015
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.028	0.014
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.026	0.013
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.025	0.013
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.024	0.012
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.022	0.011
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.021	0.011
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.020	0.010
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.018	0.009
		平均値		共済掛金標準率	
		54.65945	2.00000	0.037	

園芸施設共済 危険段階別共済掛金率表

2 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、3万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.082	0.041
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.068	0.034
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.067	0.034
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.065	0.033
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.064	0.032
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.063	0.032
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.062	0.031
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.060	0.030
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.059	0.030
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.058	0.029
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.056	0.028
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.055	0.028
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.054	0.027
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.052	0.026
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.051	0.026
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.050	0.025
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.048	0.024
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.047	0.024
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.046	0.023
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.045	0.023
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.043	0.022
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.042	0.021
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.041	0.021
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.039	0.020
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.038	0.019
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.037	0.019
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.035	0.018
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.034	0.017
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.033	0.017
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.032	0.016
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.030	0.015
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.029	0.015
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.028	0.014
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.026	0.013
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.025	0.013
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.024	0.012
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.022	0.011
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.021	0.011
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.020	0.010
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.018	0.009
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.017	0.009
		平均値		共済掛金標準率	
		54.65945	2.00000	0.035	

園芸施設共済 危険段階別共済掛金率表

3 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、3万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.073	0.037
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.060	0.030
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.059	0.030
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.058	0.029
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.057	0.029
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.056	0.028
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.054	0.027
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.053	0.027
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.052	0.026
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.051	0.026
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.050	0.025
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.049	0.025
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.048	0.024
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.046	0.023
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.045	0.023
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.044	0.022
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.043	0.022
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.042	0.021
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.041	0.021
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.039	0.020
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.038	0.019
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.037	0.019
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.036	0.018
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.035	0.018
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.034	0.017
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.033	0.017
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.031	0.016
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.030	0.015
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.029	0.015
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.028	0.014
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.027	0.014
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.026	0.013
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.024	0.012
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.023	0.012
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.022	0.011
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.021	0.011
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.020	0.010
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.019	0.010
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.018	0.009
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.016	0.008
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.015	0.008
		平均値		共済掛金標準率	
		54.65945	2.00000	0.031	

園芸施設共済 危険段階別共済掛金率表

4 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、3万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.070	0.035
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.058	0.029
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.057	0.029
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.056	0.028
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.055	0.028
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.054	0.027
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.053	0.027
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.052	0.026
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.051	0.026
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.049	0.025
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.048	0.024
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.047	0.024
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.046	0.023
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.045	0.023
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.044	0.022
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.043	0.022
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.042	0.021
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.040	0.020
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.039	0.020
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.038	0.019
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.037	0.019
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.036	0.018
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.035	0.018
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.034	0.017
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.033	0.017
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.031	0.016
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.030	0.015
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.029	0.015
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.028	0.014
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.027	0.014
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.026	0.013
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.025	0.013
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.024	0.012
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.023	0.012
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.021	0.011
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.020	0.010
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.019	0.010
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.018	0.009
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.017	0.009
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.016	0.008
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.015	0.008
		平均値		共済掛金標準率	
		54.65945	2.00000	0.030	

園芸施設共済 危険段階別共済掛金率表

5 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、10万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.061	0.031
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.051	0.026
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.050	0.025
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.049	0.025
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.048	0.024
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.047	0.024
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.046	0.023
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.045	0.023
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.044	0.022
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.043	0.022
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.042	0.021
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.041	0.021
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.040	0.020
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.039	0.020
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.038	0.019
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.037	0.019
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.036	0.018
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.035	0.018
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.034	0.017
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.033	0.017
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.032	0.016
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.031	0.016
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.030	0.015
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.029	0.015
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.028	0.014
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.027	0.014
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.026	0.013
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.025	0.013
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.024	0.012
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.023	0.012
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.022	0.011
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.021	0.011
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.021	0.011
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.020	0.010
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.019	0.010
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.018	0.009
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.017	0.009
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.016	0.008
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.015	0.008
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.014	0.007
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.013	0.007
		平均値		共済掛金標準率	
		54.65945	2.00000	0.026	

園芸施設共済 危険段階別共済掛金率表

6 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、10万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.059	0.030
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.049	0.025
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.048	0.024
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.047	0.024
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.046	0.023
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.045	0.023
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.044	0.022
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.043	0.022
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.042	0.021
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.041	0.021
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.040	0.020
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.039	0.020
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.038	0.019
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.037	0.019
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.036	0.018
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.036	0.018
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.035	0.018
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.034	0.017
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.033	0.017
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.032	0.016
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.031	0.016
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.030	0.015
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.029	0.015
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.028	0.014
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.027	0.014
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.026	0.013
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.025	0.013
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.024	0.012
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.023	0.012
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.023	0.012
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.022	0.011
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.021	0.011
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.020	0.010
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.019	0.010
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.018	0.009
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.017	0.009
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.016	0.008
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.015	0.008
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.014	0.007
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.013	0.007
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.012	0.006
		平均値		共済掛金標準率	
		54.65945	2.00000	0.025	

園芸施設共済 危険段階別共済掛金率表

7 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、10万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.052	0.026
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.043	0.022
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.042	0.021
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.041	0.021
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.040	0.020
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.039	0.020
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.039	0.020
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.038	0.019
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.037	0.019
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.036	0.018
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.035	0.018
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.035	0.018
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.034	0.017
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.033	0.017
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.032	0.016
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.031	0.016
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.030	0.015
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.030	0.015
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.029	0.015
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.028	0.014
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.027	0.014
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.026	0.013
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.026	0.013
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.025	0.013
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.024	0.012
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.023	0.012
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.022	0.011
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.021	0.011
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.021	0.011
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.020	0.010
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.019	0.010
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.018	0.009
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.017	0.009
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.017	0.009
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.016	0.008
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.015	0.008
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.014	0.007
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.013	0.007
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.012	0.006
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.012	0.006
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.011	0.006
		平均値		共済掛金標準率	
		54.65945	2.00000	0.022	

園芸施設共済 危険段階別共済掛金率表

8 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、10万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.049	0.025
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.041	0.021
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.040	0.020
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.039	0.020
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.038	0.019
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.038	0.019
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.037	0.019
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.036	0.018
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.035	0.018
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.035	0.018
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.034	0.017
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.033	0.017
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.032	0.016
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.031	0.016
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.031	0.016
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.030	0.015
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.029	0.015
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.028	0.014
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.028	0.014
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.027	0.014
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.026	0.013
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.025	0.013
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.024	0.012
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.024	0.012
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.023	0.012
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.022	0.011
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.021	0.011
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.020	0.010
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.020	0.010
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.019	0.010
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.018	0.009
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.017	0.009
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.017	0.009
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.016	0.008
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.015	0.008
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.014	0.007
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.013	0.007
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.013	0.007
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.012	0.006
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.011	0.006
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.010	0.005
		平均値		共済掛金標準率	
		54.65945	2.00000	0.021	

園芸施設共済 危険段階別共済掛金率表

9 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、20万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.042	0.021
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.035	0.018
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.034	0.017
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.034	0.017
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.033	0.017
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.032	0.016
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.032	0.016
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.031	0.016
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.030	0.015
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.030	0.015
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.029	0.015
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.028	0.014
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.028	0.014
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.027	0.014
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.026	0.013
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.026	0.013
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.025	0.013
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.024	0.012
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.024	0.012
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.023	0.012
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.022	0.011
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.022	0.011
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.021	0.011
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.020	0.010
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.020	0.010
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.019	0.010
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.018	0.009
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.018	0.009
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.017	0.009
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.016	0.008
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.016	0.008
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.015	0.008
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.014	0.007
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.014	0.007
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.013	0.007
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.012	0.006
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.012	0.006
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.011	0.006
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.010	0.005
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.010	0.005
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.009	0.005
		平均値		共済掛金標準率	
		54.65945	2.00000	0.018	

園芸施設共済 危険段階別共済掛金率表

10 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、20万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.040	0.020
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.033	0.017
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.032	0.016
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.032	0.016
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.031	0.016
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.031	0.016
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.030	0.015
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.029	0.015
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.029	0.015
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.028	0.014
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.027	0.014
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.027	0.014
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.026	0.013
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.025	0.013
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.025	0.013
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.024	0.012
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.024	0.012
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.023	0.012
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.022	0.011
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.022	0.011
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.021	0.011
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.020	0.010
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.020	0.010
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.019	0.010
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.018	0.009
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.018	0.009
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.017	0.009
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.017	0.009
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.016	0.008
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.015	0.008
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.015	0.008
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.014	0.007
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.013	0.007
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.013	0.007
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.012	0.006
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.012	0.006
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.011	0.006
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.010	0.005
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.010	0.005
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.009	0.005
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.008	0.004
		平均値		共済掛金標準率	
		54.65945	2.00000	0.017	

園芸施設共済 危険段階別共済掛金率表

11 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、20万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	0.035	0.018
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	0.029	0.015
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	0.029	0.015
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	0.028	0.014
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	0.027	0.014
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	0.027	0.014
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	0.026	0.013
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	0.026	0.013
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	0.025	0.013
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	0.025	0.013
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	0.024	0.012
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	0.024	0.012
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	0.023	0.012
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	0.022	0.011
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	0.022	0.011
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	0.021	0.011
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	0.021	0.011
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.020	0.010
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.020	0.010
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.019	0.010
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.019	0.010
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.018	0.009
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.017	0.009
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.017	0.009
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.016	0.008
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.016	0.008
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.015	0.008
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.015	0.008
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.014	0.007
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.014	0.007
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.013	0.007
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.012	0.006
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.012	0.006
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.011	0.006
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.011	0.006
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.010	0.005
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.010	0.005
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.009	0.005
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.008	0.004
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.008	0.004
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.007	0.004
		平均値		共済掛金標準率	
		54.65945	2.00000	0.015	

園芸施設共済 危険段階別共済掛金率表

12 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、20万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	0.035	0.018
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	0.029	0.015
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	0.029	0.015
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	0.028	0.014
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	0.027	0.014
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	0.027	0.014
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	0.026	0.013
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	0.026	0.013
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	0.025	0.013
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	0.025	0.013
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	0.024	0.012
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	0.024	0.012
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	0.023	0.012
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	0.022	0.011
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	0.022	0.011
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	0.021	0.011
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	0.021	0.011
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.020	0.010
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.020	0.010
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.019	0.010
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.019	0.010
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.018	0.009
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.017	0.009
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.017	0.009
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.016	0.008
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.016	0.008
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.015	0.008
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.015	0.008
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.014	0.007
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.014	0.007
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.013	0.007
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.012	0.006
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.012	0.006
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.011	0.006
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.011	0.006
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.010	0.005
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.010	0.005
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.009	0.005
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.008	0.004
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.008	0.004
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.007	0.004
		平均値		共済掛金標準率	
		54.65945	2.00000	0.015	

園芸施設共済 危険段階別共済掛金率表

13 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、50万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.019	0.010
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.016	0.008
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.015	0.008
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.015	0.008
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.015	0.008
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.014	0.007
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.014	0.007
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.014	0.007
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.013	0.007
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.013	0.007
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.013	0.007
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.013	0.007
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.012	0.006
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.012	0.006
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.012	0.006
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.011	0.006
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.011	0.006
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.011	0.006
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.010	0.005
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.010	0.005
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.010	0.005
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.010	0.005
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.009	0.005
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.009	0.005
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.009	0.005
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.008	0.004
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.008	0.004
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.008	0.004
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.008	0.004
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.007	0.004
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.007	0.004
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.007	0.004
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.006	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.006	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.006	0.003
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.005	0.003
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.005	0.003
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.005	0.003
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.005	0.003
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.004	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.004	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.008	

園芸施設共済 危険段階別共済掛金率表

14 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、50万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	0.019	0.010
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	0.016	0.008
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	0.015	0.008
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	0.015	0.008
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	0.015	0.008
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	0.014	0.007
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	0.014	0.007
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	0.014	0.007
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	0.013	0.007
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	0.013	0.007
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	0.013	0.007
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	0.013	0.007
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	0.012	0.006
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	0.012	0.006
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	0.012	0.006
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	0.011	0.006
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	0.011	0.006
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.011	0.006
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.010	0.005
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.010	0.005
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.010	0.005
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.010	0.005
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.009	0.005
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.009	0.005
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.009	0.005
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.008	0.004
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.008	0.004
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.008	0.004
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.008	0.004
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.007	0.004
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.007	0.004
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.007	0.004
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.006	0.003
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.006	0.003
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.006	0.003
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.005	0.003
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.005	0.003
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.005	0.003
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.005	0.003
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.004	0.002
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.004	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.008	

園芸施設共済 危険段階別共済掛金率表

15 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、50万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.016	0.008
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.014	0.007
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.013	0.007
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.013	0.007
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.013	0.007
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.013	0.007
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.012	0.006
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.012	0.006
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.012	0.006
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.012	0.006
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.011	0.006
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.011	0.006
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.011	0.006
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.010	0.005
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.010	0.005
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.010	0.005
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.010	0.005
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.009	0.005
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.009	0.005
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.009	0.005
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.009	0.005
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.008	0.004
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.008	0.004
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.008	0.004
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.008	0.004
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.007	0.004
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.007	0.004
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.007	0.004
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.007	0.004
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.006	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.006	0.003
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.006	0.003
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.006	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.005	0.003
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.005	0.003
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.004	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.004	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.007	

園芸施設共済 危険段階別共済掛金率表

16 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、50万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.014	0.007
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.012	0.006
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.011	0.006
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.011	0.006
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.011	0.006
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.011	0.006
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.011	0.006
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.010	0.005
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.010	0.005
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.010	0.005
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.010	0.005
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.009	0.005
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.009	0.005
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.009	0.005
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.009	0.005
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.009	0.005
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.008	0.004
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.008	0.004
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.008	0.004
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.008	0.004
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.007	0.004
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.007	0.004
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.007	0.004
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.007	0.004
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.007	0.004
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.006	0.003
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.006	0.003
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.006	0.003
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.006	0.003
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.005	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.005	0.003
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.005	0.003
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.005	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.004	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.004	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.003	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.003	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.006	

園芸施設共済 危険段階別共済掛金率表

17 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、100万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.007	0.004
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.006	0.003
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.006	0.003
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.006	0.003
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.005	0.003
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.005	0.003
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.005	0.003
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.005	0.003
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.005	0.003
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.005	0.003
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.005	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.005	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.005	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.004	0.002
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.004	0.002
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.004	0.002
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.004	0.002
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.004	0.002
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.004	0.002
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.004	0.002
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.004	0.002
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.004	0.002
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.003	0.002
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.003	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.003	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.003	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.003	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.003	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.003	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.003	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.002	0.001
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.002	0.001
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.002	0.001
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.003	

園芸施設共済 危険段階別共済掛金率表

18 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、100万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.007	0.004
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.006	0.003
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.006	0.003
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.006	0.003
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.005	0.003
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.005	0.003
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.005	0.003
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.005	0.003
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.005	0.003
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.005	0.003
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.005	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.005	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.005	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.004	0.002
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.004	0.002
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.004	0.002
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.004	0.002
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.004	0.002
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.004	0.002
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.004	0.002
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.004	0.002
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.004	0.002
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.003	0.002
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.003	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.003	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.003	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.003	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.003	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.003	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.003	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.002	0.001
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.002	0.001
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.002	0.001
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.003	

園芸施設共済 危険段階別共済掛金率表

19 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、100万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	0.007	0.004
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	0.006	0.003
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	0.006	0.003
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	0.006	0.003
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	0.005	0.003
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	0.005	0.003
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	0.005	0.003
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	0.005	0.003
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	0.005	0.003
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	0.005	0.003
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	0.005	0.003
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	0.005	0.003
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	0.005	0.003
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	0.004	0.002
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	0.004	0.002
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	0.004	0.002
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	0.004	0.002
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.004	0.002
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.004	0.002
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.004	0.002
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.004	0.002
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.004	0.002
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.003	0.002
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.003	0.002
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.003	0.002
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.003	0.002
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.003	0.002
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.003	0.002
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.003	0.002
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.003	0.002
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.002	0.001
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.002	0.001
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.002	0.001
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.003	

園芸施設共済 危険段階別共済掛金率表

20 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、100万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.005	0.003
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.004	0.002
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.004	0.002
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.004	0.002
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.004	0.002
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.004	0.002
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.004	0.002
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.003	0.002
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.003	0.002
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.003	0.002
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.003	0.002
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.003	0.002
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.003	0.002
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.003	0.002
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.003	0.002
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.003	0.002
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.003	0.002
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.003	0.002
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.003	0.002
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.003	0.002
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.002	0.001
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.002	0.001
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.002	0.001
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.002	0.001
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.002	0.001
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.002	0.001
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.002	0.001
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.002	0.001
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.002	0.001
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.002	0.001
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.002	0.001
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.001	0.001
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.001	0.001
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.001	0.001
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.001	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.001	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.001	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.002	

園芸施設共済 危険段階別共済掛金率表

21 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、1万円特約

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.089	0.045
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.074	0.037
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.072	0.036
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.071	0.036
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.070	0.035
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.068	0.034
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.067	0.034
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.065	0.033
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.064	0.032
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.063	0.032
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.061	0.031
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.060	0.030
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.058	0.029
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.057	0.029
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.055	0.028
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.054	0.027
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.053	0.027
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.051	0.026
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.050	0.025
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.048	0.024
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.047	0.024
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.046	0.023
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.044	0.022
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.043	0.022
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.041	0.021
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.040	0.020
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.038	0.019
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.037	0.019
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.036	0.018
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.034	0.017
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.033	0.017
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.031	0.016
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.030	0.015
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.029	0.015
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.027	0.014
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.026	0.013
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.024	0.012
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.023	0.012
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.021	0.011
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.020	0.010
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.019	0.010
		平均値		共済掛金標準率	
		54.65945	2.00000	0.038	

園芸施設共済 危険段階別共済掛金率表

22 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、1万円特約 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.084	0.042
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.070	0.035
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.069	0.035
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.067	0.034
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.066	0.033
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.065	0.033
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.063	0.032
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.062	0.031
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.061	0.031
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.059	0.030
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.058	0.029
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.057	0.029
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.055	0.028
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.054	0.027
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.053	0.027
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.051	0.026
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.050	0.025
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.049	0.025
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.047	0.024
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.046	0.023
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.045	0.023
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.043	0.022
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.042	0.021
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.040	0.020
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.039	0.020
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.038	0.019
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.036	0.018
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.035	0.018
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.034	0.017
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.032	0.016
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.031	0.016
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.030	0.015
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.028	0.014
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.027	0.014
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.026	0.013
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.024	0.012
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.023	0.012
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.022	0.011
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.020	0.010
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.019	0.010
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.018	0.009
		平均値		共済掛金標準率	
		54.65945	2.00000	0.036	

園芸施設共済 危険段階別共済掛金率表

23 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、1万円特約 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.075	0.038
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.062	0.031
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.061	0.031
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.060	0.030
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.059	0.030
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.057	0.029
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.056	0.028
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.055	0.028
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.054	0.027
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.053	0.027
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.051	0.026
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.050	0.025
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.049	0.025
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.048	0.024
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.047	0.024
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.046	0.023
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.044	0.022
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.043	0.022
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.042	0.021
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.041	0.021
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.040	0.020
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.038	0.019
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.037	0.019
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.036	0.018
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.035	0.018
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.034	0.017
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.032	0.016
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.031	0.016
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.030	0.015
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.029	0.015
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.028	0.014
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.026	0.013
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.025	0.013
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.024	0.012
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.023	0.012
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.022	0.011
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.020	0.010
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.019	0.010
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.018	0.009
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.017	0.009
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.016	0.008
		平均値		共済掛金標準率	
		54.65945	2.00000	0.032	

園芸施設共済 危険段階別共済掛金率表

24 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、未被覆、1万円特約 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	0.073	0.037
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	0.060	0.030
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	0.059	0.030
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	0.058	0.029
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	0.057	0.029
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	0.056	0.028
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	0.054	0.027
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	0.053	0.027
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	0.052	0.026
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	0.051	0.026
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	0.050	0.025
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	0.049	0.025
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	0.048	0.024
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	0.046	0.023
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	0.045	0.023
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	0.044	0.022
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	0.043	0.022
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.042	0.021
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.041	0.021
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.039	0.020
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.038	0.019
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.037	0.019
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.036	0.018
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.035	0.018
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.034	0.017
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.033	0.017
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.031	0.016
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.030	0.015
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.029	0.015
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.028	0.014
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.027	0.014
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.026	0.013
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.024	0.012
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.023	0.012
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.022	0.011
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.021	0.011
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.020	0.010
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.019	0.010
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.018	0.009
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.016	0.008
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.015	0.008
		平均値		共済掛金標準率	
		54.65945	2.00000	0.031	

園芸施設共済 危険段階別共済掛金率表

25 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、3万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	6.442	3.221
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	5.343	2.672
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	5.240	2.620
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	5.138	2.569
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	5.036	2.518
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	4.933	2.467
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	4.831	2.416
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	4.728	2.364
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	4.626	2.313
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	4.524	2.262
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	4.421	2.211
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	4.319	2.160
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	4.216	2.108
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	4.114	2.057
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	4.011	2.006
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	3.909	1.955
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	3.807	1.904
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	3.704	1.852
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	3.602	1.801
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	3.499	1.750
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	3.397	1.699
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	3.294	1.647
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	3.192	1.596
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	3.090	1.545
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	2.987	1.494
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	2.885	1.443
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	2.782	1.391
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	2.680	1.340
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	2.577	1.289
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	2.475	1.238
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	2.373	1.187
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	2.270	1.135
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	2.168	1.084
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	2.065	1.033
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	1.963	0.982
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	1.861	0.931
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	1.758	0.879
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	1.656	0.828
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	1.553	0.777
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	1.451	0.726
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	1.374	0.687
		平均値		共済掛金標準率	
		54.65945	2.00000	2.748	

園芸施設共済 危険段階別共済掛金率表

26 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、3万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	6.120	3.060
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	5.077	2.539
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	4.979	2.490
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	4.882	2.441
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	4.785	2.393
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	4.687	2.344
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	4.590	2.295
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	4.493	2.247
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	4.395	2.198
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	4.298	2.149
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	4.201	2.101
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	4.103	2.052
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	4.006	2.003
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	3.909	1.955
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	3.811	1.906
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	3.714	1.857
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	3.617	1.809
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	3.519	1.760
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	3.422	1.711
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	3.325	1.663
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	3.228	1.614
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	3.130	1.565
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	3.033	1.517
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	2.936	1.468
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	2.838	1.419
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	2.741	1.371
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	2.644	1.322
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	2.546	1.273
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	2.449	1.225
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	2.352	1.176
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	2.254	1.127
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	2.157	1.079
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	2.060	1.030
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	1.962	0.981
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	1.865	0.933
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	1.768	0.884
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	1.670	0.835
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	1.573	0.787
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	1.476	0.738
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	1.378	0.689
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	1.305	0.653
		平均値		共済掛金標準率	
		54.65945	2.00000	2.611	

園芸施設共済 危険段階別共済掛金率表

27 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、3万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	5.476	2.738
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	4.542	2.271
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	4.455	2.228
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	4.368	2.184
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	4.281	2.141
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	4.194	2.097
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	4.107	2.054
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	4.019	2.010
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	3.932	1.966
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	3.845	1.923
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	3.758	1.879
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	3.671	1.836
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	3.584	1.792
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	3.497	1.749
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	3.410	1.705
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	3.323	1.662
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	3.236	1.618
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	3.149	1.575
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	3.062	1.531
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	2.975	1.488
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	2.888	1.444
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	2.801	1.401
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	2.713	1.357
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	2.626	1.313
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	2.539	1.270
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	2.452	1.226
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	2.365	1.183
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	2.278	1.139
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	2.191	1.096
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	2.104	1.052
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	2.017	1.009
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	1.930	0.965
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	1.843	0.922
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	1.756	0.878
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	1.669	0.835
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	1.582	0.791
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	1.495	0.748
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	1.407	0.704
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	1.320	0.660
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	1.233	0.617
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	1.168	0.584
		平均値		共済掛金標準率	
		54.65945	2.00000	2.336	

園芸施設共済 危険段階別共済掛金率表

28 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、3万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	5.202	2.601
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	4.314	2.157
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	4.232	2.116
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	4.149	2.075
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	4.066	2.033
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	3.984	1.992
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	3.901	1.951
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	3.818	1.909
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	3.735	1.868
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	3.653	1.827
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	3.570	1.785
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	3.487	1.744
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	3.405	1.703
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	3.322	1.661
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	3.239	1.620
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	3.156	1.578
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	3.074	1.537
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	2.991	1.496
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	2.908	1.454
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	2.826	1.413
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	2.743	1.372
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	2.660	1.330
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	2.578	1.289
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	2.495	1.248
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	2.412	1.206
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	2.329	1.165
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	2.247	1.124
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	2.164	1.082
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	2.081	1.041
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	1.999	1.000
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	1.916	0.958
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	1.833	0.917
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	1.750	0.875
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	1.668	0.834
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	1.585	0.793
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	1.502	0.751
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	1.420	0.710
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	1.337	0.669
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	1.254	0.627
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	1.172	0.586
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	1.109	0.555
		平均値		共済掛金標準率	
		54.65945	2.00000	2.219	

園芸施設共済 危険段階別共済掛金率表

29 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、10万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	3.610	1.805
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	2.994	1.497
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	2.937	1.469
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	2.879	1.440
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	2.822	1.411
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	2.765	1.383
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	2.707	1.354
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	2.650	1.325
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	2.592	1.296
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	2.535	1.268
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	2.478	1.239
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	2.420	1.210
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	2.363	1.182
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	2.305	1.153
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	2.248	1.124
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	2.191	1.096
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	2.133	1.067
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	2.076	1.038
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	2.018	1.009
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	1.961	0.981
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	1.904	0.952
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	1.846	0.923
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	1.789	0.895
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	1.731	0.866
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	1.674	0.837
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	1.617	0.809
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	1.559	0.780
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	1.502	0.751
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	1.444	0.722
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	1.387	0.694
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	1.330	0.665
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	1.272	0.636
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	1.215	0.608
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	1.157	0.579
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	1.100	0.550
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	1.043	0.522
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.985	0.493
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.928	0.464
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.870	0.435
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.813	0.407
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.770	0.385
		平均値		共済掛金標準率	
		54.65945	2.00000	1.540	

園芸施設共済 危険段階別共済掛金率表

30 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、10万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	3.429	1.715
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	2.845	1.423
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	2.790	1.395
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	2.735	1.368
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	2.681	1.341
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	2.626	1.313
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	2.572	1.286
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	2.517	1.259
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	2.463	1.232
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	2.408	1.204
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	2.354	1.177
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	2.299	1.150
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	2.245	1.123
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	2.190	1.095
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	2.136	1.068
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	2.081	1.041
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	2.027	1.014
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	1.972	0.986
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	1.918	0.959
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	1.863	0.932
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	1.808	0.904
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	1.754	0.877
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	1.699	0.850
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	1.645	0.823
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	1.590	0.795
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	1.536	0.768
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	1.481	0.741
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	1.427	0.714
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	1.372	0.686
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	1.318	0.659
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	1.263	0.632
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	1.209	0.605
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	1.154	0.577
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	1.100	0.550
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	1.045	0.523
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.991	0.496
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.936	0.468
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.881	0.441
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.827	0.414
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.772	0.386
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.731	0.366
		平均値		共済掛金標準率	
		54.65945	2.00000	1.463	

園芸施設共済 危険段階別共済掛金率表

31 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、10万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	3.068	1.534
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	2.545	1.273
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	2.496	1.248
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	2.448	1.224
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	2.399	1.200
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	2.350	1.175
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	2.301	1.151
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	2.252	1.126
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	2.204	1.102
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	2.155	1.078
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	2.106	1.053
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	2.057	1.029
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	2.008	1.004
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.960	0.980
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.911	0.956
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.862	0.931
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	1.813	0.907
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	1.764	0.882
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	1.716	0.858
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	1.667	0.834
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	1.618	0.809
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	1.569	0.785
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	1.521	0.761
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	1.472	0.736
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	1.423	0.712
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	1.374	0.687
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	1.325	0.663
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	1.277	0.639
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	1.228	0.614
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	1.179	0.590
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	1.130	0.565
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	1.081	0.541
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	1.033	0.517
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.984	0.492
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.935	0.468
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.886	0.443
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.837	0.419
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.789	0.395
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.740	0.370
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.691	0.346
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.654	0.327
		平均値		共済掛金標準率	
		54.65945	2.00000	1.309	

園芸施設共済 危険段階別共済掛金率表

32 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、10万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	2.916	1.458
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	2.419	1.210
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	2.372	1.186
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	2.326	1.163
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	2.280	1.140
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	2.233	1.117
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	2.187	1.094
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	2.141	1.071
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	2.094	1.047
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	2.048	1.024
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	2.001	1.001
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.955	0.978
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.909	0.955
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.862	0.931
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.816	0.908
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.770	0.885
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	1.723	0.862
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	1.677	0.839
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	1.630	0.815
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	1.584	0.792
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	1.538	0.769
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	1.491	0.746
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	1.445	0.723
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	1.399	0.700
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	1.352	0.676
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	1.306	0.653
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	1.260	0.630
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	1.213	0.607
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	1.167	0.584
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	1.120	0.560
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	1.074	0.537
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	1.028	0.514
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.981	0.491
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.935	0.468
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.889	0.445
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.842	0.421
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.796	0.398
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.750	0.375
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.703	0.352
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.657	0.329
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.622	0.311
		平均値		共済掛金標準率	
		54.65945	2.00000	1.244	

園芸施設共済 危険段階別共済掛金率表

33 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、20万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	2.086	1.043
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	1.730	0.865
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	1.697	0.849
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	1.664	0.832
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	1.631	0.816
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	1.598	0.799
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	1.565	0.783
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	1.531	0.766
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	1.498	0.749
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	1.465	0.733
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	1.432	0.716
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.399	0.700
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.366	0.683
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.332	0.666
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.299	0.650
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.266	0.633
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	1.233	0.617
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	1.200	0.600
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	1.166	0.583
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	1.133	0.567
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	1.100	0.550
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	1.067	0.534
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	1.034	0.517
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	1.001	0.501
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.967	0.484
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.934	0.467
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.901	0.451
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.868	0.434
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.835	0.418
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.802	0.401
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.768	0.384
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.735	0.368
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.702	0.351
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.669	0.335
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.636	0.318
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.603	0.302
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.569	0.285
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.536	0.268
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.503	0.252
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.470	0.235
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.445	0.223
		平均値		共済掛金標準率	
		54.65945	2.00000	0.890	

園芸施設共済 危険段階別共済掛金率表

34 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、20万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	1.983	0.992
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	1.645	0.823
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	1.613	0.807
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	1.582	0.791
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	1.550	0.775
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	1.519	0.760
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	1.487	0.744
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	1.456	0.728
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	1.424	0.712
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	1.393	0.697
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	1.361	0.681
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.330	0.665
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.298	0.649
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.266	0.633
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.235	0.618
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.203	0.602
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	1.172	0.586
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	1.140	0.570
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	1.109	0.555
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	1.077	0.539
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	1.046	0.523
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	1.014	0.507
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.983	0.492
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.951	0.476
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.920	0.460
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.888	0.444
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.857	0.429
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.825	0.413
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.794	0.397
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.762	0.381
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.730	0.365
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.699	0.350
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.667	0.334
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.636	0.318
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.604	0.302
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.573	0.287
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.541	0.271
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.510	0.255
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.478	0.239
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.447	0.224
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.423	0.212
		平均値		共済掛金標準率	
		54.65945	2.00000	0.846	

園芸施設共済 危険段階別共済掛金率表

35 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、20万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	1.774	0.887
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	1.472	0.736
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	1.444	0.722
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	1.415	0.708
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	1.387	0.694
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	1.359	0.680
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	1.331	0.666
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	1.303	0.652
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	1.274	0.637
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	1.246	0.623
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	1.218	0.609
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.190	0.595
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.161	0.581
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.133	0.567
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.105	0.553
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.077	0.539
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	1.049	0.525
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	1.020	0.510
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.992	0.496
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.964	0.482
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.936	0.468
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.908	0.454
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.879	0.440
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.851	0.426
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.823	0.412
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.795	0.398
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.766	0.383
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.738	0.369
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.710	0.355
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.682	0.341
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.654	0.327
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.625	0.313
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.597	0.299
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.569	0.285
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.541	0.271
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.513	0.257
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.484	0.242
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.456	0.228
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.428	0.214
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.400	0.200
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.378	0.189
		平均値		共済掛金標準率	
		54.65945	2.00000	0.757	

園芸施設共済 危険段階別共済掛金率表

36 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、20万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	1.685	0.843
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	1.398	0.699
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	1.371	0.686
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	1.344	0.672
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	1.318	0.659
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	1.291	0.646
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	1.264	0.632
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	1.237	0.619
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	1.210	0.605
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	1.184	0.592
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	1.157	0.579
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	1.130	0.565
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	1.103	0.552
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	1.076	0.538
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	1.050	0.525
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	1.023	0.512
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	0.996	0.498
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.969	0.485
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.942	0.471
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.916	0.458
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.889	0.445
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.862	0.431
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.835	0.418
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.808	0.404
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.782	0.391
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.755	0.378
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.728	0.364
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.701	0.351
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.674	0.337
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.648	0.324
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.621	0.311
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.594	0.297
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.567	0.284
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.540	0.270
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.514	0.257
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.487	0.244
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.460	0.230
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.433	0.217
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.406	0.203
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.380	0.190
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.359	0.180
		平均値		共済掛金標準率	
		54.65945	2.00000	0.719	

園芸施設共済 危険段階別共済掛金率表

37 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、50万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.926	0.463
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.768	0.384
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.753	0.377
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.739	0.370
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.724	0.362
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.709	0.355
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.694	0.347
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.680	0.340
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.665	0.333
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.650	0.325
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.635	0.318
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.621	0.311
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.606	0.303
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.591	0.296
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.577	0.289
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.562	0.281
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.547	0.274
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.532	0.266
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.518	0.259
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.503	0.252
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.488	0.244
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.474	0.237
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.459	0.230
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.444	0.222
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.429	0.215
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.415	0.208
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.400	0.200
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.385	0.193
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.370	0.185
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.356	0.178
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.341	0.171
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.326	0.163
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.312	0.156
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.297	0.149
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.282	0.141
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.267	0.134
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.253	0.127
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.238	0.119
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.223	0.112
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.209	0.105
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.197	0.099
		平均値		共済掛金標準率	
		54.65945	2.00000	0.395	

園芸施設共済 危険段階別共済掛金率表

38 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、50万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.879	0.440
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.729	0.365
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.715	0.358
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.701	0.351
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.687	0.344
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.673	0.337
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.659	0.330
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.645	0.323
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.631	0.316
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.617	0.309
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.603	0.302
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.589	0.295
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.575	0.288
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.561	0.281
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.547	0.274
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.533	0.267
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.519	0.260
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.505	0.253
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.492	0.246
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.478	0.239
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.464	0.232
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.450	0.225
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.436	0.218
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.422	0.211
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.408	0.204
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.394	0.197
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.380	0.190
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.366	0.183
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.352	0.176
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.338	0.169
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.324	0.162
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.310	0.155
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.296	0.148
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.282	0.141
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.268	0.134
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.254	0.127
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.240	0.120
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.226	0.113
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.212	0.106
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.198	0.099
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.187	0.094
		平均値		共済掛金標準率	
		54.65945	2.00000	0.375	

園芸施設共済 危険段階別共済掛金率表

39 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、50万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	0.788	0.394
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	0.653	0.327
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	0.641	0.321
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	0.628	0.314
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	0.616	0.308
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	0.603	0.302
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	0.591	0.296
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	0.578	0.289
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	0.566	0.283
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	0.553	0.277
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	0.541	0.271
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	0.528	0.264
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	0.516	0.258
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	0.503	0.252
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	0.490	0.245
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	0.478	0.239
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	0.465	0.233
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.453	0.227
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.440	0.220
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.428	0.214
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.415	0.208
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.403	0.202
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.390	0.195
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.378	0.189
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.365	0.183
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.353	0.177
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.340	0.170
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.328	0.164
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.315	0.158
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.303	0.152
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.290	0.145
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.278	0.139
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.265	0.133
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.253	0.127
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.240	0.120
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.227	0.114
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.215	0.108
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.202	0.101
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.190	0.095
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.177	0.089
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.168	0.084
		平均値		共済掛金標準率	
		54.65945	2.00000	0.336	

園芸施設共済 危険段階別共済掛金率表

40 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、50万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.748	0.374
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.620	0.310
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.608	0.304
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.596	0.298
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.585	0.293
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.573	0.287
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.561	0.281
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.549	0.275
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.537	0.269
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.525	0.263
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.513	0.257
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.501	0.251
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.489	0.245
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.478	0.239
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.466	0.233
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.454	0.227
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.442	0.221
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.430	0.215
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.418	0.209
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.406	0.203
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.394	0.197
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.382	0.191
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.371	0.186
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.359	0.180
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.347	0.174
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.335	0.168
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.323	0.162
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.311	0.156
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.299	0.150
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.287	0.144
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.275	0.138
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.264	0.132
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.252	0.126
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.240	0.120
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.228	0.114
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.216	0.108
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.204	0.102
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.192	0.096
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.180	0.090
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.168	0.084
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.159	0.080
		平均値		共済掛金標準率	
		54.65945	2.00000	0.319	

園芸施設共済 危険段階別共済掛金率表

41 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、100万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.185	0.093
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.154	0.077
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.151	0.076
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.148	0.074
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.145	0.073
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.142	0.071
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.139	0.070
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.136	0.068
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.133	0.067
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.130	0.065
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.127	0.064
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.124	0.062
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.121	0.061
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.118	0.059
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.115	0.058
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.112	0.056
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.109	0.055
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.106	0.053
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.104	0.052
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.101	0.051
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.098	0.049
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.095	0.048
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.092	0.046
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.089	0.045
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.086	0.043
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.083	0.042
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.080	0.040
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.077	0.039
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.074	0.037
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.071	0.036
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.068	0.034
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.065	0.033
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.062	0.031
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.059	0.030
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.056	0.028
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.053	0.027
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.051	0.026
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.048	0.024
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.045	0.023
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.042	0.021
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.039	0.020
		平均値		共済掛金標準率	
		54.65945	2.00000	0.079	

園芸施設共済 危険段階別共済掛金率表

42 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、100万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.176	0.088
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.146	0.073
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.143	0.072
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.140	0.070
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.137	0.069
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.135	0.068
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.132	0.066
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.129	0.065
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.126	0.063
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.123	0.062
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.121	0.061
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.118	0.059
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.115	0.058
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.112	0.056
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.109	0.055
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.107	0.054
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.104	0.052
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.101	0.051
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.098	0.049
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.096	0.048
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.093	0.047
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.090	0.045
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.087	0.044
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.084	0.042
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.082	0.041
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.079	0.040
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.076	0.038
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.073	0.037
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.070	0.035
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.068	0.034
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.065	0.033
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.062	0.031
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.059	0.030
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.056	0.028
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.054	0.027
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.051	0.026
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.048	0.024
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.045	0.023
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.042	0.021
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.040	0.020
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.037	0.019
		平均値		共済掛金標準率	
		54.65945	2.00000	0.075	

園芸施設共済 危険段階別共済掛金率表

43 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、100万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.157	0.079
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.130	0.065
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.128	0.064
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.125	0.063
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.123	0.062
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.120	0.060
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.118	0.059
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.115	0.058
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.113	0.057
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.110	0.055
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.108	0.054
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.105	0.053
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.103	0.052
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.100	0.050
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.098	0.049
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.095	0.048
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.093	0.047
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.090	0.045
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.088	0.044
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.085	0.043
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.083	0.042
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.080	0.040
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.078	0.039
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.075	0.038
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.073	0.037
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.070	0.035
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.068	0.034
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.065	0.033
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.063	0.032
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.060	0.030
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.058	0.029
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.055	0.028
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.053	0.027
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.050	0.025
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.048	0.024
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.045	0.023
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.043	0.022
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.040	0.020
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.038	0.019
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.035	0.018
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.033	0.017
		平均値		共済掛金標準率	
		54.65945	2.00000	0.067	

園芸施設共済 危険段階別共済掛金率表

44 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、100万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.150	0.075
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.124	0.062
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.122	0.061
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.120	0.060
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.117	0.059
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.115	0.058
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.113	0.057
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.110	0.055
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.108	0.054
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.105	0.053
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.103	0.052
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.101	0.051
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.098	0.049
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.096	0.048
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.093	0.047
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.091	0.046
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.089	0.045
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.086	0.043
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.084	0.042
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.081	0.041
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.079	0.040
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.077	0.039
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.074	0.037
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.072	0.036
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.070	0.035
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.067	0.034
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.065	0.033
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.062	0.031
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.060	0.030
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.058	0.029
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.055	0.028
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.053	0.027
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.050	0.025
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.048	0.024
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.046	0.023
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.043	0.022
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.041	0.021
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.039	0.020
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.036	0.018
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.034	0.017
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.032	0.016
		平均値		共済掛金標準率	
		54.65945	2.00000	0.064	

園芸施設共済 危険段階別共済掛金率表

45 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、1万円特約

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	6.557	3.279
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	5.438	2.719
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	5.334	2.667
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	5.230	2.615
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	5.125	2.563
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	5.021	2.511
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	4.917	2.459
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	4.813	2.407
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	4.708	2.354
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	4.604	2.302
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	4.500	2.250
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	4.396	2.198
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	4.291	2.146
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	4.187	2.094
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	4.083	2.042
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	3.979	1.990
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	3.874	1.937
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	3.770	1.885
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	3.666	1.833
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	3.562	1.781
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	3.457	1.729
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	3.353	1.677
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	3.249	1.625
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	3.145	1.573
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	3.040	1.520
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	2.936	1.468
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	2.832	1.416
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	2.728	1.364
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	2.623	1.312
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	2.519	1.260
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	2.415	1.208
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	2.311	1.156
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	2.206	1.103
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	2.102	1.051
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	1.998	0.999
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	1.894	0.947
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	1.789	0.895
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	1.685	0.843
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	1.581	0.791
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	1.477	0.739
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	1.398	0.699
		平均値		共済掛金標準率	
		54.65945	2.00000	2.797	

園芸施設共済 危険段階別共済掛金率表

46 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、1万円特約 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	6.228	3.114
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	5.166	2.583
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	5.067	2.534
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	4.968	2.484
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	4.869	2.435
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	4.770	2.385
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	4.671	2.336
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	4.572	2.286
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	4.473	2.237
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	4.374	2.187
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	4.275	2.138
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	4.176	2.088
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	4.077	2.039
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	3.978	1.989
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	3.879	1.940
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	3.780	1.890
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	3.681	1.841
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	3.581	1.791
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	3.482	1.741
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	3.383	1.692
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	3.284	1.642
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	3.185	1.593
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	3.086	1.543
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	2.987	1.494
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	2.888	1.444
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	2.789	1.395
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	2.690	1.345
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	2.591	1.296
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	2.492	1.246
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	2.393	1.197
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	2.294	1.147
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	2.195	1.098
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	2.096	1.048
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	1.997	0.999
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	1.898	0.949
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	1.799	0.900
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	1.700	0.850
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	1.601	0.801
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	1.502	0.751
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	1.403	0.702
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	1.328	0.664
		平均値		共済掛金標準率	
		54.65945	2.00000	2.657	

園芸施設共済 危険段階別共済掛金率表

47 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、1万円特約 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	5.572	2.786
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	4.622	2.311
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	4.533	2.267
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	4.444	2.222
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	4.356	2.178
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	4.267	2.134
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	4.179	2.090
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	4.090	2.045
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	4.001	2.001
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	3.913	1.957
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	3.824	1.912
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	3.736	1.868
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	3.647	1.824
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	3.558	1.779
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	3.470	1.735
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	3.381	1.691
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	3.293	1.647
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	3.204	1.602
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	3.115	1.558
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	3.027	1.514
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	2.938	1.469
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	2.850	1.425
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	2.761	1.381
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	2.672	1.336
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	2.584	1.292
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	2.495	1.248
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	2.407	1.204
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	2.318	1.159
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	2.229	1.115
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	2.141	1.071
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	2.052	1.026
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	1.964	0.982
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	1.875	0.938
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	1.787	0.894
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	1.698	0.849
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	1.609	0.805
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	1.521	0.761
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	1.432	0.716
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	1.344	0.672
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	1.255	0.628
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	1.188	0.594
		平均値		共済掛金標準率	
		54.65945	2.00000	2.377	

園芸施設共済 危険段階別共済掛金率表

48 / 168

プラスチックハウスⅡ類（パイプ）：本体及び附帯、被覆、1万円特約 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	5.295	2.648
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	4.392	2.196
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	4.308	2.154
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	4.224	2.112
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	4.140	2.070
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	4.055	2.028
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	3.971	1.986
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	3.887	1.944
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	3.803	1.902
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	3.719	1.860
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	3.634	1.817
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	3.550	1.775
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	3.466	1.733
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	3.382	1.691
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	3.298	1.649
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	3.213	1.607
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	3.129	1.565
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	3.045	1.523
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	2.961	1.481
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	2.877	1.439
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	2.792	1.396
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	2.708	1.354
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	2.624	1.312
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	2.540	1.270
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	2.456	1.228
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	2.371	1.186
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	2.287	1.144
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	2.203	1.102
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	2.119	1.060
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	2.035	1.018
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	1.950	0.975
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	1.866	0.933
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	1.782	0.891
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	1.698	0.849
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	1.614	0.807
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	1.529	0.765
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	1.445	0.723
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	1.361	0.681
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	1.277	0.639
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	1.193	0.597
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	1.129	0.565
		平均値		共済掛金標準率	
		54.65945	2.00000	2.259	

園芸施設共済 危険段階別共済掛金率表

49 / 168

プラスチックハウスⅡ類（パイプ）：内作一般、被覆、3万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	6.517	3.259
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	5.405	2.703
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	5.302	2.651
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	5.198	2.599
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	5.094	2.547
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	4.991	2.496
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	4.887	2.444
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	4.783	2.392
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	4.680	2.340
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	4.576	2.288
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	4.473	2.237
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	4.369	2.185
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	4.265	2.133
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	4.162	2.081
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	4.058	2.029
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	3.955	1.978
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	3.851	1.926
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	3.747	1.874
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	3.644	1.822
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	3.540	1.770
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	3.436	1.718
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	3.333	1.667
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	3.229	1.615
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	3.126	1.563
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	3.022	1.511
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	2.918	1.459
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	2.815	1.408
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	2.711	1.356
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	2.607	1.304
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	2.504	1.252
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	2.400	1.200
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	2.297	1.149
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	2.193	1.097
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	2.089	1.045
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	1.986	0.993
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	1.882	0.941
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	1.779	0.890
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	1.675	0.838
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	1.571	0.786
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	1.468	0.734
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	1.390	0.695
		平均値		共済掛金標準率	
		54.65945	2.00000	2.780	

園芸施設共済 危険段階別共済掛金率表

50 / 168

プラスチックハウスⅡ類（パイプ）：内作一般、被覆、3万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	6.191	3.096
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	5.135	2.568
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	5.036	2.518
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	4.938	2.469
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	4.840	2.420
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	4.741	2.371
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	4.643	2.322
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	4.544	2.272
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	4.446	2.223
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	4.347	2.174
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	4.249	2.125
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	4.151	2.076
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	4.052	2.026
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	3.954	1.977
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	3.855	1.928
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	3.757	1.879
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	3.658	1.829
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	3.560	1.780
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	3.461	1.731
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	3.363	1.682
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	3.265	1.633
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	3.166	1.583
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	3.068	1.534
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	2.969	1.485
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	2.871	1.436
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	2.772	1.386
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	2.674	1.337
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	2.576	1.288
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	2.477	1.239
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	2.379	1.190
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	2.280	1.140
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	2.182	1.091
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	2.083	1.042
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	1.985	0.993
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	1.887	0.944
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	1.788	0.894
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	1.690	0.845
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	1.591	0.796
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	1.493	0.747
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	1.394	0.697
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	1.320	0.660
		平均値		共済掛金標準率	
		54.65945	2.00000	2.641	

園芸施設共済 危険段階別共済掛金率表

51 / 168

プラスチックハウスⅡ類（パイプ）：内作一般、被覆、10万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	2.400	1.200
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	1.991	0.996
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	1.953	0.977
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	1.915	0.958
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	1.876	0.938
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	1.838	0.919
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	1.800	0.900
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	1.762	0.881
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	1.724	0.862
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	1.686	0.843
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	1.647	0.824
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.609	0.805
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.571	0.786
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.533	0.767
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.495	0.748
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.457	0.729
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	1.418	0.709
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	1.380	0.690
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	1.342	0.671
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	1.304	0.652
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	1.266	0.633
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	1.228	0.614
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	1.189	0.595
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	1.151	0.576
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	1.113	0.557
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	1.075	0.538
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	1.037	0.519
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.999	0.500
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.960	0.480
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.922	0.461
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.884	0.442
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.846	0.423
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.808	0.404
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.770	0.385
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.731	0.366
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.693	0.347
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.655	0.328
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.617	0.309
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.579	0.290
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.541	0.271
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.512	0.256
		平均値		共済掛金標準率	
		54.65945	2.00000	1.024	

園芸施設共済 危険段階別共済掛金率表

52 / 168

プラスチックハウスⅡ類（パイプ）：内作一般、被覆、10万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	2.281	1.141
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	1.892	0.946
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	1.856	0.928
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	1.819	0.910
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	1.783	0.892
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	1.747	0.874
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	1.710	0.855
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	1.674	0.837
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	1.638	0.819
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	1.602	0.801
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	1.565	0.783
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.529	0.765
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.493	0.747
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.457	0.729
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.420	0.710
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.384	0.692
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	1.348	0.674
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	1.312	0.656
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	1.275	0.638
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	1.239	0.620
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	1.203	0.602
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	1.166	0.583
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	1.130	0.565
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	1.094	0.547
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	1.058	0.529
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	1.021	0.511
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.985	0.493
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.949	0.475
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.913	0.457
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.876	0.438
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.840	0.420
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.804	0.402
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.768	0.384
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.731	0.366
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.695	0.348
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.659	0.330
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.622	0.311
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.586	0.293
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.550	0.275
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.514	0.257
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.486	0.243
		平均値		共済掛金標準率	
		54.65945	2.00000	0.973	

園芸施設共済 危険段階別共済掛金率表

53 / 168

プラスチックハウスⅡ類（パイプ）：内作一般、被覆、20万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	1.742	0.871
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	1.445	0.723
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	1.417	0.709
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	1.389	0.695
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	1.362	0.681
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	1.334	0.667
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	1.306	0.653
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	1.278	0.639
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	1.251	0.626
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	1.223	0.612
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	1.195	0.598
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.168	0.584
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.140	0.570
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.112	0.556
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.085	0.543
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.057	0.529
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	1.029	0.515
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	1.002	0.501
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.974	0.487
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.946	0.473
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.918	0.459
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.891	0.446
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.863	0.432
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.835	0.418
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.808	0.404
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.780	0.390
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.752	0.376
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.725	0.363
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.697	0.349
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.669	0.335
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.642	0.321
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.614	0.307
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.586	0.293
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.558	0.279
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.531	0.266
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.503	0.252
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.475	0.238
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.448	0.224
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.420	0.210
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.392	0.196
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.371	0.186
		平均値		共済掛金標準率	
		54.65945	2.00000	0.743	

園芸施設共済 危険段階別共済掛金率表

54 / 168

プラスチックハウスⅡ類（パイプ）：内作一般、被覆、20万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	1.655	0.828
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	1.373	0.687
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	1.346	0.673
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	1.320	0.660
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	1.294	0.647
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	1.267	0.634
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	1.241	0.621
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	1.215	0.608
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	1.188	0.594
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	1.162	0.581
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	1.136	0.568
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.110	0.555
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.083	0.542
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.057	0.529
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.031	0.516
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.004	0.502
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.978	0.489
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.952	0.476
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.925	0.463
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.899	0.450
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.873	0.437
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.846	0.423
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.820	0.410
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.794	0.397
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.767	0.384
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.741	0.371
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.715	0.358
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.689	0.345
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.662	0.331
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.636	0.318
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.610	0.305
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.583	0.292
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.557	0.279
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.531	0.266
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.504	0.252
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.478	0.239
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.452	0.226
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.425	0.213
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.399	0.200
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.373	0.187
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.353	0.177
		平均値		共済掛金標準率	
		54.65945	2.00000	0.706	

園芸施設共済 危険段階別共済掛金率表

55 / 168

プラスチックハウスⅡ類（パイプ）：内作一般、被覆、50万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.438	0.219
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.364	0.182
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.357	0.179
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.350	0.175
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.343	0.172
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.336	0.168
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.329	0.165
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.322	0.161
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.315	0.158
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.308	0.154
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.301	0.151
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.294	0.147
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.287	0.144
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.280	0.140
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.273	0.137
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.266	0.133
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.259	0.130
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.252	0.126
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.245	0.123
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.238	0.119
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.231	0.116
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.224	0.112
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.217	0.109
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.210	0.105
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.203	0.102
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.196	0.098
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.189	0.095
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.182	0.091
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.175	0.088
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.168	0.084
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.161	0.081
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.154	0.077
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.148	0.074
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.141	0.071
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.134	0.067
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.127	0.064
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.120	0.060
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.113	0.057
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.106	0.053
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.099	0.050
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.093	0.047
		平均値		共済掛金標準率	
		54.65945	2.00000	0.187	

園芸施設共済 危険段階別共済掛金率表

56 / 168

プラスチックハウスⅡ類（パイプ）：内作一般、被覆、50万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.417	0.209
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.346	0.173
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.339	0.170
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.333	0.167
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.326	0.163
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.320	0.160
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.313	0.157
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.306	0.153
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.300	0.150
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.293	0.147
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.286	0.143
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.280	0.140
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.273	0.137
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.266	0.133
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.260	0.130
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.253	0.127
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.247	0.124
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.240	0.120
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.233	0.117
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.227	0.114
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.220	0.110
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.213	0.107
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.207	0.104
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.200	0.100
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.193	0.097
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.187	0.094
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.180	0.090
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.174	0.087
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.167	0.084
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.160	0.080
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.154	0.077
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.147	0.074
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.140	0.070
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.134	0.067
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.127	0.064
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.121	0.061
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.114	0.057
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.107	0.054
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.101	0.051
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.094	0.047
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.089	0.045
		平均値		共済掛金標準率	
		54.65945	2.00000	0.178	

園芸施設共済 危険段階別共済掛金率表

57 / 168

プラスチックハウスⅡ類（パイプ）：内作一般、被覆、100万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.054	0.027
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.045	0.023
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.044	0.022
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.043	0.022
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.042	0.021
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.041	0.021
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.040	0.020
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.040	0.020
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.039	0.020
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.038	0.019
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.037	0.019
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.036	0.018
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.035	0.018
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.034	0.017
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.034	0.017
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.033	0.017
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.032	0.016
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.031	0.016
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.030	0.015
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.029	0.015
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.028	0.014
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.028	0.014
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.027	0.014
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.026	0.013
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.025	0.013
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.024	0.012
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.023	0.012
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.022	0.011
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.022	0.011
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.021	0.011
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.020	0.010
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.019	0.010
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.018	0.009
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.017	0.009
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.016	0.008
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.016	0.008
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.015	0.008
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.014	0.007
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.013	0.007
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.012	0.006
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.011	0.006
		平均値		共済掛金標準率	
		54.65945	2.00000	0.023	

園芸施設共済 危険段階別共済掛金率表

58 / 168

プラスチックハウスⅡ類（パイプ）：内作一般、被覆、100万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	0.052	0.026
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	0.043	0.022
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	0.042	0.021
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	0.041	0.021
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	0.040	0.020
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	0.039	0.020
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	0.039	0.020
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	0.038	0.019
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	0.037	0.019
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	0.036	0.018
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	0.035	0.018
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	0.035	0.018
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	0.034	0.017
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	0.033	0.017
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	0.032	0.016
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	0.031	0.016
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	0.030	0.015
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.030	0.015
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.029	0.015
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.028	0.014
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.027	0.014
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.026	0.013
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.026	0.013
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.025	0.013
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.024	0.012
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.023	0.012
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.022	0.011
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.021	0.011
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.021	0.011
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.020	0.010
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.019	0.010
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.018	0.009
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.017	0.009
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.017	0.009
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.016	0.008
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.015	0.008
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.014	0.007
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.013	0.007
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.012	0.006
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.012	0.006
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.011	0.006
		平均値		共済掛金標準率	
		54.65945	2.00000	0.022	

園芸施設共済 危険段階別共済掛金率表

59 / 168

プラスチックハウスⅡ類（パイプ）：内作一般、被覆、1万円特約

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	6.697	3.349
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	5.555	2.778
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	5.448	2.724
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	5.342	2.671
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	5.235	2.618
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	5.129	2.565
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	5.022	2.511
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	4.916	2.458
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	4.809	2.405
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	4.703	2.352
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	4.596	2.298
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	4.490	2.245
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	4.383	2.192
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	4.277	2.139
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	4.171	2.086
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	4.064	2.032
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	3.958	1.979
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	3.851	1.926
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	3.745	1.873
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	3.638	1.819
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	3.532	1.766
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	3.425	1.713
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	3.319	1.660
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	3.212	1.606
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	3.106	1.553
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	2.999	1.500
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	2.893	1.447
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	2.786	1.393
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	2.680	1.340
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	2.573	1.287
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	2.467	1.234
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	2.360	1.180
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	2.254	1.127
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	2.147	1.074
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	2.041	1.021
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	1.934	0.967
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	1.828	0.914
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	1.721	0.861
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	1.615	0.808
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	1.508	0.754
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	1.428	0.714
		平均値		共済掛金標準率	
		54.65945	2.00000	2.857	

園芸施設共済 危険段階別共済掛金率表

60 / 168

プラスチックハウスⅡ類（パイプ）：内作一般、被覆、1万円特約 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	6.362	3.181
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	5.277	2.639
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	5.176	2.588
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	5.075	2.538
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	4.973	2.487
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	4.872	2.436
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	4.771	2.386
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	4.670	2.335
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	4.569	2.285
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	4.468	2.234
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	4.366	2.183
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	4.265	2.133
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	4.164	2.082
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	4.063	2.032
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	3.962	1.981
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	3.861	1.931
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	3.759	1.880
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	3.658	1.829
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	3.557	1.779
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	3.456	1.728
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	3.355	1.678
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	3.254	1.627
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	3.153	1.577
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	3.051	1.526
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	2.950	1.475
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	2.849	1.425
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	2.748	1.374
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	2.647	1.324
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	2.546	1.273
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	2.444	1.222
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	2.343	1.172
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	2.242	1.121
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	2.141	1.071
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	2.040	1.020
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	1.939	0.970
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	1.837	0.919
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	1.736	0.868
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	1.635	0.818
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	1.534	0.767
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	1.433	0.717
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	1.357	0.679
		平均値		共済掛金標準率	
		54.65945	2.00000	2.714	

園芸施設共済 危険段階別共済掛金率表

61 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、3万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.016	0.008
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.014	0.007
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.013	0.007
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.013	0.007
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.013	0.007
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.013	0.007
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.012	0.006
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.012	0.006
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.012	0.006
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.012	0.006
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.011	0.006
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.011	0.006
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.011	0.006
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.010	0.005
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.010	0.005
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.010	0.005
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.010	0.005
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.009	0.005
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.009	0.005
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.009	0.005
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.009	0.005
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.008	0.004
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.008	0.004
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.008	0.004
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.008	0.004
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.007	0.004
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.007	0.004
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.007	0.004
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.007	0.004
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.006	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.006	0.003
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.006	0.003
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.006	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.005	0.003
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.005	0.003
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.004	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.004	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.007	

園芸施設共済 危険段階別共済掛金率表

62 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、3万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.016	0.008
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.014	0.007
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.013	0.007
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.013	0.007
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.013	0.007
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.013	0.007
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.012	0.006
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.012	0.006
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.012	0.006
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.012	0.006
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.011	0.006
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.011	0.006
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.011	0.006
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.010	0.005
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.010	0.005
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.010	0.005
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.010	0.005
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.009	0.005
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.009	0.005
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.009	0.005
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.009	0.005
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.008	0.004
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.008	0.004
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.008	0.004
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.008	0.004
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.007	0.004
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.007	0.004
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.007	0.004
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.007	0.004
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.006	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.006	0.003
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.006	0.003
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.006	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.005	0.003
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.005	0.003
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.004	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.004	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.007	

園芸施設共済 危険段階別共済掛金率表

63 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、3万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.014	0.007
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.012	0.006
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.011	0.006
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.011	0.006
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.011	0.006
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.011	0.006
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.011	0.006
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.010	0.005
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.010	0.005
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.010	0.005
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.010	0.005
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.009	0.005
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.009	0.005
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.009	0.005
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.009	0.005
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.009	0.005
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.008	0.004
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.008	0.004
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.008	0.004
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.008	0.004
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.007	0.004
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.007	0.004
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.007	0.004
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.007	0.004
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.007	0.004
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.006	0.003
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.006	0.003
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.006	0.003
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.006	0.003
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.005	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.005	0.003
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.005	0.003
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.005	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.004	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.004	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.003	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.003	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.006	

園芸施設共済 危険段階別共済掛金率表

64 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、3万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.014	0.007
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.012	0.006
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.011	0.006
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.011	0.006
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.011	0.006
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.011	0.006
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.011	0.006
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.010	0.005
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.010	0.005
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.010	0.005
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.010	0.005
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.009	0.005
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.009	0.005
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.009	0.005
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.009	0.005
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.009	0.005
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.008	0.004
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.008	0.004
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.008	0.004
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.008	0.004
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.007	0.004
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.007	0.004
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.007	0.004
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.007	0.004
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.007	0.004
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.006	0.003
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.006	0.003
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.006	0.003
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.006	0.003
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.005	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.005	0.003
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.005	0.003
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.005	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.004	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.004	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.003	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.003	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.006	

園芸施設共済 危険段階別共済掛金率表

65 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、10万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.014	0.007
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.012	0.006
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.011	0.006
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.011	0.006
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.011	0.006
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.011	0.006
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.011	0.006
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.010	0.005
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.010	0.005
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.010	0.005
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.010	0.005
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.009	0.005
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.009	0.005
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.009	0.005
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.009	0.005
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.009	0.005
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.008	0.004
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.008	0.004
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.008	0.004
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.008	0.004
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.007	0.004
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.007	0.004
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.007	0.004
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.007	0.004
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.007	0.004
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.006	0.003
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.006	0.003
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.006	0.003
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.006	0.003
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.005	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.005	0.003
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.005	0.003
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.005	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.004	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.004	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.003	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.003	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.006	

園芸施設共済 危険段階別共済掛金率表

66 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、10万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.014	0.007
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.012	0.006
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.011	0.006
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.011	0.006
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.011	0.006
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.011	0.006
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.011	0.006
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.010	0.005
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.010	0.005
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.010	0.005
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.010	0.005
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.009	0.005
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.009	0.005
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.009	0.005
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.009	0.005
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.009	0.005
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.008	0.004
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.008	0.004
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.008	0.004
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.008	0.004
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.007	0.004
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.007	0.004
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.007	0.004
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.007	0.004
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.007	0.004
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.006	0.003
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.006	0.003
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.006	0.003
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.006	0.003
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.005	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.005	0.003
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.005	0.003
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.005	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.004	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.004	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.003	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.003	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.006	

園芸施設共済 危険段階別共済掛金率表

67 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、10万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.012	0.006
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.010	0.005
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.010	0.005
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.009	0.005
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.009	0.005
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.009	0.005
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.009	0.005
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.009	0.005
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.008	0.004
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.008	0.004
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.008	0.004
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.008	0.004
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.008	0.004
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.007	0.004
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.007	0.004
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.007	0.004
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.007	0.004
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.007	0.004
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.007	0.004
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.006	0.003
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.006	0.003
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.006	0.003
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.006	0.003
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.006	0.003
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.005	0.003
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.005	0.003
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.005	0.003
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.005	0.003
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.005	0.003
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.005	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.004	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.004	0.002
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.004	0.002
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.004	0.002
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.004	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.003	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.003	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.003	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.003	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.003	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.002	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.005	

園芸施設共済 危険段階別共済掛金率表

68 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、10万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.012	0.006
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.010	0.005
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.010	0.005
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.009	0.005
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.009	0.005
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.009	0.005
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.009	0.005
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.009	0.005
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.008	0.004
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.008	0.004
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.008	0.004
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.008	0.004
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.008	0.004
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.007	0.004
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.007	0.004
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.007	0.004
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.007	0.004
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.007	0.004
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.007	0.004
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.006	0.003
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.006	0.003
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.006	0.003
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.006	0.003
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.006	0.003
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.005	0.003
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.005	0.003
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.005	0.003
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.005	0.003
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.005	0.003
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.005	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.004	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.004	0.002
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.004	0.002
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.004	0.002
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.004	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.003	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.003	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.003	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.003	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.003	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.002	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.005	

園芸施設共済 危険段階別共済掛金率表

69 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、20万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.012	0.006
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.010	0.005
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.010	0.005
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.009	0.005
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.009	0.005
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.009	0.005
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.009	0.005
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.009	0.005
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.008	0.004
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.008	0.004
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.008	0.004
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.008	0.004
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.008	0.004
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.007	0.004
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.007	0.004
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.007	0.004
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.007	0.004
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.007	0.004
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.007	0.004
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.006	0.003
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.006	0.003
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.006	0.003
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.006	0.003
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.006	0.003
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.005	0.003
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.005	0.003
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.005	0.003
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.005	0.003
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.005	0.003
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.005	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.004	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.004	0.002
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.004	0.002
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.004	0.002
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.004	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.003	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.003	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.003	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.003	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.003	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.002	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.005	

園芸施設共済 危険段階別共済掛金率表

70 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、20万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.012	0.006
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.010	0.005
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.010	0.005
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.009	0.005
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.009	0.005
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.009	0.005
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.009	0.005
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.009	0.005
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.008	0.004
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.008	0.004
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.008	0.004
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.008	0.004
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.008	0.004
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.007	0.004
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.007	0.004
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.007	0.004
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.007	0.004
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.007	0.004
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.007	0.004
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.006	0.003
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.006	0.003
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.006	0.003
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.006	0.003
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.006	0.003
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.005	0.003
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.005	0.003
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.005	0.003
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.005	0.003
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.005	0.003
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.005	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.004	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.004	0.002
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.004	0.002
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.004	0.002
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.004	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.003	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.003	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.003	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.003	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.003	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.002	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.005	

園芸施設共済 危険段階別共済掛金率表

71 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、20万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.009	0.005
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.008	0.004
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.008	0.004
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.007	0.004
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.007	0.004
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.007	0.004
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.007	0.004
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.007	0.004
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.007	0.004
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.007	0.004
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.006	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.006	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.006	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.006	0.003
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.006	0.003
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.006	0.003
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.006	0.003
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.005	0.003
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.005	0.003
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.005	0.003
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.005	0.003
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.005	0.003
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.005	0.003
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.004	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.004	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.004	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.004	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.004	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.004	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.004	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.003	0.002
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.003	0.002
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.003	0.002
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.003	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.003	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.003	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.002	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.004	

園芸施設共済 危険段階別共済掛金率表

72 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、20万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.009	0.005
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.008	0.004
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.008	0.004
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.007	0.004
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.007	0.004
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.007	0.004
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.007	0.004
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.007	0.004
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.007	0.004
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.007	0.004
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.006	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.006	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.006	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.006	0.003
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.006	0.003
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.006	0.003
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.006	0.003
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.005	0.003
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.005	0.003
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.005	0.003
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.005	0.003
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.005	0.003
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.005	0.003
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.004	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.004	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.004	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.004	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.004	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.004	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.004	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.003	0.002
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.003	0.002
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.003	0.002
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.003	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.003	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.003	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.002	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.004	

園芸施設共済 危険段階別共済掛金率表

73 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、50万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.009	0.005
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.008	0.004
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.008	0.004
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.007	0.004
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.007	0.004
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.007	0.004
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.007	0.004
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.007	0.004
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.007	0.004
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.007	0.004
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.006	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.006	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.006	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.006	0.003
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.006	0.003
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.006	0.003
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.006	0.003
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.005	0.003
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.005	0.003
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.005	0.003
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.005	0.003
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.005	0.003
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.005	0.003
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.004	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.004	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.004	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.004	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.004	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.004	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.004	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.003	0.002
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.003	0.002
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.003	0.002
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.003	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.003	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.003	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.002	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.004	

園芸施設共済 危険段階別共済掛金率表

74 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、50万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.009	0.005
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.008	0.004
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.008	0.004
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.007	0.004
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.007	0.004
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.007	0.004
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.007	0.004
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.007	0.004
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.007	0.004
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.007	0.004
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.006	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.006	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.006	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.006	0.003
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.006	0.003
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.006	0.003
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.006	0.003
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.005	0.003
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.005	0.003
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.005	0.003
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.005	0.003
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.005	0.003
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.005	0.003
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.004	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.004	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.004	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.004	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.004	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.004	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.004	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.003	0.002
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.003	0.002
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.003	0.002
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.003	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.003	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.003	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.002	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.004	

園芸施設共済 危険段階別共済掛金率表

75 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、50万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.007	0.004
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.006	0.003
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.006	0.003
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.006	0.003
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.005	0.003
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.005	0.003
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.005	0.003
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.005	0.003
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.005	0.003
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.005	0.003
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.005	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.005	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.005	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.004	0.002
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.004	0.002
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.004	0.002
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.004	0.002
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.004	0.002
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.004	0.002
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.004	0.002
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.004	0.002
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.004	0.002
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.003	0.002
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.003	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.003	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.003	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.003	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.003	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.003	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.003	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.002	0.001
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.002	0.001
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.002	0.001
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.003	

園芸施設共済 危険段階別共済掛金率表

76 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、50万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.007	0.004
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.006	0.003
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.006	0.003
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.006	0.003
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.005	0.003
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.005	0.003
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.005	0.003
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.005	0.003
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.005	0.003
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.005	0.003
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.005	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.005	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.005	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.004	0.002
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.004	0.002
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.004	0.002
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.004	0.002
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.004	0.002
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.004	0.002
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.004	0.002
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.004	0.002
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.004	0.002
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.003	0.002
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.003	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.003	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.003	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.003	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.003	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.003	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.003	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.002	0.001
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.002	0.001
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.002	0.001
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.003	

園芸施設共済 危険段階別共済掛金率表

77 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、100万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.007	0.004
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.006	0.003
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.006	0.003
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.006	0.003
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.005	0.003
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.005	0.003
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.005	0.003
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.005	0.003
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.005	0.003
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.005	0.003
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.005	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.005	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.005	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.004	0.002
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.004	0.002
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.004	0.002
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.004	0.002
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.004	0.002
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.004	0.002
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.004	0.002
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.004	0.002
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.004	0.002
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.003	0.002
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.003	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.003	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.003	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.003	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.003	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.003	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.003	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.002	0.001
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.002	0.001
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.002	0.001
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.003	

園芸施設共済 危険段階別共済掛金率表

78 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、100万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.007	0.004
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.006	0.003
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.006	0.003
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.006	0.003
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.005	0.003
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.005	0.003
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.005	0.003
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.005	0.003
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.005	0.003
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.005	0.003
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.005	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.005	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.005	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.004	0.002
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.004	0.002
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.004	0.002
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.004	0.002
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.004	0.002
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.004	0.002
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.004	0.002
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.004	0.002
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.004	0.002
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.003	0.002
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.003	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.003	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.003	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.003	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.003	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.003	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.003	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.002	0.001
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.002	0.001
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.002	0.001
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.003	

園芸施設共済 危険段階別共済掛金率表

79 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、100万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.007	0.004
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.006	0.003
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.006	0.003
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.006	0.003
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.005	0.003
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.005	0.003
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.005	0.003
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.005	0.003
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.005	0.003
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.005	0.003
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.005	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.005	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.005	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.004	0.002
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.004	0.002
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.004	0.002
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.004	0.002
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.004	0.002
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.004	0.002
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.004	0.002
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.004	0.002
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.004	0.002
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.003	0.002
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.003	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.003	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.003	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.003	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.003	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.003	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.003	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.002	0.001
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.002	0.001
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.002	0.001
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.003	

園芸施設共済 危険段階別共済掛金率表

80 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、100万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.005	0.003
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.004	0.002
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.004	0.002
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.004	0.002
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.004	0.002
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.004	0.002
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.004	0.002
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.003	0.002
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.003	0.002
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.003	0.002
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.003	0.002
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.003	0.002
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.003	0.002
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.003	0.002
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.003	0.002
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.003	0.002
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.003	0.002
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.003	0.002
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.003	0.002
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.003	0.002
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.002	0.001
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.002	0.001
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.002	0.001
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.002	0.001
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.002	0.001
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.002	0.001
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.002	0.001
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.002	0.001
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.002	0.001
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.002	0.001
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.002	0.001
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.001	0.001
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.001	0.001
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.001	0.001
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.001	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.001	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.001	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.002	

園芸施設共済 危険段階別共済掛金率表

81 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、1万円特約

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.021	0.011
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.017	0.009
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.017	0.009
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.017	0.009
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.016	0.008
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.016	0.008
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.016	0.008
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.015	0.008
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.015	0.008
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.015	0.008
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.014	0.007
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.014	0.007
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.014	0.007
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.013	0.007
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.013	0.007
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.013	0.007
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.012	0.006
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.012	0.006
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.012	0.006
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.011	0.006
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.011	0.006
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.011	0.006
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.010	0.005
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.010	0.005
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.010	0.005
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.009	0.005
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.009	0.005
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.009	0.005
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.008	0.004
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.008	0.004
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.008	0.004
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.007	0.004
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.007	0.004
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.007	0.004
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.006	0.003
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.006	0.003
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.006	0.003
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.005	0.003
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.005	0.003
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.005	0.003
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.004	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.009	

園芸施設共済 危険段階別共済掛金率表

82 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、1万円特約 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.021	0.011
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.017	0.009
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.017	0.009
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.017	0.009
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.016	0.008
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.016	0.008
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.016	0.008
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.015	0.008
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.015	0.008
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.015	0.008
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.014	0.007
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.014	0.007
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.014	0.007
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.013	0.007
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.013	0.007
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.013	0.007
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.012	0.006
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.012	0.006
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.012	0.006
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.011	0.006
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.011	0.006
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.011	0.006
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.010	0.005
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.010	0.005
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.010	0.005
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.009	0.005
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.009	0.005
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.009	0.005
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.008	0.004
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.008	0.004
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.008	0.004
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.007	0.004
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.007	0.004
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.007	0.004
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.006	0.003
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.006	0.003
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.006	0.003
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.005	0.003
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.005	0.003
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.005	0.003
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.004	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.009	

園芸施設共済 危険段階別共済掛金率表

83 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、1万円特約 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	0.019	0.010
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	0.016	0.008
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	0.015	0.008
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	0.015	0.008
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	0.015	0.008
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	0.014	0.007
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	0.014	0.007
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	0.014	0.007
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	0.013	0.007
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	0.013	0.007
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	0.013	0.007
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	0.013	0.007
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	0.012	0.006
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	0.012	0.006
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	0.012	0.006
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	0.011	0.006
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	0.011	0.006
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.011	0.006
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.010	0.005
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.010	0.005
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.010	0.005
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.010	0.005
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.009	0.005
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.009	0.005
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.009	0.005
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.008	0.004
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.008	0.004
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.008	0.004
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.008	0.004
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.007	0.004
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.007	0.004
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.007	0.004
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.006	0.003
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.006	0.003
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.006	0.003
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.005	0.003
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.005	0.003
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.005	0.003
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.005	0.003
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.004	0.002
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.004	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.008	

園芸施設共済 危険段階別共済掛金率表

84 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、未被覆、1万円特約 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	0.016	0.008
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	0.014	0.007
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	0.013	0.007
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	0.013	0.007
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	0.013	0.007
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	0.013	0.007
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	0.012	0.006
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	0.012	0.006
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	0.012	0.006
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	0.012	0.006
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	0.011	0.006
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	0.011	0.006
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	0.011	0.006
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	0.010	0.005
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	0.010	0.005
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	0.010	0.005
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	0.010	0.005
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.009	0.005
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.009	0.005
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.009	0.005
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.009	0.005
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.008	0.004
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.008	0.004
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.008	0.004
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.008	0.004
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.007	0.004
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.007	0.004
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.007	0.004
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.007	0.004
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.006	0.003
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.006	0.003
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.006	0.003
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.006	0.003
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.005	0.003
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.005	0.003
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.004	0.002
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.004	0.002
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.007	

園芸施設共済 危険段階別共済掛金率表

85 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、3万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.481	0.241
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.399	0.200
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.391	0.196
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.383	0.192
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.376	0.188
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.368	0.184
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.360	0.180
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.353	0.177
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.345	0.173
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.337	0.169
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.330	0.165
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.322	0.161
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.315	0.158
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.307	0.154
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.299	0.150
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.292	0.146
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.284	0.142
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.276	0.138
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.269	0.135
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.261	0.131
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.253	0.127
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.246	0.123
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.238	0.119
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.230	0.115
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.223	0.112
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.215	0.108
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.208	0.104
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.200	0.100
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.192	0.096
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.185	0.093
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.177	0.089
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.169	0.085
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.162	0.081
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.154	0.077
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.146	0.073
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.139	0.070
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.131	0.066
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.124	0.062
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.116	0.058
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.108	0.054
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.102	0.051
		平均値		共済掛金標準率	
		54.65945	2.00000	0.205	

園芸施設共済 危険段階別共済掛金率表

86 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、3万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.457	0.229
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.379	0.190
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.372	0.186
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.365	0.183
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.357	0.179
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.350	0.175
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.343	0.172
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.336	0.168
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.328	0.164
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.321	0.161
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.314	0.157
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.306	0.153
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.299	0.150
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.292	0.146
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.285	0.143
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.277	0.139
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.270	0.135
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.263	0.132
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.256	0.128
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.248	0.124
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.241	0.121
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.234	0.117
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.227	0.114
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.219	0.110
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.212	0.106
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.205	0.103
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.197	0.099
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.190	0.095
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.183	0.092
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.176	0.088
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.168	0.084
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.161	0.081
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.154	0.077
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.147	0.074
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.139	0.070
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.132	0.066
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.125	0.063
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.117	0.059
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.110	0.055
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.103	0.052
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.097	0.049
		平均値		共済掛金標準率	
		54.65945	2.00000	0.195	

園芸施設共済 危険段階別共済掛金率表

87 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、3万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.408	0.204
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.338	0.169
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.332	0.166
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.325	0.163
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.319	0.160
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.312	0.156
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.306	0.153
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.299	0.150
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.293	0.147
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.286	0.143
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.280	0.140
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.273	0.137
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.267	0.134
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.260	0.130
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.254	0.127
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.248	0.124
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.241	0.121
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.235	0.118
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.228	0.114
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.222	0.111
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.215	0.108
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.209	0.105
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.202	0.101
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.196	0.098
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.189	0.095
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.183	0.092
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.176	0.088
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.170	0.085
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.163	0.082
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.157	0.079
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.150	0.075
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.144	0.072
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.137	0.069
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.131	0.066
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.124	0.062
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.118	0.059
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.111	0.056
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.105	0.053
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.098	0.049
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.092	0.046
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.087	0.044
		平均値		共済掛金標準率	
		54.65945	2.00000	0.174	

園芸施設共済 危険段階別共済掛金率表

88 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、3万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.389	0.195
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.323	0.162
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.317	0.159
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.310	0.155
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.304	0.152
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.298	0.149
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.292	0.146
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.286	0.143
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.279	0.140
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.273	0.137
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.267	0.134
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.261	0.131
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.255	0.128
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.249	0.125
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.242	0.121
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.236	0.118
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.230	0.115
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.224	0.112
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.218	0.109
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.211	0.106
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.205	0.103
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.199	0.100
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.193	0.097
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.187	0.094
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.180	0.090
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.174	0.087
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.168	0.084
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.162	0.081
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.156	0.078
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.150	0.075
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.143	0.072
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.137	0.069
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.131	0.066
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.125	0.063
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.119	0.060
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.112	0.056
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.106	0.053
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.100	0.050
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.094	0.047
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.088	0.044
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.083	0.042
		平均値		共済掛金標準率	
		54.65945	2.00000	0.166	

園芸施設共済 危険段階別共済掛金率表

89 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、10万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.466	0.233
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.387	0.194
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.379	0.190
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.372	0.186
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.365	0.183
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.357	0.179
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.350	0.175
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.342	0.171
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.335	0.168
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.328	0.164
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.320	0.160
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.313	0.157
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.305	0.153
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.298	0.149
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.290	0.145
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.283	0.142
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.276	0.138
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.268	0.134
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.261	0.131
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.253	0.127
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.246	0.123
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.239	0.120
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.231	0.116
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.224	0.112
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.216	0.108
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.209	0.105
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.201	0.101
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.194	0.097
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.187	0.094
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.179	0.090
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.172	0.086
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.164	0.082
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.157	0.079
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.150	0.075
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.142	0.071
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.135	0.068
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.127	0.064
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.120	0.060
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.112	0.056
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.105	0.053
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.099	0.050
		平均値		共済掛金標準率	
		54.65945	2.00000	0.199	

園芸施設共済 危険段階別共済掛金率表

90 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、10万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	0.443	0.222
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	0.367	0.184
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	0.360	0.180
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	0.353	0.177
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	0.346	0.173
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	0.339	0.170
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	0.332	0.166
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	0.325	0.163
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	0.318	0.159
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	0.311	0.156
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	0.304	0.152
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	0.297	0.149
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	0.290	0.145
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	0.283	0.142
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	0.276	0.138
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	0.269	0.135
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	0.262	0.131
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.255	0.128
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.248	0.124
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.241	0.121
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.234	0.117
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.227	0.114
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.220	0.110
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.212	0.106
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.205	0.103
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.198	0.099
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.191	0.096
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.184	0.092
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.177	0.089
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.170	0.085
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.163	0.082
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.156	0.078
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.149	0.075
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.142	0.071
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.135	0.068
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.128	0.064
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.121	0.061
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.114	0.057
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.107	0.054
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.100	0.050
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.094	0.047
		平均値		共済掛金標準率	
		54.65945	2.00000	0.189	

園芸施設共済 危険段階別共済掛金率表

91 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、10万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.396	0.198
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.329	0.165
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.322	0.161
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.316	0.158
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.310	0.155
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.303	0.152
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.297	0.149
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.291	0.146
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.284	0.142
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.278	0.139
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.272	0.136
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.266	0.133
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.259	0.130
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.253	0.127
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.247	0.124
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.240	0.120
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.234	0.117
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.228	0.114
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.222	0.111
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.215	0.108
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.209	0.105
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.203	0.102
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.196	0.098
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.190	0.095
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.184	0.092
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.177	0.089
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.171	0.086
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.165	0.083
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.159	0.080
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.152	0.076
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.146	0.073
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.140	0.070
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.133	0.067
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.127	0.064
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.121	0.061
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.114	0.057
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.108	0.054
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.102	0.051
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.096	0.048
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.089	0.045
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.084	0.042
		平均値		共済掛金標準率	
		54.65945	2.00000	0.169	

園芸施設共済 危険段階別共済掛金率表

92 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、10万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.377	0.189
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.313	0.157
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.307	0.154
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.301	0.151
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.295	0.148
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.289	0.145
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.283	0.142
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.277	0.139
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.271	0.136
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.265	0.133
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.259	0.130
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.253	0.127
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.247	0.124
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.241	0.121
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.235	0.118
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.229	0.115
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.223	0.112
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.217	0.109
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.211	0.106
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.205	0.103
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.199	0.100
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.193	0.097
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.187	0.094
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.181	0.091
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.175	0.088
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.169	0.085
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.163	0.082
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.157	0.079
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.151	0.076
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.145	0.073
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.139	0.070
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.133	0.067
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.127	0.064
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.121	0.061
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.115	0.058
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.109	0.055
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.103	0.052
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.097	0.049
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.091	0.046
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.085	0.043
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.080	0.040
		平均値		共済掛金標準率	
		54.65945	2.00000	0.161	

園芸施設共済 危険段階別共済掛金率表

93 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、20万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.263	0.132
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.218	0.109
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.214	0.107
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.209	0.105
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.205	0.103
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.201	0.101
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.197	0.099
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.193	0.097
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.189	0.095
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.184	0.092
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.180	0.090
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.176	0.088
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.172	0.086
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.168	0.084
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.163	0.082
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.159	0.080
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.155	0.078
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.151	0.076
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.147	0.074
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.143	0.072
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.138	0.069
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.134	0.067
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.130	0.065
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.126	0.063
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.122	0.061
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.118	0.059
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.113	0.057
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.109	0.055
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.105	0.053
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.101	0.051
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.097	0.049
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.093	0.047
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.088	0.044
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.084	0.042
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.080	0.040
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.076	0.038
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.072	0.036
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.067	0.034
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.063	0.032
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.059	0.030
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.056	0.028
		平均値		共済掛金標準率	
		54.65945	2.00000	0.112	

園芸施設共済 危険段階別共済掛金率表

94 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、20万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.248	0.124
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.206	0.103
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.202	0.101
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.198	0.099
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.194	0.097
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.190	0.095
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.186	0.093
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.182	0.091
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.178	0.089
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.174	0.087
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.171	0.086
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.167	0.084
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.163	0.082
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.159	0.080
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.155	0.078
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.151	0.076
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.147	0.074
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.143	0.072
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.139	0.070
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.135	0.068
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.131	0.066
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.127	0.064
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.123	0.062
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.119	0.060
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.115	0.058
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.111	0.056
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.107	0.054
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.103	0.052
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.099	0.050
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.095	0.048
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.092	0.046
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.088	0.044
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.084	0.042
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.080	0.040
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.076	0.038
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.072	0.036
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.068	0.034
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.064	0.032
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.060	0.030
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.056	0.028
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.053	0.027
		平均値		共済掛金標準率	
		54.65945	2.00000	0.106	

園芸施設共済 危険段階別共済掛金率表

95 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、20万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.223	0.112
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.185	0.093
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.181	0.091
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.178	0.089
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.174	0.087
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.171	0.086
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.167	0.084
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.163	0.082
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.160	0.080
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.156	0.078
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.153	0.077
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.149	0.075
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.146	0.073
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.142	0.071
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.139	0.070
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.135	0.068
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.132	0.066
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.128	0.064
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.125	0.063
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.121	0.061
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.117	0.059
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.114	0.057
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.110	0.055
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.107	0.054
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.103	0.052
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.100	0.050
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.096	0.048
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.093	0.047
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.089	0.045
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.086	0.043
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.082	0.041
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.078	0.039
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.075	0.038
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.071	0.036
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.068	0.034
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.064	0.032
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.061	0.031
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.057	0.029
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.054	0.027
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.050	0.025
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.047	0.024
		平均値		共済掛金標準率	
		54.65945	2.00000	0.095	

園芸施設共済 危険段階別共済掛金率表

96 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、20万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.211	0.106
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.175	0.088
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.172	0.086
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.168	0.084
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.165	0.083
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.162	0.081
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.158	0.079
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.155	0.078
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.152	0.076
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.148	0.074
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.145	0.073
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.141	0.071
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.138	0.069
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.135	0.068
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.131	0.066
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.128	0.064
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.125	0.063
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.121	0.061
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.118	0.059
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.115	0.058
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.111	0.056
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.108	0.054
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.105	0.053
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.101	0.051
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.098	0.049
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.094	0.047
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.091	0.046
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.088	0.044
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.084	0.042
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.081	0.041
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.078	0.039
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.074	0.037
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.071	0.036
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.068	0.034
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.064	0.032
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.061	0.031
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.058	0.029
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.054	0.027
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.051	0.026
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.048	0.024
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.045	0.023
		平均値		共済掛金標準率	
		54.65945	2.00000	0.090	

園芸施設共済 危険段階別共済掛金率表

97 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、50万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.094	0.047
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.078	0.039
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.076	0.038
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.075	0.038
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.073	0.037
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.072	0.036
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.070	0.035
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.069	0.035
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.067	0.034
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.066	0.033
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.064	0.032
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.063	0.032
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.061	0.031
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.060	0.030
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.058	0.029
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.057	0.029
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.055	0.028
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.054	0.027
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.052	0.026
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.051	0.026
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.049	0.025
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.048	0.024
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.046	0.023
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.045	0.023
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.043	0.022
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.042	0.021
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.040	0.020
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.039	0.020
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.038	0.019
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.036	0.018
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.035	0.018
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.033	0.017
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.032	0.016
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.030	0.015
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.029	0.015
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.027	0.014
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.026	0.013
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.024	0.012
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.023	0.012
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.021	0.011
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.020	0.010
		平均値		共済掛金標準率	
		54.65945	2.00000	0.040	

園芸施設共済 危険段階別共済掛金率表

98 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、50万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.089	0.045
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.074	0.037
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.072	0.036
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.071	0.036
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.070	0.035
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.068	0.034
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.067	0.034
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.065	0.033
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.064	0.032
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.063	0.032
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.061	0.031
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.060	0.030
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.058	0.029
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.057	0.029
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.055	0.028
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.054	0.027
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.053	0.027
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.051	0.026
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.050	0.025
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.048	0.024
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.047	0.024
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.046	0.023
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.044	0.022
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.043	0.022
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.041	0.021
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.040	0.020
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.038	0.019
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.037	0.019
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.036	0.018
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.034	0.017
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.033	0.017
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.031	0.016
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.030	0.015
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.029	0.015
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.027	0.014
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.026	0.013
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.024	0.012
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.023	0.012
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.021	0.011
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.020	0.010
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.019	0.010
		平均値		共済掛金標準率	
		54.65945	2.00000	0.038	

園芸施設共済 危険段階別共済掛金率表

99 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、50万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.080	0.040
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.066	0.033
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.065	0.033
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.064	0.032
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.062	0.031
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.061	0.031
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.060	0.030
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.059	0.030
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.057	0.029
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.056	0.028
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.055	0.028
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.053	0.027
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.052	0.026
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.051	0.026
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.050	0.025
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.048	0.024
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.047	0.024
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.046	0.023
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.045	0.023
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.043	0.022
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.042	0.021
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.041	0.021
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.039	0.020
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.038	0.019
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.037	0.019
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.036	0.018
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.034	0.017
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.033	0.017
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.032	0.016
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.031	0.016
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.029	0.015
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.028	0.014
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.027	0.014
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.026	0.013
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.024	0.012
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.023	0.012
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.022	0.011
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.020	0.010
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.019	0.010
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.018	0.009
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.017	0.009
		平均値		共済掛金標準率	
		54.65945	2.00000	0.034	

園芸施設共済 危険段階別共済掛金率表

100 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、50万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.075	0.038
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.062	0.031
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.061	0.031
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.060	0.030
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.059	0.030
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.057	0.029
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.056	0.028
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.055	0.028
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.054	0.027
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.053	0.027
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.051	0.026
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.050	0.025
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.049	0.025
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.048	0.024
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.047	0.024
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.046	0.023
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.044	0.022
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.043	0.022
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.042	0.021
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.041	0.021
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.040	0.020
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.038	0.019
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.037	0.019
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.036	0.018
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.035	0.018
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.034	0.017
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.032	0.016
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.031	0.016
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.030	0.015
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.029	0.015
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.028	0.014
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.026	0.013
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.025	0.013
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.024	0.012
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.023	0.012
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.022	0.011
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.020	0.010
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.019	0.010
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.018	0.009
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.017	0.009
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.016	0.008
		平均値		共済掛金標準率	
		54.65945	2.00000	0.032	

園芸施設共済 危険段階別共済掛金率表

101 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、100万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.028	0.014
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.023	0.012
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.023	0.012
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.022	0.011
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.022	0.011
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.022	0.011
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.021	0.011
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.021	0.011
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.020	0.010
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.020	0.010
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.019	0.010
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.019	0.010
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.018	0.009
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.018	0.009
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.018	0.009
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.017	0.009
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.017	0.009
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.016	0.008
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.016	0.008
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.015	0.008
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.015	0.008
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.014	0.007
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.014	0.007
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.013	0.007
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.013	0.007
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.013	0.007
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.012	0.006
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.012	0.006
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.011	0.006
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.011	0.006
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.010	0.005
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.010	0.005
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.009	0.005
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.009	0.005
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.009	0.005
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.008	0.004
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.008	0.004
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.007	0.004
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.007	0.004
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.006	0.003
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.006	0.003
		平均値		共済掛金標準率	
		54.65945	2.00000	0.012	

園芸施設共済 危険段階別共済掛金率表

102 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、100万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.026	0.013
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.021	0.011
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.021	0.011
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.021	0.011
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.020	0.010
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.020	0.010
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.019	0.010
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.019	0.010
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.019	0.010
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.018	0.009
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.018	0.009
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.017	0.009
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.017	0.009
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.016	0.008
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.016	0.008
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.016	0.008
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.015	0.008
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.015	0.008
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.014	0.007
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.014	0.007
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.014	0.007
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.013	0.007
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.013	0.007
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.012	0.006
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.012	0.006
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.012	0.006
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.011	0.006
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.011	0.006
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.010	0.005
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.010	0.005
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.009	0.005
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.009	0.005
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.009	0.005
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.008	0.004
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.008	0.004
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.007	0.004
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.007	0.004
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.007	0.004
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.006	0.003
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.006	0.003
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.005	0.003
		平均値		共済掛金標準率	
		54.65945	2.00000	0.011	

園芸施設共済 危険段階別共済掛金率表

103 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、100万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.023	0.012
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.019	0.010
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.019	0.010
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.019	0.010
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.018	0.009
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.018	0.009
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.018	0.009
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.017	0.009
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.017	0.009
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.016	0.008
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.016	0.008
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.016	0.008
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.015	0.008
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.015	0.008
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.015	0.008
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.014	0.007
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.014	0.007
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.013	0.007
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.013	0.007
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.013	0.007
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.012	0.006
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.012	0.006
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.012	0.006
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.011	0.006
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.011	0.006
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.010	0.005
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.010	0.005
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.010	0.005
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.009	0.005
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.009	0.005
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.009	0.005
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.008	0.004
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.008	0.004
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.008	0.004
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.007	0.004
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.007	0.004
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.006	0.003
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.006	0.003
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.006	0.003
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.005	0.003
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.005	0.003
		平均値		共済掛金標準率	
		54.65945	2.00000	0.010	

園芸施設共済 危険段階別共済掛金率表

104 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、100万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.023	0.012
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.019	0.010
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.019	0.010
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.019	0.010
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.018	0.009
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.018	0.009
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.018	0.009
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.017	0.009
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.017	0.009
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.016	0.008
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.016	0.008
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.016	0.008
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.015	0.008
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.015	0.008
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.015	0.008
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.014	0.007
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.014	0.007
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.013	0.007
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.013	0.007
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.013	0.007
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.012	0.006
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.012	0.006
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.012	0.006
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.011	0.006
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.011	0.006
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.010	0.005
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.010	0.005
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.010	0.005
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.009	0.005
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.009	0.005
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.009	0.005
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.008	0.004
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.008	0.004
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.008	0.004
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.007	0.004
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.007	0.004
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.006	0.003
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.006	0.003
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.006	0.003
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.005	0.003
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.005	0.003
		平均値		共済掛金標準率	
		54.65945	2.00000	0.010	

園芸施設共済 危険段階別共済掛金率表

105 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、1万円特約

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.483	0.242
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.401	0.201
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.393	0.197
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.385	0.193
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.377	0.189
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.370	0.185
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.362	0.181
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.354	0.177
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.347	0.174
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.339	0.170
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.331	0.166
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.324	0.162
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.316	0.158
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.308	0.154
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.301	0.151
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.293	0.147
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.285	0.143
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.278	0.139
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.270	0.135
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.262	0.131
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.255	0.128
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.247	0.124
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.239	0.120
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.232	0.116
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.224	0.112
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.216	0.108
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.209	0.105
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.201	0.101
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.193	0.097
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.186	0.093
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.178	0.089
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.170	0.085
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.163	0.082
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.155	0.078
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.147	0.074
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.139	0.070
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.132	0.066
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.124	0.062
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.116	0.058
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.109	0.055
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.103	0.052
		平均値		共済掛金標準率	
		54.65945	2.00000	0.206	

園芸施設共済 危険段階別共済掛金率表

106 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、1万円特約 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.459	0.230
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.381	0.191
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.374	0.187
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.366	0.183
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.359	0.180
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.352	0.176
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.345	0.173
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.337	0.169
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.330	0.165
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.323	0.162
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.315	0.158
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.308	0.154
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.301	0.151
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.293	0.147
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.286	0.143
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.279	0.140
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.272	0.136
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.264	0.132
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.257	0.129
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.250	0.125
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.242	0.121
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.235	0.118
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.228	0.114
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.220	0.110
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.213	0.107
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.206	0.103
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.198	0.099
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.191	0.096
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.184	0.092
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.177	0.089
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.169	0.085
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.162	0.081
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.155	0.078
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.147	0.074
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.140	0.070
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.133	0.067
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.125	0.063
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.118	0.059
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.111	0.056
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.103	0.052
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.098	0.049
		平均値		共済掛金標準率	
		54.65945	2.00000	0.196	

園芸施設共済 危険段階別共済掛金率表

107 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、1万円特約 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.410	0.205
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.340	0.170
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.334	0.167
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.327	0.164
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.321	0.161
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.314	0.157
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.308	0.154
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.301	0.151
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.295	0.148
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.288	0.144
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.282	0.141
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.275	0.138
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.269	0.135
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.262	0.131
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.255	0.128
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.249	0.125
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.242	0.121
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.236	0.118
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.229	0.115
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.223	0.112
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.216	0.108
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.210	0.105
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.203	0.102
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.197	0.099
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.190	0.095
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.184	0.092
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.177	0.089
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.171	0.086
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.164	0.082
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.158	0.079
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.151	0.076
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.145	0.073
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.138	0.069
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.132	0.066
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.125	0.063
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.118	0.059
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.112	0.056
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.105	0.053
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.099	0.050
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.092	0.046
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.087	0.044
		平均値		共済掛金標準率	
		54.65945	2.00000	0.175	

園芸施設共済 危険段階別共済掛金率表

108 / 168

プラスチックハウスⅡ類（パイプ）：撤去費用、被覆、1万円特約 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	0.389	0.195
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	0.323	0.162
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	0.317	0.159
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	0.310	0.155
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	0.304	0.152
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	0.298	0.149
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	0.292	0.146
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	0.286	0.143
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	0.279	0.140
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	0.273	0.137
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	0.267	0.134
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	0.261	0.131
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	0.255	0.128
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	0.249	0.125
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	0.242	0.121
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	0.236	0.118
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	0.230	0.115
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.224	0.112
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.218	0.109
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.211	0.106
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.205	0.103
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.199	0.100
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.193	0.097
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.187	0.094
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.180	0.090
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.174	0.087
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.168	0.084
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.162	0.081
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.156	0.078
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.150	0.075
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.143	0.072
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.137	0.069
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.131	0.066
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.125	0.063
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.119	0.060
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.112	0.056
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.106	0.053
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.100	0.050
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.094	0.047
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.088	0.044
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.083	0.042
		平均値		共済掛金標準率	
		54.65945	2.00000	0.166	

園芸施設共済 危険段階別共済掛金率表

109 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、3万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.030	0.015
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.025	0.013
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.025	0.013
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.024	0.012
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.024	0.012
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.023	0.012
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.023	0.012
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.022	0.011
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.022	0.011
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.021	0.011
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.021	0.011
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.020	0.010
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.020	0.010
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.019	0.010
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.019	0.010
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.018	0.009
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.018	0.009
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.018	0.009
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.017	0.009
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.017	0.009
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.016	0.008
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.016	0.008
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.015	0.008
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.015	0.008
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.014	0.007
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.014	0.007
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.013	0.007
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.013	0.007
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.012	0.006
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.012	0.006
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.011	0.006
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.011	0.006
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.010	0.005
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.010	0.005
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.009	0.005
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.009	0.005
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.008	0.004
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.008	0.004
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.007	0.004
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.007	0.004
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.006	0.003
		平均値		共済掛金標準率	
		54.65945	2.00000	0.013	

園芸施設共済 危険段階別共済掛金率表

110 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、3万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.028	0.014
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.023	0.012
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.023	0.012
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.022	0.011
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.022	0.011
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.022	0.011
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.021	0.011
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.021	0.011
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.020	0.010
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.020	0.010
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.019	0.010
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.019	0.010
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.018	0.009
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.018	0.009
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.018	0.009
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.017	0.009
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.017	0.009
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.016	0.008
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.016	0.008
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.015	0.008
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.015	0.008
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.014	0.007
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.014	0.007
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.013	0.007
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.013	0.007
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.013	0.007
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.012	0.006
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.012	0.006
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.011	0.006
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.011	0.006
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.010	0.005
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.010	0.005
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.009	0.005
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.009	0.005
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.009	0.005
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.008	0.004
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.008	0.004
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.007	0.004
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.007	0.004
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.006	0.003
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.006	0.003
		平均値		共済掛金標準率	
		54.65945	2.00000	0.012	

園芸施設共済 危険段階別共済掛金率表

111 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、3万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.026	0.013
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.021	0.011
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.021	0.011
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.021	0.011
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.020	0.010
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.020	0.010
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.019	0.010
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.019	0.010
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.019	0.010
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.018	0.009
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.018	0.009
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.017	0.009
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.017	0.009
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.016	0.008
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.016	0.008
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.016	0.008
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.015	0.008
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.015	0.008
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.014	0.007
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.014	0.007
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.014	0.007
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.013	0.007
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.013	0.007
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.012	0.006
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.012	0.006
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.012	0.006
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.011	0.006
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.011	0.006
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.010	0.005
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.010	0.005
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.009	0.005
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.009	0.005
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.009	0.005
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.008	0.004
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.008	0.004
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.007	0.004
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.007	0.004
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.007	0.004
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.006	0.003
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.006	0.003
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.005	0.003
		平均値		共済掛金標準率	
		54.65945	2.00000	0.011	

園芸施設共済 危険段階別共済掛金率表

112 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、3万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.023	0.012
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.019	0.010
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.019	0.010
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.019	0.010
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.018	0.009
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.018	0.009
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.018	0.009
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.017	0.009
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.017	0.009
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.016	0.008
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.016	0.008
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.016	0.008
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.015	0.008
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.015	0.008
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.015	0.008
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.014	0.007
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.014	0.007
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.013	0.007
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.013	0.007
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.013	0.007
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.012	0.006
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.012	0.006
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.012	0.006
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.011	0.006
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.011	0.006
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.010	0.005
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.010	0.005
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.010	0.005
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.009	0.005
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.009	0.005
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.009	0.005
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.008	0.004
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.008	0.004
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.008	0.004
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.007	0.004
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.007	0.004
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.006	0.003
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.006	0.003
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.006	0.003
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.005	0.003
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.005	0.003
		平均値		共済掛金標準率	
		54.65945	2.00000	0.010	

園芸施設共済 危険段階別共済掛金率表

113 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、10万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.016	0.008
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.014	0.007
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.013	0.007
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.013	0.007
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.013	0.007
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.013	0.007
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.012	0.006
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.012	0.006
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.012	0.006
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.012	0.006
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.011	0.006
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.011	0.006
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.011	0.006
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.010	0.005
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.010	0.005
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.010	0.005
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.010	0.005
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.009	0.005
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.009	0.005
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.009	0.005
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.009	0.005
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.008	0.004
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.008	0.004
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.008	0.004
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.008	0.004
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.007	0.004
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.007	0.004
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.007	0.004
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.007	0.004
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.006	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.006	0.003
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.006	0.003
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.006	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.005	0.003
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.005	0.003
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.004	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.004	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.007	

園芸施設共済 危険段階別共済掛金率表

114 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、10万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	0.016	0.008
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	0.014	0.007
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	0.013	0.007
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	0.013	0.007
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	0.013	0.007
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	0.013	0.007
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	0.012	0.006
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	0.012	0.006
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	0.012	0.006
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	0.012	0.006
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	0.011	0.006
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	0.011	0.006
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	0.011	0.006
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	0.010	0.005
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	0.010	0.005
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	0.010	0.005
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	0.010	0.005
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.009	0.005
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.009	0.005
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.009	0.005
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.009	0.005
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.008	0.004
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.008	0.004
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.008	0.004
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.008	0.004
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.007	0.004
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.007	0.004
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.007	0.004
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.007	0.004
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.006	0.003
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.006	0.003
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.006	0.003
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.006	0.003
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.005	0.003
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.005	0.003
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.004	0.002
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.004	0.002
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.007	

園芸施設共済 危険段階別共済掛金率表

115 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、10万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.014	0.007
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.012	0.006
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.011	0.006
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.011	0.006
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.011	0.006
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.011	0.006
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.011	0.006
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.010	0.005
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.010	0.005
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.010	0.005
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.010	0.005
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.009	0.005
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.009	0.005
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.009	0.005
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.009	0.005
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.009	0.005
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.008	0.004
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.008	0.004
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.008	0.004
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.008	0.004
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.007	0.004
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.007	0.004
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.007	0.004
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.007	0.004
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.007	0.004
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.006	0.003
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.006	0.003
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.006	0.003
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.006	0.003
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.005	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.005	0.003
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.005	0.003
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.005	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.004	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.004	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.003	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.003	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.006	

園芸施設共済 危険段階別共済掛金率表

116 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、10万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.014	0.007
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.012	0.006
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.011	0.006
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.011	0.006
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.011	0.006
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.011	0.006
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.011	0.006
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.010	0.005
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.010	0.005
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.010	0.005
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.010	0.005
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.009	0.005
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.009	0.005
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.009	0.005
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.009	0.005
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.009	0.005
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.008	0.004
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.008	0.004
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.008	0.004
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.008	0.004
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.007	0.004
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.007	0.004
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.007	0.004
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.007	0.004
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.007	0.004
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.006	0.003
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.006	0.003
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.006	0.003
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.006	0.003
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.005	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.005	0.003
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.005	0.003
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.005	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.004	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.004	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.003	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.003	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.006	

園芸施設共済 危険段階別共済掛金率表

117 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、20万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.014	0.007
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.012	0.006
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.011	0.006
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.011	0.006
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.011	0.006
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.011	0.006
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.011	0.006
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.010	0.005
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.010	0.005
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.010	0.005
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.010	0.005
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.009	0.005
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.009	0.005
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.009	0.005
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.009	0.005
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.009	0.005
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.008	0.004
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.008	0.004
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.008	0.004
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.008	0.004
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.007	0.004
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.007	0.004
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.007	0.004
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.007	0.004
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.007	0.004
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.006	0.003
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.006	0.003
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.006	0.003
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.006	0.003
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.005	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.005	0.003
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.005	0.003
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.005	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.004	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.004	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.003	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.003	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.006	

園芸施設共済 危険段階別共済掛金率表

118 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、20万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.014	0.007
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.012	0.006
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.011	0.006
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.011	0.006
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.011	0.006
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.011	0.006
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.011	0.006
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.010	0.005
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.010	0.005
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.010	0.005
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.010	0.005
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.009	0.005
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.009	0.005
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.009	0.005
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.009	0.005
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.009	0.005
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.008	0.004
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.008	0.004
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.008	0.004
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.008	0.004
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.007	0.004
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.007	0.004
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.007	0.004
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.007	0.004
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.007	0.004
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.006	0.003
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.006	0.003
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.006	0.003
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.006	0.003
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.005	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.005	0.003
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.005	0.003
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.005	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.004	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.004	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.003	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.003	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.006	

園芸施設共済 危険段階別共済掛金率表

119 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、20万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.012	0.006
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.010	0.005
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.010	0.005
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.009	0.005
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.009	0.005
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.009	0.005
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.009	0.005
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.009	0.005
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.008	0.004
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.008	0.004
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.008	0.004
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.008	0.004
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.008	0.004
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.007	0.004
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.007	0.004
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.007	0.004
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.007	0.004
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.007	0.004
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.007	0.004
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.006	0.003
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.006	0.003
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.006	0.003
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.006	0.003
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.006	0.003
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.005	0.003
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.005	0.003
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.005	0.003
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.005	0.003
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.005	0.003
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.005	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.004	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.004	0.002
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.004	0.002
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.004	0.002
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.004	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.003	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.003	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.003	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.003	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.003	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.002	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.005	

園芸施設共済 危険段階別共済掛金率表

120 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、20万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.012	0.006
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.010	0.005
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.010	0.005
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.009	0.005
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.009	0.005
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.009	0.005
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.009	0.005
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.009	0.005
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.008	0.004
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.008	0.004
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.008	0.004
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.008	0.004
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.008	0.004
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.007	0.004
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.007	0.004
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.007	0.004
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.007	0.004
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.007	0.004
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.007	0.004
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.006	0.003
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.006	0.003
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.006	0.003
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.006	0.003
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.006	0.003
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.005	0.003
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.005	0.003
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.005	0.003
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.005	0.003
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.005	0.003
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.005	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.004	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.004	0.002
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.004	0.002
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.004	0.002
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.004	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.003	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.003	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.003	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.003	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.003	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.002	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.005	

園芸施設共済 危険段階別共済掛金率表

121 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、50万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.009	0.005
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.008	0.004
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.008	0.004
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.007	0.004
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.007	0.004
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.007	0.004
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.007	0.004
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.007	0.004
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.007	0.004
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.007	0.004
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.006	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.006	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.006	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.006	0.003
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.006	0.003
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.006	0.003
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.006	0.003
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.005	0.003
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.005	0.003
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.005	0.003
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.005	0.003
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.005	0.003
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.005	0.003
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.004	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.004	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.004	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.004	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.004	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.004	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.004	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.003	0.002
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.003	0.002
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.003	0.002
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.003	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.003	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.003	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.002	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.004	

園芸施設共済 危険段階別共済掛金率表

122 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、50万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.009	0.005
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.008	0.004
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.008	0.004
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.007	0.004
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.007	0.004
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.007	0.004
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.007	0.004
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.007	0.004
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.007	0.004
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.007	0.004
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.006	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.006	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.006	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.006	0.003
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.006	0.003
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.006	0.003
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.006	0.003
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.005	0.003
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.005	0.003
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.005	0.003
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.005	0.003
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.005	0.003
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.005	0.003
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.004	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.004	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.004	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.004	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.004	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.004	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.004	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.003	0.002
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.003	0.002
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.003	0.002
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.003	0.002
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.003	0.002
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.003	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.002	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.004	

園芸施設共済 危険段階別共済掛金率表

123 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、50万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.007	0.004
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.006	0.003
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.006	0.003
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.006	0.003
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.005	0.003
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.005	0.003
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.005	0.003
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.005	0.003
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.005	0.003
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.005	0.003
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.005	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.005	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.005	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.004	0.002
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.004	0.002
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.004	0.002
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.004	0.002
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.004	0.002
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.004	0.002
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.004	0.002
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.004	0.002
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.004	0.002
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.003	0.002
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.003	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.003	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.003	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.003	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.003	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.003	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.003	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.002	0.001
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.002	0.001
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.002	0.001
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.003	

園芸施設共済 危険段階別共済掛金率表

124 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、50万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.007	0.004
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.006	0.003
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.006	0.003
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.006	0.003
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.005	0.003
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.005	0.003
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.005	0.003
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.005	0.003
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.005	0.003
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.005	0.003
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.005	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.005	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.005	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.004	0.002
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.004	0.002
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.004	0.002
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.004	0.002
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.004	0.002
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.004	0.002
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.004	0.002
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.004	0.002
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.004	0.002
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.003	0.002
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.003	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.003	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.003	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.003	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.003	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.003	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.003	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.002	0.001
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.002	0.001
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.002	0.001
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.003	

園芸施設共済 危険段階別共済掛金率表

125 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、100万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.007	0.004
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.006	0.003
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.006	0.003
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.006	0.003
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.005	0.003
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.005	0.003
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.005	0.003
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.005	0.003
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.005	0.003
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.005	0.003
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.005	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.005	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.005	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.004	0.002
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.004	0.002
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.004	0.002
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.004	0.002
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.004	0.002
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.004	0.002
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.004	0.002
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.004	0.002
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.004	0.002
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.003	0.002
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.003	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.003	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.003	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.003	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.003	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.003	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.003	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.002	0.001
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.002	0.001
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.002	0.001
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.003	

園芸施設共済 危険段階別共済掛金率表

126 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、100万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.007	0.004
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.006	0.003
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.006	0.003
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.006	0.003
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.005	0.003
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.005	0.003
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.005	0.003
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.005	0.003
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.005	0.003
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.005	0.003
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.005	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.005	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.005	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.004	0.002
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.004	0.002
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.004	0.002
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.004	0.002
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.004	0.002
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.004	0.002
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.004	0.002
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.004	0.002
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.004	0.002
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.003	0.002
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.003	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.003	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.003	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.003	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.003	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.003	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.003	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.002	0.001
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.002	0.001
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.002	0.001
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.003	

園芸施設共済 危険段階別共済掛金率表

127 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、100万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.007	0.004
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.006	0.003
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.006	0.003
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.006	0.003
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.005	0.003
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.005	0.003
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.005	0.003
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.005	0.003
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.005	0.003
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.005	0.003
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.005	0.003
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.005	0.003
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.005	0.003
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.004	0.002
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.004	0.002
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.004	0.002
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.004	0.002
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.004	0.002
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.004	0.002
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.004	0.002
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.004	0.002
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.004	0.002
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.003	0.002
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.003	0.002
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.003	0.002
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.003	0.002
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.003	0.002
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.003	0.002
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.003	0.002
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.003	0.002
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.003	0.002
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.002	0.001
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.002	0.001
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.002	0.001
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.002	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.002	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.002	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.003	

園芸施設共済 危険段階別共済掛金率表

128 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、100万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.005	0.003
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.004	0.002
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.004	0.002
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.004	0.002
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.004	0.002
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.004	0.002
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.004	0.002
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.003	0.002
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.003	0.002
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.003	0.002
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.003	0.002
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.003	0.002
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.003	0.002
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.003	0.002
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.003	0.002
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.003	0.002
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.003	0.002
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.003	0.002
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.003	0.002
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.003	0.002
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.002	0.001
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.002	0.001
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.002	0.001
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.002	0.001
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.002	0.001
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.002	0.001
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.002	0.001
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.002	0.001
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.002	0.001
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.002	0.001
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.002	0.001
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.002	0.001
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.002	0.001
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.002	0.001
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.001	0.001
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.001	0.001
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.001	0.001
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.001	0.001
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.001	0.001
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.001	0.001
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.001	0.001
		平均値		共済掛金標準率	
		54.65945	2.00000	0.002	

園芸施設共済 危険段階別共済掛金率表

129 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、1万円特約

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.033	0.017
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.027	0.014
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.027	0.014
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.026	0.013
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.026	0.013
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.025	0.013
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.025	0.013
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.024	0.012
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.024	0.012
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.023	0.012
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.023	0.012
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.022	0.011
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.021	0.011
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.021	0.011
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.020	0.010
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.020	0.010
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.019	0.010
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.019	0.010
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.018	0.009
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.018	0.009
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.017	0.009
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.017	0.009
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.016	0.008
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.016	0.008
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.015	0.008
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.015	0.008
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.014	0.007
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.014	0.007
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.013	0.007
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.013	0.007
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.012	0.006
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.012	0.006
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.011	0.006
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.011	0.006
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.010	0.005
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.009	0.005
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.009	0.005
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.008	0.004
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.008	0.004
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.007	0.004
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.007	0.004
		平均値		共済掛金標準率	
		54.65945	2.00000	0.014	

園芸施設共済 危険段階別共済掛金率表

130 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、1万円特約 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.030	0.015
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.025	0.013
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.025	0.013
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.024	0.012
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.024	0.012
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.023	0.012
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.023	0.012
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.022	0.011
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.022	0.011
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.021	0.011
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.021	0.011
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.020	0.010
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.020	0.010
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.019	0.010
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.019	0.010
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.018	0.009
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.018	0.009
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.018	0.009
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.017	0.009
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.017	0.009
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.016	0.008
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.016	0.008
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.015	0.008
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.015	0.008
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.014	0.007
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.014	0.007
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.013	0.007
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.013	0.007
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.012	0.006
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.012	0.006
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.011	0.006
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.011	0.006
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.010	0.005
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.010	0.005
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.009	0.005
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.009	0.005
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.008	0.004
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.008	0.004
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.007	0.004
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.007	0.004
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.006	0.003
		平均値		共済掛金標準率	
		54.65945	2.00000	0.013	

園芸施設共済 危険段階別共済掛金率表

131 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、1万円特約 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.028	0.014
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.023	0.012
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.023	0.012
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.022	0.011
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.022	0.011
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.022	0.011
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.021	0.011
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.021	0.011
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.020	0.010
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.020	0.010
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.019	0.010
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.019	0.010
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.018	0.009
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.018	0.009
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.018	0.009
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.017	0.009
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.017	0.009
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.016	0.008
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.016	0.008
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.015	0.008
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.015	0.008
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.014	0.007
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.014	0.007
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.013	0.007
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.013	0.007
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.013	0.007
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.012	0.006
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.012	0.006
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.011	0.006
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.011	0.006
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.010	0.005
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.010	0.005
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.009	0.005
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.009	0.005
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.009	0.005
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.008	0.004
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.008	0.004
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.007	0.004
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.007	0.004
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.006	0.003
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.006	0.003
		平均値		共済掛金標準率	
		54.65945	2.00000	0.012	

園芸施設共済 危険段階別共済掛金率表

132 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、未被覆、1万円特約 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	0.026	0.013
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	0.021	0.011
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	0.021	0.011
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	0.021	0.011
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	0.020	0.010
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	0.020	0.010
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	0.019	0.010
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	0.019	0.010
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	0.019	0.010
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	0.018	0.009
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	0.018	0.009
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	0.017	0.009
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	0.017	0.009
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	0.016	0.008
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	0.016	0.008
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	0.016	0.008
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	0.015	0.008
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.015	0.008
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.014	0.007
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.014	0.007
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.014	0.007
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.013	0.007
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.013	0.007
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.012	0.006
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.012	0.006
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.012	0.006
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.011	0.006
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.011	0.006
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.010	0.005
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.010	0.005
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.009	0.005
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.009	0.005
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.009	0.005
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.008	0.004
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.008	0.004
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.007	0.004
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.007	0.004
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.007	0.004
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.006	0.003
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.006	0.003
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.005	0.003
		平均値		共済掛金標準率	
		54.65945	2.00000	0.011	

園芸施設共済 危険段階別共済掛金率表

133 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、3万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	2.063	1.032
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	1.711	0.856
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	1.678	0.839
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	1.645	0.823
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	1.613	0.807
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	1.580	0.790
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	1.547	0.774
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	1.514	0.757
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	1.481	0.741
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	1.449	0.725
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	1.416	0.708
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.383	0.692
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.350	0.675
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.317	0.659
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.285	0.643
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.252	0.626
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	1.219	0.610
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	1.186	0.593
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	1.153	0.577
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	1.121	0.561
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	1.088	0.544
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	1.055	0.528
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	1.022	0.511
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.989	0.495
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.957	0.479
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.924	0.462
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.891	0.446
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.858	0.429
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.825	0.413
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.793	0.397
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.760	0.380
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.727	0.364
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.694	0.347
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.661	0.331
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.629	0.315
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.596	0.298
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.563	0.282
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.530	0.265
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.497	0.249
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.465	0.233
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.440	0.220
		平均値		共済掛金標準率	
		54.65945	2.00000	0.880	

園芸施設共済 危険段階別共済掛金率表

134 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、3万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	1.960	0.980
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	1.625	0.813
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	1.594	0.797
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	1.563	0.782
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	1.532	0.766
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	1.501	0.751
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	1.470	0.735
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	1.438	0.719
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	1.407	0.704
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	1.376	0.688
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	1.345	0.673
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.314	0.657
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.283	0.642
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.252	0.626
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.220	0.610
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.189	0.595
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	1.158	0.579
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	1.127	0.564
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	1.096	0.548
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	1.065	0.533
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	1.033	0.517
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	1.002	0.501
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.971	0.486
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.940	0.470
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.909	0.455
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.878	0.439
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.846	0.423
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.815	0.408
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.784	0.392
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.753	0.377
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.722	0.361
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.691	0.346
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.659	0.330
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.628	0.314
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.597	0.299
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.566	0.283
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.535	0.268
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.504	0.252
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.473	0.237
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.441	0.221
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.418	0.209
		平均値		共済掛金標準率	
		54.65945	2.00000	0.836	

園芸施設共済 危険段階別共済掛金率表

135 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、3万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	1.753	0.877
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	1.454	0.727
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	1.426	0.713
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	1.399	0.700
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	1.371	0.686
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	1.343	0.672
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	1.315	0.658
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	1.287	0.644
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	1.259	0.630
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	1.231	0.616
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	1.203	0.602
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.176	0.588
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.148	0.574
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.120	0.560
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.092	0.546
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.064	0.532
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	1.036	0.518
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	1.008	0.504
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.980	0.490
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.952	0.476
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.925	0.463
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.897	0.449
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.869	0.435
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.841	0.421
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.813	0.407
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.785	0.393
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.757	0.379
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.729	0.365
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.702	0.351
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.674	0.337
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.646	0.323
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.618	0.309
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.590	0.295
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.562	0.281
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.534	0.267
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.506	0.253
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.479	0.240
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.451	0.226
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.423	0.212
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.395	0.198
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.374	0.187
		平均値		共済掛金標準率	
		54.65945	2.00000	0.748	

園芸施設共済 危険段階別共済掛金率表

136 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、3万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	1.667	0.834
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	1.382	0.691
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	1.356	0.678
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	1.329	0.665
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	1.303	0.652
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	1.276	0.638
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	1.250	0.625
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	1.223	0.612
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	1.197	0.599
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	1.170	0.585
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	1.144	0.572
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.117	0.559
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.091	0.546
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.064	0.532
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.038	0.519
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.011	0.506
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.985	0.493
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.958	0.479
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.932	0.466
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.905	0.453
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.879	0.440
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.852	0.426
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.826	0.413
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.799	0.400
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.773	0.387
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.746	0.373
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.720	0.360
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.693	0.347
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.667	0.334
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.640	0.320
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.614	0.307
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.587	0.294
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.561	0.281
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.534	0.267
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.508	0.254
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.481	0.241
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.455	0.228
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.428	0.214
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.402	0.201
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.375	0.188
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.355	0.178
		平均値		共済掛金標準率	
		54.65945	2.00000	0.711	

園芸施設共済 危険段階別共済掛金率表

137 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、10万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.980	0.490
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.813	0.407
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.797	0.399
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.782	0.391
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.766	0.383
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.750	0.375
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.735	0.368
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.719	0.360
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.704	0.352
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.688	0.344
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.672	0.336
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.657	0.329
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.641	0.321
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.626	0.313
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.610	0.305
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.595	0.298
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.579	0.290
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.563	0.282
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.548	0.274
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.532	0.266
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.517	0.259
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.501	0.251
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.486	0.243
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.470	0.235
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.454	0.227
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.439	0.220
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.423	0.212
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.408	0.204
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.392	0.196
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.376	0.188
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.361	0.181
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.345	0.173
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.330	0.165
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.314	0.157
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.299	0.150
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.283	0.142
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.267	0.134
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.252	0.126
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.236	0.118
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.221	0.111
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.209	0.105
		平均値		共済掛金標準率	
		54.65945	2.00000	0.418	

園芸施設共済 危険段階別共済掛金率表

138 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、10万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.931	0.466
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.772	0.386
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.757	0.379
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.742	0.371
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.727	0.364
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.713	0.357
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.698	0.349
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.683	0.342
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.668	0.334
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.654	0.327
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.639	0.320
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.624	0.312
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.609	0.305
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.594	0.297
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.580	0.290
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.565	0.283
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.550	0.275
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.535	0.268
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.520	0.260
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.506	0.253
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.491	0.246
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.476	0.238
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.461	0.231
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.446	0.223
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.432	0.216
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.417	0.209
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.402	0.201
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.387	0.194
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.372	0.186
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.358	0.179
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.343	0.172
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.328	0.164
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.313	0.157
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.298	0.149
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.284	0.142
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.269	0.135
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.254	0.127
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.239	0.120
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.224	0.112
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.210	0.105
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.198	0.099
		平均値		共済掛金標準率	
		54.65945	2.00000	0.397	

園芸施設共済 危険段階別共済掛金率表

139 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、10万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.832	0.416
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.690	0.345
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.677	0.339
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.664	0.332
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.651	0.326
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.637	0.319
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.624	0.312
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.611	0.306
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.598	0.299
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.584	0.292
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.571	0.286
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.558	0.279
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.545	0.273
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.531	0.266
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.518	0.259
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.505	0.253
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.492	0.246
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.479	0.240
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.465	0.233
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.452	0.226
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.439	0.220
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.426	0.213
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.412	0.206
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.399	0.200
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.386	0.193
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.373	0.187
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.359	0.180
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.346	0.173
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.333	0.167
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.320	0.160
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.307	0.154
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.293	0.147
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.280	0.140
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.267	0.134
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.254	0.127
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.240	0.120
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.227	0.114
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.214	0.107
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.201	0.101
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.187	0.094
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.177	0.089
		平均値		共済掛金標準率	
		54.65945	2.00000	0.355	

園芸施設共済 危険段階別共済掛金率表

140 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、10万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.792	0.396
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.657	0.329
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.645	0.323
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.632	0.316
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.619	0.310
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.607	0.304
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.594	0.297
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.582	0.291
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.569	0.285
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.556	0.278
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.544	0.272
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.531	0.266
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.519	0.260
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.506	0.253
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.493	0.247
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.481	0.241
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.468	0.234
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.456	0.228
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.443	0.222
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.430	0.215
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.418	0.209
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.405	0.203
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.393	0.197
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.380	0.190
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.367	0.184
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.355	0.178
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.342	0.171
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.330	0.165
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.317	0.159
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.304	0.152
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.292	0.146
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.279	0.140
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.267	0.134
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.254	0.127
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.241	0.121
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.229	0.115
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.216	0.108
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.204	0.102
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.191	0.096
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.178	0.089
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.169	0.085
		平均値		共済掛金標準率	
		54.65945	2.00000	0.338	

園芸施設共済 危険段階別共済掛金率表

141 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、20万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.450	0.225
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.373	0.187
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.366	0.183
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.359	0.180
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.352	0.176
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.345	0.173
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.338	0.169
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.330	0.165
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.323	0.162
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.316	0.158
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.309	0.155
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.302	0.151
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.295	0.148
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.287	0.144
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.280	0.140
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.273	0.137
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.266	0.133
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.259	0.130
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.252	0.126
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.244	0.122
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.237	0.119
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.230	0.115
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.223	0.112
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.216	0.108
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.209	0.105
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.202	0.101
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.194	0.097
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.187	0.094
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.180	0.090
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.173	0.087
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.166	0.083
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.159	0.080
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.151	0.076
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.144	0.072
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.137	0.069
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.130	0.065
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.123	0.062
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.116	0.058
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.109	0.055
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.101	0.051
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.096	0.048
		平均値		共済掛金標準率	
		54.65945	2.00000	0.192	

園芸施設共済 危険段階別共済掛金率表

142 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、20万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.427	0.214
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.354	0.177
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.347	0.174
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.340	0.170
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.334	0.167
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.327	0.164
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.320	0.160
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.313	0.157
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.306	0.153
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.300	0.150
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.293	0.147
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.286	0.143
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.279	0.140
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.272	0.136
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.266	0.133
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.259	0.130
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.252	0.126
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.245	0.123
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.239	0.120
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.232	0.116
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.225	0.113
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.218	0.109
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.211	0.106
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.205	0.103
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.198	0.099
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.191	0.096
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.184	0.092
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.177	0.089
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.171	0.086
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.164	0.082
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.157	0.079
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.150	0.075
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.144	0.072
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.137	0.069
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.130	0.065
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.123	0.062
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.116	0.058
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.110	0.055
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.103	0.052
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.096	0.048
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.091	0.046
		平均値		共済掛金標準率	
		54.65945	2.00000	0.182	

園芸施設共済 危険段階別共済掛金率表

143 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、20万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.382	0.191
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.317	0.159
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.311	0.156
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.305	0.153
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.299	0.150
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.293	0.147
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.287	0.144
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.280	0.140
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.274	0.137
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.268	0.134
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.262	0.131
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.256	0.128
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.250	0.125
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.244	0.122
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.238	0.119
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.232	0.116
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.226	0.113
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.220	0.110
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.214	0.107
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.208	0.104
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.201	0.101
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.195	0.098
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.189	0.095
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.183	0.092
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.177	0.089
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.171	0.086
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.165	0.083
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.159	0.080
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.153	0.077
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.147	0.074
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.141	0.071
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.135	0.068
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.129	0.065
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.123	0.062
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.116	0.058
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.110	0.055
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.104	0.052
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.098	0.049
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.092	0.046
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.086	0.043
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.081	0.041
		平均値		共済掛金標準率	
		54.65945	2.00000	0.163	

園芸施設共済 危険段階別共済掛金率表

144 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、20万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.363	0.182
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.301	0.151
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.296	0.148
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.290	0.145
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.284	0.142
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.278	0.139
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.272	0.136
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.267	0.134
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.261	0.131
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.255	0.128
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.249	0.125
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.244	0.122
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.238	0.119
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.232	0.116
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.226	0.113
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.220	0.110
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.215	0.108
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.209	0.105
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.203	0.102
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.197	0.099
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.192	0.096
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.186	0.093
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.180	0.090
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.174	0.087
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.168	0.084
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.163	0.082
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.157	0.079
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.151	0.076
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.145	0.073
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.140	0.070
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.134	0.067
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.128	0.064
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.122	0.061
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.116	0.058
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.111	0.056
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.105	0.053
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.099	0.050
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.093	0.047
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.088	0.044
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.082	0.041
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.077	0.039
		平均値		共済掛金標準率	
		54.65945	2.00000	0.155	

園芸施設共済 危険段階別共済掛金率表

145 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、50万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.159	0.080
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.132	0.066
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.130	0.065
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.127	0.064
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.125	0.063
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.122	0.061
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.120	0.060
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.117	0.059
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.114	0.057
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.112	0.056
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.109	0.055
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.107	0.054
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.104	0.052
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.102	0.051
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.099	0.050
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.097	0.049
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.094	0.047
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.092	0.046
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.089	0.045
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.087	0.044
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.084	0.042
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.082	0.041
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.079	0.040
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.076	0.038
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.074	0.037
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.071	0.036
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.069	0.035
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.066	0.033
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.064	0.032
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.061	0.031
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.059	0.030
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.056	0.028
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.054	0.027
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.051	0.026
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.049	0.025
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.046	0.023
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.044	0.022
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.041	0.021
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.038	0.019
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.036	0.018
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.034	0.017
		平均値		共済掛金標準率	
		54.65945	2.00000	0.068	

園芸施設共済 危険段階別共済掛金率表

146 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、50万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.152	0.076
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.126	0.063
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.124	0.062
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.122	0.061
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.119	0.060
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.117	0.059
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.114	0.057
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.112	0.056
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.109	0.055
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.107	0.054
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.105	0.053
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.102	0.051
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.100	0.050
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.097	0.049
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.095	0.048
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.092	0.046
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.090	0.045
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.088	0.044
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.085	0.043
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.083	0.042
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.080	0.040
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.078	0.039
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.076	0.038
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.073	0.037
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.071	0.036
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.068	0.034
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.066	0.033
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.063	0.032
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.061	0.031
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.059	0.030
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.056	0.028
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.054	0.027
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.051	0.026
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.049	0.025
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.046	0.023
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.044	0.022
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.042	0.021
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.039	0.020
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.037	0.019
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.034	0.017
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.032	0.016
		平均値		共済掛金標準率	
		54.65945	2.00000	0.065	

園芸施設共済 危険段階別共済掛金率表

147 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、50万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.136	0.068
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.113	0.057
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.111	0.056
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.108	0.054
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.106	0.053
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.104	0.052
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.102	0.051
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.100	0.050
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.098	0.049
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.095	0.048
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.093	0.047
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.091	0.046
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.089	0.045
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.087	0.044
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.085	0.043
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.083	0.042
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.080	0.040
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.078	0.039
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.076	0.038
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.074	0.037
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.072	0.036
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.070	0.035
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.067	0.034
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.065	0.033
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.063	0.032
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.061	0.031
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.059	0.030
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.057	0.029
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.054	0.027
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.052	0.026
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.050	0.025
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.048	0.024
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.046	0.023
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.044	0.022
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.041	0.021
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.039	0.020
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.037	0.019
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.035	0.018
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.033	0.017
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.031	0.016
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.029	0.015
		平均値		共済掛金標準率	
		54.65945	2.00000	0.058	

園芸施設共済 危険段階別共済掛金率表

148 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、50万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.129	0.065
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.107	0.054
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.105	0.053
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.103	0.052
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.101	0.051
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.099	0.050
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.097	0.049
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.095	0.048
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.093	0.047
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.091	0.046
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.088	0.044
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.086	0.043
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.084	0.042
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.082	0.041
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.080	0.040
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.078	0.039
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.076	0.038
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.074	0.037
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.072	0.036
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.070	0.035
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.068	0.034
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.066	0.033
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.064	0.032
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.062	0.031
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.060	0.030
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.058	0.029
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.056	0.028
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.054	0.027
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.052	0.026
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.050	0.025
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.047	0.024
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.045	0.023
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.043	0.022
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.041	0.021
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.039	0.020
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.037	0.019
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.035	0.018
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.033	0.017
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.031	0.016
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.029	0.015
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.027	0.014
		平均値		共済掛金標準率	
		54.65945	2.00000	0.055	

園芸施設共済 危険段階別共済掛金率表

149 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、100万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.021	0.011
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.017	0.009
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.017	0.009
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.017	0.009
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.016	0.008
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.016	0.008
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.016	0.008
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.015	0.008
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.015	0.008
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.015	0.008
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.014	0.007
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.014	0.007
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.014	0.007
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.013	0.007
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.013	0.007
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.013	0.007
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.012	0.006
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.012	0.006
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.012	0.006
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.011	0.006
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.011	0.006
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.011	0.006
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.010	0.005
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.010	0.005
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.010	0.005
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.009	0.005
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.009	0.005
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.009	0.005
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.008	0.004
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.008	0.004
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.008	0.004
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.007	0.004
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.007	0.004
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.007	0.004
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.006	0.003
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.006	0.003
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.006	0.003
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.005	0.003
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.005	0.003
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.005	0.003
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.004	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.009	

園芸施設共済 危険段階別共済掛金率表

150 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、100万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.021	0.011
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.017	0.009
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.017	0.009
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.017	0.009
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.016	0.008
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.016	0.008
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.016	0.008
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.015	0.008
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.015	0.008
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.015	0.008
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.014	0.007
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.014	0.007
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.014	0.007
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.013	0.007
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.013	0.007
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.013	0.007
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.012	0.006
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.012	0.006
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.012	0.006
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.011	0.006
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.011	0.006
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.011	0.006
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.010	0.005
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.010	0.005
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.010	0.005
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.009	0.005
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.009	0.005
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.009	0.005
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.008	0.004
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.008	0.004
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.008	0.004
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.007	0.004
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.007	0.004
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.007	0.004
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.006	0.003
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.006	0.003
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.006	0.003
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.005	0.003
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.005	0.003
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.005	0.003
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.004	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.009	

園芸施設共済 危険段階別共済掛金率表

151 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、100万円 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.019	0.010
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.016	0.008
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.015	0.008
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.015	0.008
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.015	0.008
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.014	0.007
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.014	0.007
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.014	0.007
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.013	0.007
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.013	0.007
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.013	0.007
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.013	0.007
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.012	0.006
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.012	0.006
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.012	0.006
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.011	0.006
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.011	0.006
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.011	0.006
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.010	0.005
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.010	0.005
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.010	0.005
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.010	0.005
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.009	0.005
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.009	0.005
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.009	0.005
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.008	0.004
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.008	0.004
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.008	0.004
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.008	0.004
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.007	0.004
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.007	0.004
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.007	0.004
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.006	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.006	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.006	0.003
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.005	0.003
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.005	0.003
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.005	0.003
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.005	0.003
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.004	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.004	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.008	

園芸施設共済 危険段階別共済掛金率表

152 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、100万円 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.016	0.008
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.014	0.007
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.013	0.007
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.013	0.007
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.013	0.007
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.013	0.007
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.012	0.006
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.012	0.006
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.012	0.006
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.012	0.006
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.011	0.006
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.011	0.006
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.011	0.006
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.010	0.005
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.010	0.005
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.010	0.005
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.010	0.005
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.009	0.005
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.009	0.005
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.009	0.005
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.009	0.005
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.008	0.004
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.008	0.004
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.008	0.004
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.008	0.004
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.007	0.004
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.007	0.004
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.007	0.004
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.007	0.004
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.006	0.003
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.006	0.003
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.006	0.003
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.006	0.003
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.005	0.003
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.005	0.003
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.005	0.003
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.004	0.002
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.004	0.002
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.004	0.002
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.004	0.002
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.003	0.002
		平均値		共済掛金標準率	
		54.65945	2.00000	0.007	

園芸施設共済 危険段階別共済掛金率表

153 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、1万円特約

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	2.138	1.069
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	1.773	0.887
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	1.739	0.870
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	1.705	0.853
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	1.671	0.836
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	1.637	0.819
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	1.603	0.802
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	1.569	0.785
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	1.535	0.768
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	1.501	0.751
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	1.467	0.734
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.433	0.717
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.399	0.700
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.365	0.683
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.331	0.666
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.297	0.649
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	1.263	0.632
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	1.229	0.615
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	1.195	0.598
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	1.161	0.581
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	1.127	0.564
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	1.093	0.547
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	1.059	0.530
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	1.025	0.513
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.991	0.496
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.957	0.479
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.923	0.462
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.889	0.445
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.855	0.428
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.821	0.411
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.787	0.394
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.753	0.377
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.719	0.360
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.685	0.343
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.651	0.326
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.617	0.309
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.583	0.292
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.549	0.275
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.515	0.258
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.481	0.241
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.456	0.228
		平均値		共済掛金標準率	
		54.65945	2.00000	0.912	

園芸施設共済 危険段階別共済掛金率表

154 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、1万円特約 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	2.030	1.015
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	1.684	0.842
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	1.651	0.826
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	1.619	0.810
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	1.587	0.794
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	1.555	0.778
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	1.522	0.761
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	1.490	0.745
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	1.458	0.729
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	1.426	0.713
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	1.393	0.697
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	1.361	0.681
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	1.329	0.665
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	1.296	0.648
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	1.264	0.632
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	1.232	0.616
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	1.200	0.600
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	1.167	0.584
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	1.135	0.568
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	1.103	0.552
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	1.070	0.535
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	1.038	0.519
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	1.006	0.503
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.974	0.487
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.941	0.471
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.909	0.455
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.877	0.439
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.845	0.423
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.812	0.406
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.780	0.390
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.748	0.374
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.715	0.358
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.683	0.342
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.651	0.326
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.619	0.310
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.586	0.293
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.554	0.277
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.522	0.261
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.489	0.245
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.457	0.229
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.433	0.217
		平均値		共済掛金標準率	
		54.65945	2.00000	0.866	

園芸施設共済 危険段階別共済掛金率表

155 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、1万円特約 ※補強園芸施設有・集団加入無

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	1.817	0.909
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	1.507	0.754
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	1.478	0.739
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	1.449	0.725
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	1.420	0.710
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	1.391	0.696
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	1.362	0.681
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	1.334	0.667
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	1.305	0.653
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	1.276	0.638
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	1.247	0.624
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.218	0.609
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.189	0.595
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.160	0.580
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.131	0.566
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.102	0.551
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	1.074	0.537
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	1.045	0.523
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	1.016	0.508
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.987	0.494
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.958	0.479
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.929	0.465
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.900	0.450
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.871	0.436
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.842	0.421
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.814	0.407
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.785	0.393
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.756	0.378
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.727	0.364
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.698	0.349
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.669	0.335
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.640	0.320
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.611	0.306
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.582	0.291
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.554	0.277
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.525	0.263
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.496	0.248
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.467	0.234
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.438	0.219
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.409	0.205
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.387	0.194
		平均値		共済掛金標準率	
		54.65945	2.00000	0.775	

園芸施設共済 危険段階別共済掛金率表

156 / 168

プラスチックハウスⅡ類（パイプ）：復旧費用、被覆、1万円特約 ※補強園芸施設有・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	1.725	0.863
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	1.431	0.716
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	1.404	0.702
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	1.376	0.688
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	1.349	0.675
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	1.321	0.661
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	1.294	0.647
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	1.266	0.633
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	1.239	0.620
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	1.212	0.606
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	1.184	0.592
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	1.157	0.579
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	1.129	0.565
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	1.102	0.551
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	1.074	0.537
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	1.047	0.524
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	1.020	0.510
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.992	0.496
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.965	0.483
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.937	0.469
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.910	0.455
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.882	0.441
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.855	0.428
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.827	0.414
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.800	0.400
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.773	0.387
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.745	0.373
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.718	0.359
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.690	0.345
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.663	0.332
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.635	0.318
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.608	0.304
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.581	0.291
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.553	0.277
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.526	0.263
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.498	0.249
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.471	0.236
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.443	0.222
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.416	0.208
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.389	0.195
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.368	0.184
		平均値		共済掛金標準率	
		54.65945	2.00000	0.736	

園芸施設共済 危険段階別共済掛金率表

157 / 168

プラスチックハウスⅡ類（パイプ）：内作事故除外、被覆、3万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	4.330	2.165
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	3.591	1.796
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	3.522	1.761
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	3.453	1.727
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	3.385	1.693
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	3.316	1.658
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	3.247	1.624
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	3.178	1.589
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	3.109	1.555
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	3.040	1.520
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	2.972	1.486
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	2.903	1.452
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	2.834	1.417
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	2.765	1.383
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	2.696	1.348
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	2.627	1.314
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	2.558	1.279
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	2.490	1.245
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	2.421	1.211
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	2.352	1.176
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	2.283	1.142
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	2.214	1.107
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	2.145	1.073
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	2.077	1.039
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	2.008	1.004
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	1.939	0.970
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	1.870	0.935
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	1.801	0.901
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	1.732	0.866
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	1.664	0.832
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	1.595	0.798
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	1.526	0.763
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	1.457	0.729
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	1.388	0.694
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	1.319	0.660
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	1.250	0.625
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	1.182	0.591
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	1.113	0.557
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	1.044	0.522
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.975	0.488
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.923	0.462
		平均値		共済掛金標準率	
		54.65945	2.00000	1.847	

園芸施設共済 危険段階別共済掛金率表

158 / 168

プラスチックハウスⅡ類（パイプ）：内作事故除外、被覆、3万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	4.114	2.057
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	3.412	1.706
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	3.347	1.674
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	3.281	1.641
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	3.216	1.608
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	3.151	1.576
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	3.085	1.543
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	3.020	1.510
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	2.954	1.477
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	2.889	1.445
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	2.824	1.412
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	2.758	1.379
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	2.693	1.347
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	2.627	1.314
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	2.562	1.281
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	2.496	1.248
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	2.431	1.216
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	2.366	1.183
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	2.300	1.150
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	2.235	1.118
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	2.169	1.085
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	2.104	1.052
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	2.039	1.020
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	1.973	0.987
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	1.908	0.954
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	1.842	0.921
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	1.777	0.889
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	1.712	0.856
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	1.646	0.823
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	1.581	0.791
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	1.515	0.758
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	1.450	0.725
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	1.384	0.692
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	1.319	0.660
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	1.254	0.627
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	1.188	0.594
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	1.123	0.562
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	1.057	0.529
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.992	0.496
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.927	0.464
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.877	0.439
		平均値		共済掛金標準率	
		54.65945	2.00000	1.755	

園芸施設共済 危険段階別共済掛金率表

159 / 168

プラスチックハウスⅡ類（パイプ）：内作事故除外、被覆、10万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	1.685	0.843
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	1.398	0.699
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	1.371	0.686
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	1.344	0.672
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	1.318	0.659
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	1.291	0.646
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	1.264	0.632
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	1.237	0.619
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	1.210	0.605
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	1.184	0.592
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	1.157	0.579
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.130	0.565
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.103	0.552
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.076	0.538
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	1.050	0.525
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	1.023	0.512
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.996	0.498
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.969	0.485
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.942	0.471
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.916	0.458
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.889	0.445
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.862	0.431
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.835	0.418
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.808	0.404
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.782	0.391
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.755	0.378
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.728	0.364
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.701	0.351
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.674	0.337
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.648	0.324
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.621	0.311
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.594	0.297
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.567	0.284
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.540	0.270
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.514	0.257
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.487	0.244
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.460	0.230
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.433	0.217
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.406	0.203
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.380	0.190
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.359	0.180
		平均値		共済掛金標準率	
		54.65945	2.00000	0.719	

園芸施設共済 危険段階別共済掛金率表

160 / 168

プラスチックハウスⅡ類（パイプ）：内作事故除外、被覆、10万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	1.601	0.801
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	1.328	0.664
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	1.302	0.651
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	1.277	0.639
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	1.252	0.626
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	1.226	0.613
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	1.201	0.601
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	1.175	0.588
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	1.150	0.575
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	1.124	0.562
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	1.099	0.550
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	1.073	0.537
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	1.048	0.524
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	1.022	0.511
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.997	0.499
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.972	0.486
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.946	0.473
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.921	0.461
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.895	0.448
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.870	0.435
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.844	0.422
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.819	0.410
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.793	0.397
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.768	0.384
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.742	0.371
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.717	0.359
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.692	0.346
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.666	0.333
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.641	0.321
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.615	0.308
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.590	0.295
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.564	0.282
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.539	0.270
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.513	0.257
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.488	0.244
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.462	0.231
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.437	0.219
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.412	0.206
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.386	0.193
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.361	0.181
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.341	0.171
		平均値		共済掛金標準率	
		54.65945	2.00000	0.683	

園芸施設共済 危険段階別共済掛金率表

161 / 168

プラスチックハウスⅡ類（パイプ）：内作事故除外、被覆、20万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	1.184	0.592
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.982	0.491
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.963	0.482
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.944	0.472
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.925	0.463
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.907	0.454
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.888	0.444
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.869	0.435
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.850	0.425
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.831	0.416
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.812	0.406
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.794	0.397
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.775	0.388
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.756	0.378
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.737	0.369
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.718	0.359
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.700	0.350
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.681	0.341
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.662	0.331
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.643	0.322
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.624	0.312
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.605	0.303
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.587	0.294
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.568	0.284
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.549	0.275
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.530	0.265
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.511	0.256
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.492	0.246
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.474	0.237
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.455	0.228
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.436	0.218
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.417	0.209
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.398	0.199
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.380	0.190
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.361	0.181
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.342	0.171
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.323	0.162
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.304	0.152
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.285	0.143
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.267	0.134
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.252	0.126
		平均値		共済掛金標準率	
		54.65945	2.00000	0.505	

園芸施設共済 危険段階別共済掛金率表

162 / 168

プラスチックハウスⅡ類（パイプ）：内作事故除外、被覆、20万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ ＜	198.90902	4.68824	1.125	0.563
19	192.5 ≧ ＊ ＜ 197.5	156.00000	3.88859	0.933	0.467
18	187.5 ≧ ＊ ＜ 192.5	152.00000	3.81404	0.915	0.458
17	182.5 ≧ ＊ ＜ 187.5	148.00000	3.73950	0.897	0.449
16	177.5 ≧ ＊ ＜ 182.5	144.00000	3.66495	0.880	0.440
15	172.5 ≧ ＊ ＜ 177.5	140.00000	3.59041	0.862	0.431
14	167.5 ≧ ＊ ＜ 172.5	136.00000	3.51587	0.844	0.422
13	162.5 ≧ ＊ ＜ 167.5	132.00000	3.44132	0.826	0.413
12	157.5 ≧ ＊ ＜ 162.5	128.00000	3.36678	0.808	0.404
11	152.5 ≧ ＊ ＜ 157.5	124.00000	3.29223	0.790	0.395
10	147.5 ≧ ＊ ＜ 152.5	120.00000	3.21769	0.772	0.386
09	142.5 ≧ ＊ ＜ 147.5	116.00000	3.14314	0.754	0.377
08	137.5 ≧ ＊ ＜ 142.5	112.00000	3.06860	0.736	0.368
07	132.5 ≧ ＊ ＜ 137.5	108.00000	2.99406	0.719	0.360
06	127.5 ≧ ＊ ＜ 132.5	104.00000	2.91951	0.701	0.351
05	122.5 ≧ ＊ ＜ 127.5	100.00000	2.84497	0.683	0.342
04	117.5 ≧ ＊ ＜ 122.5	96.00000	2.77042	0.665	0.333
03	112.5 ≧ ＊ ＜ 117.5	92.00000	2.69588	0.647	0.324
02	107.5 ≧ ＊ ＜ 112.5	88.00000	2.62134	0.629	0.315
01	102.5 ≧ ＊ ＜ 107.5	84.00000	2.54679	0.611	0.306
00	97.5 ≧ ＊ ＜ 102.5	80.00000	2.47225	0.593	0.297
-01	92.5 ≧ ＊ ＜ 97.5	76.00000	2.39770	0.575	0.288
-02	87.5 ≧ ＊ ＜ 92.5	72.00000	2.32316	0.558	0.279
-03	82.5 ≧ ＊ ＜ 87.5	68.00000	2.24861	0.540	0.270
-04	77.5 ≧ ＊ ＜ 82.5	64.00000	2.17407	0.522	0.261
-05	72.5 ≧ ＊ ＜ 77.5	60.00000	2.09953	0.504	0.252
-06	67.5 ≧ ＊ ＜ 72.5	56.00000	2.02498	0.486	0.243
-07	62.5 ≧ ＊ ＜ 67.5	52.00000	1.95044	0.468	0.234
-08	57.5 ≧ ＊ ＜ 62.5	48.00000	1.87589	0.450	0.225
-09	52.5 ≧ ＊ ＜ 57.5	44.00000	1.80135	0.432	0.216
-10	47.5 ≧ ＊ ＜ 52.5	40.00000	1.72681	0.414	0.207
-11	42.5 ≧ ＊ ＜ 47.5	36.00000	1.65226	0.397	0.199
-12	37.5 ≧ ＊ ＜ 42.5	32.00000	1.57772	0.379	0.190
-13	32.5 ≧ ＊ ＜ 37.5	28.00000	1.50317	0.361	0.181
-14	27.5 ≧ ＊ ＜ 32.5	24.00000	1.42863	0.343	0.172
-15	22.5 ≧ ＊ ＜ 27.5	20.00000	1.35408	0.325	0.163
-16	17.5 ≧ ＊ ＜ 22.5	16.00000	1.27954	0.307	0.154
-17	12.5 ≧ ＊ ＜ 17.5	12.00000	1.20500	0.289	0.145
-18	7.5 ≧ ＊ ＜ 12.5	8.00000	1.13045	0.271	0.136
-19	2.5 ≧ ＊ ＜ 7.5	4.00000	1.05591	0.253	0.127
-20	0 ≧ ＊ ＜ 2.5	1.00000	1.00000	0.240	0.120
		平均値		共済掛金標準率	
		54.65945	2.00000	0.480	

園芸施設共済 危険段階別共済掛金率表

163 / 168

プラスチックハウスⅡ類（パイプ）：内作事故除外、被覆、50万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.436	0.218
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.362	0.181
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.355	0.178
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.348	0.174
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.341	0.171
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.334	0.167
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.327	0.164
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.320	0.160
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.313	0.157
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.306	0.153
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.299	0.150
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.292	0.146
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.285	0.143
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.278	0.139
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.272	0.136
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.265	0.133
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.258	0.129
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.251	0.126
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.244	0.122
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.237	0.119
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.230	0.115
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.223	0.112
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.216	0.108
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.209	0.105
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.202	0.101
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.195	0.098
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.188	0.094
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.181	0.091
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.174	0.087
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.168	0.084
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.161	0.081
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.154	0.077
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.147	0.074
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.140	0.070
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.133	0.067
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.126	0.063
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.119	0.060
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.112	0.056
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.105	0.053
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.098	0.049
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.093	0.047
		平均値		共済掛金標準率	
		54.65945	2.00000	0.186	

園芸施設共済 危険段階別共済掛金率表

164 / 168

プラスチックハウスⅡ類（パイプ）：内作事故除外、被覆、50万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.415	0.208
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.344	0.172
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.338	0.169
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.331	0.166
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.324	0.162
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.318	0.159
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.311	0.156
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.305	0.153
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.298	0.149
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.291	0.146
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.285	0.143
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.278	0.139
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.272	0.136
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.265	0.133
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.258	0.129
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.252	0.126
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.245	0.123
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.239	0.120
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.232	0.116
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.225	0.113
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.219	0.110
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.212	0.106
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.206	0.103
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.199	0.100
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.192	0.096
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.186	0.093
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.179	0.090
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.173	0.087
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.166	0.083
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.159	0.080
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.153	0.077
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.146	0.073
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.140	0.070
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.133	0.067
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.126	0.063
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.120	0.060
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.113	0.057
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.107	0.054
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.100	0.050
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.093	0.047
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.088	0.044
		平均値		共済掛金標準率	
		54.65945	2.00000	0.177	

園芸施設共済 危険段階別共済掛金率表

165 / 168

プラスチックハウスⅡ類（パイプ）：内作事故除外、被覆、100万円

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.052	0.026
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.043	0.022
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.042	0.021
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.041	0.021
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.040	0.020
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.039	0.020
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.039	0.020
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.038	0.019
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.037	0.019
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.036	0.018
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.035	0.018
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.035	0.018
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.034	0.017
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.033	0.017
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.032	0.016
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.031	0.016
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.030	0.015
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.030	0.015
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.029	0.015
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.028	0.014
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.027	0.014
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.026	0.013
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.026	0.013
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.025	0.013
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.024	0.012
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.023	0.012
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.022	0.011
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.021	0.011
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.021	0.011
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.020	0.010
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.019	0.010
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.018	0.009
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.017	0.009
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.017	0.009
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.016	0.008
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.015	0.008
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.014	0.007
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.013	0.007
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.012	0.006
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.012	0.006
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.011	0.006
		平均値		共済掛金標準率	
		54.65945	2.00000	0.022	

園芸施設共済 危険段階別共済掛金率表

166 / 168

プラスチックハウスⅡ類（パイプ）：内作事故除外、被覆、100万円 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	0.049	0.025
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	0.041	0.021
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	0.040	0.020
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	0.039	0.020
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	0.038	0.019
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	0.038	0.019
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	0.037	0.019
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	0.036	0.018
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	0.035	0.018
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	0.035	0.018
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	0.034	0.017
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	0.033	0.017
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	0.032	0.016
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	0.031	0.016
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	0.031	0.016
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	0.030	0.015
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	0.029	0.015
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	0.028	0.014
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	0.028	0.014
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	0.027	0.014
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	0.026	0.013
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	0.025	0.013
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	0.024	0.012
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	0.024	0.012
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	0.023	0.012
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	0.022	0.011
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	0.021	0.011
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	0.020	0.010
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	0.020	0.010
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	0.019	0.010
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	0.018	0.009
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	0.017	0.009
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	0.017	0.009
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	0.016	0.008
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	0.015	0.008
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	0.014	0.007
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	0.013	0.007
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	0.013	0.007
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	0.012	0.006
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.011	0.006
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.010	0.005
		平均値		共済掛金標準率	
		54.65945	2.00000	0.021	

園芸施設共済 危険段階別共済掛金率表

167 / 168

プラスチックハウスⅡ類（パイプ）：内作事故除外、被覆、1万円特約

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	4.407	2.204
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	3.655	1.828
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	3.585	1.793
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	3.515	1.758
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	3.445	1.723
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	3.375	1.688
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	3.305	1.653
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	3.235	1.618
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	3.165	1.583
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	3.095	1.548
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	3.025	1.513
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	2.955	1.478
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	2.884	1.442
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	2.814	1.407
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	2.744	1.372
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	2.674	1.337
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	2.604	1.302
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	2.534	1.267
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	2.464	1.232
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	2.394	1.197
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	2.324	1.162
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	2.254	1.127
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	2.184	1.092
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	2.114	1.057
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	2.044	1.022
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	1.974	0.987
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	1.903	0.952
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	1.833	0.917
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	1.763	0.882
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	1.693	0.847
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	1.623	0.812
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	1.553	0.777
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	1.483	0.742
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	1.413	0.707
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	1.343	0.672
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	1.273	0.637
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	1.203	0.602
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	1.133	0.567
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	1.063	0.532
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.993	0.497
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.940	0.470
		平均値		共済掛金標準率	
		54.65945	2.00000	1.880	

園芸施設共済 危険段階別共済掛金率表

168 / 168

プラスチックハウスⅡ類（パイプ）：内作事故除外、被覆、1万円特約 ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率（＊）の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前	圧縮後		
20	197.5 ≧ ＊ <	198.90902	4.68824	4.187	2.094
19	192.5 ≧ ＊ < 197.5	156.00000	3.88859	3.473	1.737
18	187.5 ≧ ＊ < 192.5	152.00000	3.81404	3.406	1.703
17	182.5 ≧ ＊ < 187.5	148.00000	3.73950	3.339	1.670
16	177.5 ≧ ＊ < 182.5	144.00000	3.66495	3.273	1.637
15	172.5 ≧ ＊ < 177.5	140.00000	3.59041	3.206	1.603
14	167.5 ≧ ＊ < 172.5	136.00000	3.51587	3.140	1.570
13	162.5 ≧ ＊ < 167.5	132.00000	3.44132	3.073	1.537
12	157.5 ≧ ＊ < 162.5	128.00000	3.36678	3.007	1.504
11	152.5 ≧ ＊ < 157.5	124.00000	3.29223	2.940	1.470
10	147.5 ≧ ＊ < 152.5	120.00000	3.21769	2.873	1.437
09	142.5 ≧ ＊ < 147.5	116.00000	3.14314	2.807	1.404
08	137.5 ≧ ＊ < 142.5	112.00000	3.06860	2.740	1.370
07	132.5 ≧ ＊ < 137.5	108.00000	2.99406	2.674	1.337
06	127.5 ≧ ＊ < 132.5	104.00000	2.91951	2.607	1.304
05	122.5 ≧ ＊ < 127.5	100.00000	2.84497	2.541	1.271
04	117.5 ≧ ＊ < 122.5	96.00000	2.77042	2.474	1.237
03	112.5 ≧ ＊ < 117.5	92.00000	2.69588	2.407	1.204
02	107.5 ≧ ＊ < 112.5	88.00000	2.62134	2.341	1.171
01	102.5 ≧ ＊ < 107.5	84.00000	2.54679	2.274	1.137
00	97.5 ≧ ＊ < 102.5	80.00000	2.47225	2.208	1.104
-01	92.5 ≧ ＊ < 97.5	76.00000	2.39770	2.141	1.071
-02	87.5 ≧ ＊ < 92.5	72.00000	2.32316	2.075	1.038
-03	82.5 ≧ ＊ < 87.5	68.00000	2.24861	2.008	1.004
-04	77.5 ≧ ＊ < 82.5	64.00000	2.17407	1.941	0.971
-05	72.5 ≧ ＊ < 77.5	60.00000	2.09953	1.875	0.938
-06	67.5 ≧ ＊ < 72.5	56.00000	2.02498	1.808	0.904
-07	62.5 ≧ ＊ < 67.5	52.00000	1.95044	1.742	0.871
-08	57.5 ≧ ＊ < 62.5	48.00000	1.87589	1.675	0.838
-09	52.5 ≧ ＊ < 57.5	44.00000	1.80135	1.609	0.805
-10	47.5 ≧ ＊ < 52.5	40.00000	1.72681	1.542	0.771
-11	42.5 ≧ ＊ < 47.5	36.00000	1.65226	1.475	0.738
-12	37.5 ≧ ＊ < 42.5	32.00000	1.57772	1.409	0.705
-13	32.5 ≧ ＊ < 37.5	28.00000	1.50317	1.342	0.671
-14	27.5 ≧ ＊ < 32.5	24.00000	1.42863	1.276	0.638
-15	22.5 ≧ ＊ < 27.5	20.00000	1.35408	1.209	0.605
-16	17.5 ≧ ＊ < 22.5	16.00000	1.27954	1.143	0.572
-17	12.5 ≧ ＊ < 17.5	12.00000	1.20500	1.076	0.538
-18	7.5 ≧ ＊ < 12.5	8.00000	1.13045	1.009	0.505
-19	2.5 ≧ ＊ < 7.5	4.00000	1.05591	0.943	0.472
-20	0 ≧ ＊ < 2.5	1.00000	1.00000	0.893	0.447
		平均値		共済掛金標準率	
		54.65945	2.00000	1.786	