

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(3万円、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.474	0.237
19	192.5 ≤* < 197.5	156.00000	2.96142	0.466	0.233
18	187.5 ≤* < 192.5	152.00000	2.91081	0.458	0.229
17	182.5 ≤* < 187.5	148.00000	2.86019	0.450	0.225
16	177.5 ≤* < 182.5	144.00000	2.80957	0.443	0.222
15	172.5 ≤* < 177.5	140.00000	2.75895	0.435	0.218
14	167.5 ≤* < 172.5	136.00000	2.70834	0.427	0.214
13	162.5 ≤* < 167.5	132.00000	2.65772	0.419	0.210
12	157.5 ≤* < 162.5	128.00000	2.60710	0.411	0.206
11	152.5 ≤* < 157.5	124.00000	2.55648	0.403	0.202
10	147.5 ≤* < 152.5	120.00000	2.50587	0.395	0.198
9	142.5 ≤* < 147.5	116.00000	2.45525	0.387	0.194
8	137.5 ≤* < 142.5	112.00000	2.40463	0.379	0.190
7	132.5 ≤* < 137.5	108.00000	2.35401	0.371	0.186
6	127.5 ≤* < 132.5	104.00000	2.30340	0.363	0.182
5	122.5 ≤* < 127.5	100.00000	2.25278	0.355	0.178
4	117.5 ≤* < 122.5	96.00000	2.20216	0.347	0.174
3	112.5 ≤* < 117.5	92.00000	2.15154	0.339	0.170
2	107.5 ≤* < 112.5	88.00000	2.10093	0.331	0.166
1	102.5 ≤* < 107.5	84.00000	2.05031	0.323	0.162
0	97.5 ≤* < 102.5	80.00000	1.99969	0.315	0.158
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.307	0.154
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.299	0.150
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.291	0.146
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.283	0.142
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.275	0.138
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.267	0.134
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.259	0.130
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.251	0.126
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.243	0.122
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.235	0.118
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.227	0.114
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.219	0.110
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.211	0.106
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.203	0.102
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.195	0.098
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.187	0.094
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.179	0.090
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.171	0.086
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.163	0.082
-20	0 ≤* < 2.5	1.00000	1.00000	0.157	0.079
		平均値		標準率	
		80.02439	2.00000	0.315	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(10万円、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.304	0.152
19	192.5 ≤* < 197.5	156.00000	2.96142	0.299	0.150
18	187.5 ≤* < 192.5	152.00000	2.91081	0.294	0.147
17	182.5 ≤* < 187.5	148.00000	2.86019	0.289	0.145
16	177.5 ≤* < 182.5	144.00000	2.80957	0.284	0.142
15	172.5 ≤* < 177.5	140.00000	2.75895	0.279	0.140
14	167.5 ≤* < 172.5	136.00000	2.70834	0.274	0.137
13	162.5 ≤* < 167.5	132.00000	2.65772	0.268	0.134
12	157.5 ≤* < 162.5	128.00000	2.60710	0.263	0.132
11	152.5 ≤* < 157.5	124.00000	2.55648	0.258	0.129
10	147.5 ≤* < 152.5	120.00000	2.50587	0.253	0.127
9	142.5 ≤* < 147.5	116.00000	2.45525	0.248	0.124
8	137.5 ≤* < 142.5	112.00000	2.40463	0.243	0.122
7	132.5 ≤* < 137.5	108.00000	2.35401	0.238	0.119
6	127.5 ≤* < 132.5	104.00000	2.30340	0.233	0.117
5	122.5 ≤* < 127.5	100.00000	2.25278	0.228	0.114
4	117.5 ≤* < 122.5	96.00000	2.20216	0.222	0.111
3	112.5 ≤* < 117.5	92.00000	2.15154	0.217	0.109
2	107.5 ≤* < 112.5	88.00000	2.10093	0.212	0.106
1	102.5 ≤* < 107.5	84.00000	2.05031	0.207	0.104
0	97.5 ≤* < 102.5	80.00000	1.99969	0.202	0.101
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.197	0.099
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.192	0.096
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.187	0.094
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.182	0.091
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.176	0.088
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.171	0.086
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.166	0.083
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.161	0.081
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.156	0.078
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.151	0.076
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.146	0.073
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.141	0.071
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.136	0.068
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.130	0.065
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.125	0.063
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.120	0.060
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.115	0.058
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.110	0.055
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.105	0.053
-20	0 ≤* < 2.5	1.00000	1.00000	0.101	0.051
		平均値		標準率	
		80.02439	2.00000	0.202	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(20万円、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.236	0.118
19	192.5 ≤* < 197.5	156.00000	2.96142	0.232	0.116
18	187.5 ≤* < 192.5	152.00000	2.91081	0.228	0.114
17	182.5 ≤* < 187.5	148.00000	2.86019	0.225	0.113
16	177.5 ≤* < 182.5	144.00000	2.80957	0.221	0.111
15	172.5 ≤* < 177.5	140.00000	2.75895	0.217	0.109
14	167.5 ≤* < 172.5	136.00000	2.70834	0.213	0.107
13	162.5 ≤* < 167.5	132.00000	2.65772	0.209	0.105
12	157.5 ≤* < 162.5	128.00000	2.60710	0.205	0.103
11	152.5 ≤* < 157.5	124.00000	2.55648	0.201	0.101
10	147.5 ≤* < 152.5	120.00000	2.50587	0.197	0.099
9	142.5 ≤* < 147.5	116.00000	2.45525	0.193	0.097
8	137.5 ≤* < 142.5	112.00000	2.40463	0.189	0.095
7	132.5 ≤* < 137.5	108.00000	2.35401	0.185	0.093
6	127.5 ≤* < 132.5	104.00000	2.30340	0.181	0.091
5	122.5 ≤* < 127.5	100.00000	2.25278	0.177	0.089
4	117.5 ≤* < 122.5	96.00000	2.20216	0.173	0.087
3	112.5 ≤* < 117.5	92.00000	2.15154	0.169	0.085
2	107.5 ≤* < 112.5	88.00000	2.10093	0.165	0.083
1	102.5 ≤* < 107.5	84.00000	2.05031	0.161	0.081
0	97.5 ≤* < 102.5	80.00000	1.99969	0.157	0.079
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.153	0.077
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.149	0.075
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.145	0.073
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.141	0.071
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.137	0.069
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.133	0.067
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.129	0.065
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.125	0.063
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.121	0.061
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.117	0.059
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.113	0.057
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.109	0.055
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.105	0.053
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.101	0.051
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.097	0.049
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.093	0.047
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.089	0.045
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.085	0.043
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.081	0.041
-20	0 ≤* < 2.5	1.00000	1.00000	0.078	0.039
		平均値		標準率	
		80.02439	2.00000	0.157	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(50万円、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.127	0.064
19	192.5 ≤* < 197.5	156.00000	2.96142	0.124	0.062
18	187.5 ≤* < 192.5	152.00000	2.91081	0.122	0.061
17	182.5 ≤* < 187.5	148.00000	2.86019	0.120	0.060
16	177.5 ≤* < 182.5	144.00000	2.80957	0.118	0.059
15	172.5 ≤* < 177.5	140.00000	2.75895	0.116	0.058
14	167.5 ≤* < 172.5	136.00000	2.70834	0.114	0.057
13	162.5 ≤* < 167.5	132.00000	2.65772	0.112	0.056
12	157.5 ≤* < 162.5	128.00000	2.60710	0.109	0.055
11	152.5 ≤* < 157.5	124.00000	2.55648	0.107	0.054
10	147.5 ≤* < 152.5	120.00000	2.50587	0.105	0.053
9	142.5 ≤* < 147.5	116.00000	2.45525	0.103	0.052
8	137.5 ≤* < 142.5	112.00000	2.40463	0.101	0.051
7	132.5 ≤* < 137.5	108.00000	2.35401	0.099	0.050
6	127.5 ≤* < 132.5	104.00000	2.30340	0.097	0.049
5	122.5 ≤* < 127.5	100.00000	2.25278	0.095	0.048
4	117.5 ≤* < 122.5	96.00000	2.20216	0.092	0.046
3	112.5 ≤* < 117.5	92.00000	2.15154	0.090	0.045
2	107.5 ≤* < 112.5	88.00000	2.10093	0.088	0.044
1	102.5 ≤* < 107.5	84.00000	2.05031	0.086	0.043
0	97.5 ≤* < 102.5	80.00000	1.99969	0.084	0.042
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.082	0.041
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.080	0.040
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.078	0.039
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.075	0.038
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.073	0.037
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.071	0.036
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.069	0.035
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.067	0.034
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.065	0.033
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.063	0.032
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.061	0.031
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.058	0.029
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.056	0.028
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.054	0.027
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.052	0.026
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.050	0.025
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.048	0.024
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.046	0.023
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.044	0.022
-20	0 ≤* < 2.5	1.00000	1.00000	0.042	0.021
		平均値		標準率	
		80.02439	2.00000	0.084	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(100万円、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.020	0.010
19	192.5 ≤* < 197.5	156.00000	2.96142	0.019	0.010
18	187.5 ≤* < 192.5	152.00000	2.91081	0.019	0.010
17	182.5 ≤* < 187.5	148.00000	2.86019	0.019	0.010
16	177.5 ≤* < 182.5	144.00000	2.80957	0.018	0.009
15	172.5 ≤* < 177.5	140.00000	2.75895	0.018	0.009
14	167.5 ≤* < 172.5	136.00000	2.70834	0.018	0.009
13	162.5 ≤* < 167.5	132.00000	2.65772	0.017	0.009
12	157.5 ≤* < 162.5	128.00000	2.60710	0.017	0.009
11	152.5 ≤* < 157.5	124.00000	2.55648	0.017	0.009
10	147.5 ≤* < 152.5	120.00000	2.50587	0.016	0.008
9	142.5 ≤* < 147.5	116.00000	2.45525	0.016	0.008
8	137.5 ≤* < 142.5	112.00000	2.40463	0.016	0.008
7	132.5 ≤* < 137.5	108.00000	2.35401	0.015	0.008
6	127.5 ≤* < 132.5	104.00000	2.30340	0.015	0.008
5	122.5 ≤* < 127.5	100.00000	2.25278	0.015	0.008
4	117.5 ≤* < 122.5	96.00000	2.20216	0.014	0.007
3	112.5 ≤* < 117.5	92.00000	2.15154	0.014	0.007
2	107.5 ≤* < 112.5	88.00000	2.10093	0.014	0.007
1	102.5 ≤* < 107.5	84.00000	2.05031	0.013	0.007
0	97.5 ≤* < 102.5	80.00000	1.99969	0.013	0.007
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.013	0.007
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.012	0.006
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.012	0.006
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.012	0.006
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.011	0.006
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.011	0.006
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.011	0.006
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.010	0.005
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.010	0.005
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.010	0.005
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.009	0.005
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.009	0.005
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.009	0.005
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.008	0.004
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.008	0.004
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.008	0.004
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.007	0.004
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.007	0.004
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.007	0.004
-20	0 ≤* < 2.5	1.00000	1.00000	0.006	0.003
		平均値		標準率	
		80.02439	2.00000	0.013	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(1万円特約、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.020	0.020
19	192.5 ≤* < 197.5	156.00000	2.96142	0.020	0.020
18	187.5 ≤* < 192.5	152.00000	2.91081	0.019	0.019
17	182.5 ≤* < 187.5	148.00000	2.86019	0.019	0.019
16	177.5 ≤* < 182.5	144.00000	2.80957	0.018	0.018
15	172.5 ≤* < 177.5	140.00000	2.75895	0.017	0.017
14	167.5 ≤* < 172.5	136.00000	2.70834	0.017	0.017
13	162.5 ≤* < 167.5	132.00000	2.65772	0.017	0.017
12	157.5 ≤* < 162.5	128.00000	2.60710	0.017	0.017
11	152.5 ≤* < 157.5	124.00000	2.55648	0.016	0.016
10	147.5 ≤* < 152.5	120.00000	2.50587	0.016	0.016
9	142.5 ≤* < 147.5	116.00000	2.45525	0.016	0.016
8	137.5 ≤* < 142.5	112.00000	2.40463	0.015	0.015
7	132.5 ≤* < 137.5	108.00000	2.35401	0.015	0.015
6	127.5 ≤* < 132.5	104.00000	2.30340	0.015	0.015
5	122.5 ≤* < 127.5	100.00000	2.25278	0.014	0.014
4	117.5 ≤* < 122.5	96.00000	2.20216	0.014	0.014
3	112.5 ≤* < 117.5	92.00000	2.15154	0.014	0.014
2	107.5 ≤* < 112.5	88.00000	2.10093	0.014	0.014
1	102.5 ≤* < 107.5	84.00000	2.05031	0.013	0.013
0	97.5 ≤* < 102.5	80.00000	1.99969	0.013	0.013
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.013	0.013
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.012	0.012
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.012	0.012
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.012	0.012
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.011	0.011
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.011	0.011
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.011	0.011
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.011	0.011
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.010	0.010
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.010	0.010
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.010	0.010
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.009	0.009
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.009	0.009
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.009	0.009
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.008	0.008
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.008	0.008
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.008	0.008
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.008	0.008
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.007	0.007
-20	0 ≤* < 2.5	1.00000	1.00000	0.007	0.007
		平均値		標準率	
		80.02439	2.00000	0.013	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(3万円、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	1.274	0.637
19	192.5 ≤* < 197.5	156.00000	2.96142	1.253	0.627
18	187.5 ≤* < 192.5	152.00000	2.91081	1.231	0.616
17	182.5 ≤* < 187.5	148.00000	2.86019	1.210	0.605
16	177.5 ≤* < 182.5	144.00000	2.80957	1.188	0.594
15	172.5 ≤* < 177.5	140.00000	2.75895	1.167	0.584
14	167.5 ≤* < 172.5	136.00000	2.70834	1.146	0.573
13	162.5 ≤* < 167.5	132.00000	2.65772	1.124	0.562
12	157.5 ≤* < 162.5	128.00000	2.60710	1.103	0.552
11	152.5 ≤* < 157.5	124.00000	2.55648	1.081	0.541
10	147.5 ≤* < 152.5	120.00000	2.50587	1.060	0.530
9	142.5 ≤* < 147.5	116.00000	2.45525	1.039	0.520
8	137.5 ≤* < 142.5	112.00000	2.40463	1.017	0.509
7	132.5 ≤* < 137.5	108.00000	2.35401	0.996	0.498
6	127.5 ≤* < 132.5	104.00000	2.30340	0.974	0.487
5	122.5 ≤* < 127.5	100.00000	2.25278	0.953	0.477
4	117.5 ≤* < 122.5	96.00000	2.20216	0.932	0.466
3	112.5 ≤* < 117.5	92.00000	2.15154	0.910	0.455
2	107.5 ≤* < 112.5	88.00000	2.10093	0.889	0.445
1	102.5 ≤* < 107.5	84.00000	2.05031	0.867	0.434
0	97.5 ≤* < 102.5	80.00000	1.99969	0.846	0.423
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.824	0.412
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.803	0.402
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.782	0.391
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.760	0.380
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.739	0.370
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.717	0.359
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.696	0.348
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.675	0.338
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.653	0.327
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.632	0.316
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.610	0.305
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.589	0.295
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.568	0.284
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.546	0.273
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.525	0.263
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.503	0.252
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.482	0.241
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.460	0.230
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.439	0.220
-20	0 ≤* < 2.5	1.00000	1.00000	0.423	0.212
		平均値		標準率	
		80.02439	2.00000	0.846	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(10万円、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.883	0.442
19	192.5 ≤* < 197.5	156.00000	2.96142	0.868	0.434
18	187.5 ≤* < 192.5	152.00000	2.91081	0.853	0.427
17	182.5 ≤* < 187.5	148.00000	2.86019	0.838	0.419
16	177.5 ≤* < 182.5	144.00000	2.80957	0.823	0.412
15	172.5 ≤* < 177.5	140.00000	2.75895	0.808	0.404
14	167.5 ≤* < 172.5	136.00000	2.70834	0.794	0.397
13	162.5 ≤* < 167.5	132.00000	2.65772	0.779	0.390
12	157.5 ≤* < 162.5	128.00000	2.60710	0.764	0.382
11	152.5 ≤* < 157.5	124.00000	2.55648	0.749	0.375
10	147.5 ≤* < 152.5	120.00000	2.50587	0.734	0.367
9	142.5 ≤* < 147.5	116.00000	2.45525	0.719	0.360
8	137.5 ≤* < 142.5	112.00000	2.40463	0.705	0.353
7	132.5 ≤* < 137.5	108.00000	2.35401	0.690	0.345
6	127.5 ≤* < 132.5	104.00000	2.30340	0.675	0.338
5	122.5 ≤* < 127.5	100.00000	2.25278	0.660	0.330
4	117.5 ≤* < 122.5	96.00000	2.20216	0.645	0.323
3	112.5 ≤* < 117.5	92.00000	2.15154	0.630	0.315
2	107.5 ≤* < 112.5	88.00000	2.10093	0.616	0.308
1	102.5 ≤* < 107.5	84.00000	2.05031	0.601	0.301
0	97.5 ≤* < 102.5	80.00000	1.99969	0.586	0.293
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.571	0.286
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.556	0.278
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.541	0.271
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.527	0.264
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.512	0.256
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.497	0.249
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.482	0.241
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.467	0.234
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.452	0.226
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.438	0.219
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.423	0.212
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.408	0.204
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.393	0.197
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.378	0.189
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.363	0.182
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.349	0.175
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.334	0.167
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.319	0.160
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.304	0.152
-20	0 ≤* < 2.5	1.00000	1.00000	0.293	0.147
		平均値		標準率	
		80.02439	2.00000	0.586	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(20万円、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.584	0.292
19	192.5 ≤* < 197.5	156.00000	2.96142	0.575	0.288
18	187.5 ≤* < 192.5	152.00000	2.91081	0.565	0.283
17	182.5 ≤* < 187.5	148.00000	2.86019	0.555	0.278
16	177.5 ≤* < 182.5	144.00000	2.80957	0.545	0.273
15	172.5 ≤* < 177.5	140.00000	2.75895	0.535	0.268
14	167.5 ≤* < 172.5	136.00000	2.70834	0.525	0.263
13	162.5 ≤* < 167.5	132.00000	2.65772	0.516	0.258
12	157.5 ≤* < 162.5	128.00000	2.60710	0.506	0.253
11	152.5 ≤* < 157.5	124.00000	2.55648	0.496	0.248
10	147.5 ≤* < 152.5	120.00000	2.50587	0.486	0.243
9	142.5 ≤* < 147.5	116.00000	2.45525	0.476	0.238
8	137.5 ≤* < 142.5	112.00000	2.40463	0.466	0.233
7	132.5 ≤* < 137.5	108.00000	2.35401	0.457	0.229
6	127.5 ≤* < 132.5	104.00000	2.30340	0.447	0.224
5	122.5 ≤* < 127.5	100.00000	2.25278	0.437	0.219
4	117.5 ≤* < 122.5	96.00000	2.20216	0.427	0.214
3	112.5 ≤* < 117.5	92.00000	2.15154	0.417	0.209
2	107.5 ≤* < 112.5	88.00000	2.10093	0.408	0.204
1	102.5 ≤* < 107.5	84.00000	2.05031	0.398	0.199
0	97.5 ≤* < 102.5	80.00000	1.99969	0.388	0.194
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.378	0.189
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.368	0.184
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.358	0.179
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.349	0.175
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.339	0.170
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.329	0.165
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.319	0.160
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.309	0.155
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.300	0.150
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.290	0.145
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.280	0.140
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.270	0.135
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.260	0.130
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.250	0.125
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.241	0.121
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.231	0.116
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.221	0.111
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.211	0.106
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.201	0.101
-20	0 ≤* < 2.5	1.00000	1.00000	0.194	0.097
		平均値		標準率	
		80.02439	2.00000	0.388	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(50万円、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.035	0.018
19	192.5 ≤* < 197.5	156.00000	2.96142	0.034	0.017
18	187.5 ≤* < 192.5	152.00000	2.91081	0.033	0.017
17	182.5 ≤* < 187.5	148.00000	2.86019	0.033	0.017
16	177.5 ≤* < 182.5	144.00000	2.80957	0.032	0.016
15	172.5 ≤* < 177.5	140.00000	2.75895	0.032	0.016
14	167.5 ≤* < 172.5	136.00000	2.70834	0.031	0.016
13	162.5 ≤* < 167.5	132.00000	2.65772	0.031	0.016
12	157.5 ≤* < 162.5	128.00000	2.60710	0.030	0.015
11	152.5 ≤* < 157.5	124.00000	2.55648	0.029	0.015
10	147.5 ≤* < 152.5	120.00000	2.50587	0.029	0.015
9	142.5 ≤* < 147.5	116.00000	2.45525	0.028	0.014
8	137.5 ≤* < 142.5	112.00000	2.40463	0.028	0.014
7	132.5 ≤* < 137.5	108.00000	2.35401	0.027	0.014
6	127.5 ≤* < 132.5	104.00000	2.30340	0.026	0.013
5	122.5 ≤* < 127.5	100.00000	2.25278	0.026	0.013
4	117.5 ≤* < 122.5	96.00000	2.20216	0.025	0.013
3	112.5 ≤* < 117.5	92.00000	2.15154	0.025	0.013
2	107.5 ≤* < 112.5	88.00000	2.10093	0.024	0.012
1	102.5 ≤* < 107.5	84.00000	2.05031	0.024	0.012
0	97.5 ≤* < 102.5	80.00000	1.99969	0.023	0.012
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.022	0.011
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.022	0.011
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.021	0.011
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.021	0.011
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.020	0.010
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.020	0.010
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.019	0.010
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.018	0.009
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.018	0.009
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.017	0.009
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.017	0.009
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.016	0.008
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.015	0.008
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.015	0.008
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.014	0.007
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.014	0.007
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.013	0.007
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.013	0.007
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.012	0.006
-20	0 ≤* < 2.5	1.00000	1.00000	0.011	0.006
		平均値		標準率	
		80.02439	2.00000	0.023	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(100万円、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.033	0.017
19	192.5 ≤* < 197.5	156.00000	2.96142	0.033	0.017
18	187.5 ≤* < 192.5	152.00000	2.91081	0.032	0.016
17	182.5 ≤* < 187.5	148.00000	2.86019	0.031	0.016
16	177.5 ≤* < 182.5	144.00000	2.80957	0.031	0.016
15	172.5 ≤* < 177.5	140.00000	2.75895	0.030	0.015
14	167.5 ≤* < 172.5	136.00000	2.70834	0.030	0.015
13	162.5 ≤* < 167.5	132.00000	2.65772	0.029	0.015
12	157.5 ≤* < 162.5	128.00000	2.60710	0.029	0.015
11	152.5 ≤* < 157.5	124.00000	2.55648	0.028	0.014
10	147.5 ≤* < 152.5	120.00000	2.50587	0.028	0.014
9	142.5 ≤* < 147.5	116.00000	2.45525	0.027	0.014
8	137.5 ≤* < 142.5	112.00000	2.40463	0.026	0.013
7	132.5 ≤* < 137.5	108.00000	2.35401	0.026	0.013
6	127.5 ≤* < 132.5	104.00000	2.30340	0.025	0.013
5	122.5 ≤* < 127.5	100.00000	2.25278	0.025	0.013
4	117.5 ≤* < 122.5	96.00000	2.20216	0.024	0.012
3	112.5 ≤* < 117.5	92.00000	2.15154	0.024	0.012
2	107.5 ≤* < 112.5	88.00000	2.10093	0.023	0.012
1	102.5 ≤* < 107.5	84.00000	2.05031	0.023	0.012
0	97.5 ≤* < 102.5	80.00000	1.99969	0.022	0.011
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.021	0.011
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.021	0.011
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.020	0.010
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.020	0.010
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.019	0.010
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.019	0.010
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.018	0.009
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.018	0.009
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.017	0.009
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.016	0.008
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.016	0.008
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.015	0.008
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.015	0.008
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.014	0.007
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.014	0.007
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.013	0.007
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.013	0.007
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.012	0.006
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.011	0.006
-20	0 ≤* < 2.5	1.00000	1.00000	0.011	0.006
		平均値		標準率	
		80.02439	2.00000	0.022	

園芸施設共済危険段階別共済掛金率表

10 ガラス室Ⅰ類(1万円特約、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.002	0.002
19	192.5 ≤* < 197.5	156.00000	2.96142	0.001	0.001
18	187.5 ≤* < 192.5	152.00000	2.91081	0.002	0.002
17	182.5 ≤* < 187.5	148.00000	2.86019	0.001	0.001
16	177.5 ≤* < 182.5	144.00000	2.80957	0.002	0.002
15	172.5 ≤* < 177.5	140.00000	2.75895	0.001	0.001
14	167.5 ≤* < 172.5	136.00000	2.70834	0.001	0.001
13	162.5 ≤* < 167.5	132.00000	2.65772	0.002	0.002
12	157.5 ≤* < 162.5	128.00000	2.60710	0.001	0.001
11	152.5 ≤* < 157.5	124.00000	2.55648	0.002	0.002
10	147.5 ≤* < 152.5	120.00000	2.50587	0.001	0.001
9	142.5 ≤* < 147.5	116.00000	2.45525	0.001	0.001
8	137.5 ≤* < 142.5	112.00000	2.40463	0.001	0.001
7	132.5 ≤* < 137.5	108.00000	2.35401	0.001	0.001
6	127.5 ≤* < 132.5	104.00000	2.30340	0.001	0.001
5	122.5 ≤* < 127.5	100.00000	2.25278	0.001	0.001
4	117.5 ≤* < 122.5	96.00000	2.20216	0.001	0.001
3	112.5 ≤* < 117.5	92.00000	2.15154	0.001	0.001
2	107.5 ≤* < 112.5	88.00000	2.10093	0.001	0.001
1	102.5 ≤* < 107.5	84.00000	2.05031	0.001	0.001
0	97.5 ≤* < 102.5	80.00000	1.99969	0.001	0.001
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.001	0.001
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.001	0.001
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.001	0.001
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.001	0.001
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.001	0.001
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.001	0.001
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.001	0.001
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.000	0.000
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.001	0.001
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.001	0.001
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.001	0.001
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.001	0.001
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.000	0.000
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.001	0.001
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.000	0.000
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.001	0.001
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.000	0.000
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.001	0.001
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.001	0.001
-20	0 ≤* < 2.5	1.00000	1.00000	0.000	0.000
		平均値		標準率	
		80.02439	2.00000	0.001	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(3万円、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.470	0.235
19	192.5 ≤* < 197.5	156.00000	2.96142	0.462	0.231
18	187.5 ≤* < 192.5	152.00000	2.91081	0.454	0.227
17	182.5 ≤* < 187.5	148.00000	2.86019	0.446	0.223
16	177.5 ≤* < 182.5	144.00000	2.80957	0.438	0.219
15	172.5 ≤* < 177.5	140.00000	2.75895	0.430	0.215
14	167.5 ≤* < 172.5	136.00000	2.70834	0.423	0.212
13	162.5 ≤* < 167.5	132.00000	2.65772	0.415	0.208
12	157.5 ≤* < 162.5	128.00000	2.60710	0.407	0.204
11	152.5 ≤* < 157.5	124.00000	2.55648	0.399	0.200
10	147.5 ≤* < 152.5	120.00000	2.50587	0.391	0.196
9	142.5 ≤* < 147.5	116.00000	2.45525	0.383	0.192
8	137.5 ≤* < 142.5	112.00000	2.40463	0.375	0.188
7	132.5 ≤* < 137.5	108.00000	2.35401	0.367	0.184
6	127.5 ≤* < 132.5	104.00000	2.30340	0.359	0.180
5	122.5 ≤* < 127.5	100.00000	2.25278	0.351	0.176
4	117.5 ≤* < 122.5	96.00000	2.20216	0.344	0.172
3	112.5 ≤* < 117.5	92.00000	2.15154	0.336	0.168
2	107.5 ≤* < 112.5	88.00000	2.10093	0.328	0.164
1	102.5 ≤* < 107.5	84.00000	2.05031	0.320	0.160
0	97.5 ≤* < 102.5	80.00000	1.99969	0.312	0.156
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.304	0.152
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.296	0.148
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.288	0.144
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.280	0.140
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.272	0.136
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.265	0.133
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.257	0.129
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.249	0.125
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.241	0.121
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.233	0.117
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.225	0.113
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.217	0.109
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.209	0.105
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.201	0.101
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.194	0.097
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.186	0.093
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.178	0.089
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.170	0.085
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.162	0.081
-20	0 ≤* < 2.5	1.00000	1.00000	0.156	0.078
		平均値		標準率	
		80.02439	2.00000	0.312	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(10万円、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.348	0.174
19	192.5 ≤* < 197.5	156.00000	2.96142	0.342	0.171
18	187.5 ≤* < 192.5	152.00000	2.91081	0.336	0.168
17	182.5 ≤* < 187.5	148.00000	2.86019	0.330	0.165
16	177.5 ≤* < 182.5	144.00000	2.80957	0.325	0.163
15	172.5 ≤* < 177.5	140.00000	2.75895	0.319	0.160
14	167.5 ≤* < 172.5	136.00000	2.70834	0.313	0.157
13	162.5 ≤* < 167.5	132.00000	2.65772	0.307	0.154
12	157.5 ≤* < 162.5	128.00000	2.60710	0.301	0.151
11	152.5 ≤* < 157.5	124.00000	2.55648	0.295	0.148
10	147.5 ≤* < 152.5	120.00000	2.50587	0.289	0.145
9	142.5 ≤* < 147.5	116.00000	2.45525	0.284	0.142
8	137.5 ≤* < 142.5	112.00000	2.40463	0.278	0.139
7	132.5 ≤* < 137.5	108.00000	2.35401	0.272	0.136
6	127.5 ≤* < 132.5	104.00000	2.30340	0.266	0.133
5	122.5 ≤* < 127.5	100.00000	2.25278	0.260	0.130
4	117.5 ≤* < 122.5	96.00000	2.20216	0.254	0.127
3	112.5 ≤* < 117.5	92.00000	2.15154	0.249	0.125
2	107.5 ≤* < 112.5	88.00000	2.10093	0.243	0.122
1	102.5 ≤* < 107.5	84.00000	2.05031	0.237	0.119
0	97.5 ≤* < 102.5	80.00000	1.99969	0.231	0.116
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.225	0.113
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.219	0.110
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.213	0.107
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.208	0.104
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.202	0.101
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.196	0.098
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.190	0.095
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.184	0.092
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.178	0.089
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.173	0.087
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.167	0.084
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.161	0.081
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.155	0.078
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.149	0.075
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.143	0.072
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.137	0.069
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.132	0.066
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.126	0.063
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.120	0.060
-20	0 ≤* < 2.5	1.00000	1.00000	0.115	0.058
		平均値		標準率	
		80.02439	2.00000	0.231	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(20万円、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.236	0.118
19	192.5 ≤* < 197.5	156.00000	2.96142	0.232	0.116
18	187.5 ≤* < 192.5	152.00000	2.91081	0.228	0.114
17	182.5 ≤* < 187.5	148.00000	2.86019	0.225	0.113
16	177.5 ≤* < 182.5	144.00000	2.80957	0.221	0.111
15	172.5 ≤* < 177.5	140.00000	2.75895	0.217	0.109
14	167.5 ≤* < 172.5	136.00000	2.70834	0.213	0.107
13	162.5 ≤* < 167.5	132.00000	2.65772	0.209	0.105
12	157.5 ≤* < 162.5	128.00000	2.60710	0.205	0.103
11	152.5 ≤* < 157.5	124.00000	2.55648	0.201	0.101
10	147.5 ≤* < 152.5	120.00000	2.50587	0.197	0.099
9	142.5 ≤* < 147.5	116.00000	2.45525	0.193	0.097
8	137.5 ≤* < 142.5	112.00000	2.40463	0.189	0.095
7	132.5 ≤* < 137.5	108.00000	2.35401	0.185	0.093
6	127.5 ≤* < 132.5	104.00000	2.30340	0.181	0.091
5	122.5 ≤* < 127.5	100.00000	2.25278	0.177	0.089
4	117.5 ≤* < 122.5	96.00000	2.20216	0.173	0.087
3	112.5 ≤* < 117.5	92.00000	2.15154	0.169	0.085
2	107.5 ≤* < 112.5	88.00000	2.10093	0.165	0.083
1	102.5 ≤* < 107.5	84.00000	2.05031	0.161	0.081
0	97.5 ≤* < 102.5	80.00000	1.99969	0.157	0.079
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.153	0.077
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.149	0.075
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.145	0.073
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.141	0.071
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.137	0.069
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.133	0.067
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.129	0.065
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.125	0.063
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.121	0.061
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.117	0.059
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.113	0.057
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.109	0.055
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.105	0.053
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.101	0.051
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.097	0.049
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.093	0.047
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.089	0.045
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.085	0.043
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.081	0.041
-20	0 ≤* < 2.5	1.00000	1.00000	0.078	0.039
		平均値		標準率	
		80.02439	2.00000	0.157	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(50万円、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.033	0.017
19	192.5 ≤* < 197.5	156.00000	2.96142	0.033	0.017
18	187.5 ≤* < 192.5	152.00000	2.91081	0.032	0.016
17	182.5 ≤* < 187.5	148.00000	2.86019	0.031	0.016
16	177.5 ≤* < 182.5	144.00000	2.80957	0.031	0.016
15	172.5 ≤* < 177.5	140.00000	2.75895	0.030	0.015
14	167.5 ≤* < 172.5	136.00000	2.70834	0.030	0.015
13	162.5 ≤* < 167.5	132.00000	2.65772	0.029	0.015
12	157.5 ≤* < 162.5	128.00000	2.60710	0.029	0.015
11	152.5 ≤* < 157.5	124.00000	2.55648	0.028	0.014
10	147.5 ≤* < 152.5	120.00000	2.50587	0.028	0.014
9	142.5 ≤* < 147.5	116.00000	2.45525	0.027	0.014
8	137.5 ≤* < 142.5	112.00000	2.40463	0.026	0.013
7	132.5 ≤* < 137.5	108.00000	2.35401	0.026	0.013
6	127.5 ≤* < 132.5	104.00000	2.30340	0.025	0.013
5	122.5 ≤* < 127.5	100.00000	2.25278	0.025	0.013
4	117.5 ≤* < 122.5	96.00000	2.20216	0.024	0.012
3	112.5 ≤* < 117.5	92.00000	2.15154	0.024	0.012
2	107.5 ≤* < 112.5	88.00000	2.10093	0.023	0.012
1	102.5 ≤* < 107.5	84.00000	2.05031	0.023	0.012
0	97.5 ≤* < 102.5	80.00000	1.99969	0.022	0.011
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.021	0.011
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.021	0.011
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.020	0.010
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.020	0.010
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.019	0.010
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.019	0.010
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.018	0.009
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.018	0.009
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.017	0.009
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.016	0.008
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.016	0.008
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.015	0.008
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.015	0.008
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.014	0.007
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.014	0.007
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.013	0.007
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.013	0.007
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.012	0.006
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.011	0.006
-20	0 ≤* < 2.5	1.00000	1.00000	0.011	0.006
		平均値		標準率	
		80.02439	2.00000	0.022	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(100万円、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.032	0.016
19	192.5 ≤* < 197.5	156.00000	2.96142	0.031	0.016
18	187.5 ≤* < 192.5	152.00000	2.91081	0.031	0.016
17	182.5 ≤* < 187.5	148.00000	2.86019	0.030	0.015
16	177.5 ≤* < 182.5	144.00000	2.80957	0.030	0.015
15	172.5 ≤* < 177.5	140.00000	2.75895	0.029	0.015
14	167.5 ≤* < 172.5	136.00000	2.70834	0.028	0.014
13	162.5 ≤* < 167.5	132.00000	2.65772	0.028	0.014
12	157.5 ≤* < 162.5	128.00000	2.60710	0.027	0.014
11	152.5 ≤* < 157.5	124.00000	2.55648	0.027	0.014
10	147.5 ≤* < 152.5	120.00000	2.50587	0.026	0.013
9	142.5 ≤* < 147.5	116.00000	2.45525	0.026	0.013
8	137.5 ≤* < 142.5	112.00000	2.40463	0.025	0.013
7	132.5 ≤* < 137.5	108.00000	2.35401	0.025	0.013
6	127.5 ≤* < 132.5	104.00000	2.30340	0.024	0.012
5	122.5 ≤* < 127.5	100.00000	2.25278	0.024	0.012
4	117.5 ≤* < 122.5	96.00000	2.20216	0.023	0.012
3	112.5 ≤* < 117.5	92.00000	2.15154	0.023	0.012
2	107.5 ≤* < 112.5	88.00000	2.10093	0.022	0.011
1	102.5 ≤* < 107.5	84.00000	2.05031	0.022	0.011
0	97.5 ≤* < 102.5	80.00000	1.99969	0.021	0.011
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.020	0.010
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.020	0.010
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.019	0.010
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.019	0.010
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.018	0.009
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.018	0.009
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.017	0.009
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.017	0.009
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.016	0.008
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.016	0.008
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.015	0.008
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.015	0.008
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.014	0.007
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.014	0.007
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.013	0.007
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.012	0.006
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.012	0.006
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.011	0.006
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.011	0.006
-20	0 ≤* < 2.5	1.00000	1.00000	0.010	0.005
		平均値		標準率	
		80.02439	2.00000	0.021	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(1万円特約、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.001	0.001
19	192.5 ≤* < 197.5	156.00000	2.96142	0.001	0.001
18	187.5 ≤* < 192.5	152.00000	2.91081	0.002	0.002
17	182.5 ≤* < 187.5	148.00000	2.86019	0.002	0.002
16	177.5 ≤* < 182.5	144.00000	2.80957	0.002	0.002
15	172.5 ≤* < 177.5	140.00000	2.75895	0.002	0.002
14	167.5 ≤* < 172.5	136.00000	2.70834	0.001	0.001
13	162.5 ≤* < 167.5	132.00000	2.65772	0.001	0.001
12	157.5 ≤* < 162.5	128.00000	2.60710	0.001	0.001
11	152.5 ≤* < 157.5	124.00000	2.55648	0.001	0.001
10	147.5 ≤* < 152.5	120.00000	2.50587	0.001	0.001
9	142.5 ≤* < 147.5	116.00000	2.45525	0.001	0.001
8	137.5 ≤* < 142.5	112.00000	2.40463	0.001	0.001
7	132.5 ≤* < 137.5	108.00000	2.35401	0.001	0.001
6	127.5 ≤* < 132.5	104.00000	2.30340	0.001	0.001
5	122.5 ≤* < 127.5	100.00000	2.25278	0.002	0.002
4	117.5 ≤* < 122.5	96.00000	2.20216	0.001	0.001
3	112.5 ≤* < 117.5	92.00000	2.15154	0.001	0.001
2	107.5 ≤* < 112.5	88.00000	2.10093	0.001	0.001
1	102.5 ≤* < 107.5	84.00000	2.05031	0.001	0.001
0	97.5 ≤* < 102.5	80.00000	1.99969	0.001	0.001
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.001	0.001
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.001	0.001
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.001	0.001
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.001	0.001
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.001	0.001
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.000	0.000
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.001	0.001
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.001	0.001
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.001	0.001
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.001	0.001
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.001	0.001
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.001	0.001
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.001	0.001
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.001	0.001
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.000	0.000
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.000	0.000
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.000	0.000
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.000	0.000
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.000	0.000
-20	0 ≤* < 2.5	1.00000	1.00000	0.000	0.000
		平均値		標準率	
		80.02439	2.00000	0.001	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(3万円、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.435	0.218
19	192.5 ≤* < 197.5	156.00000	2.96142	0.428	0.214
18	187.5 ≤* < 192.5	152.00000	2.91081	0.421	0.211
17	182.5 ≤* < 187.5	148.00000	2.86019	0.413	0.207
16	177.5 ≤* < 182.5	144.00000	2.80957	0.406	0.203
15	172.5 ≤* < 177.5	140.00000	2.75895	0.399	0.200
14	167.5 ≤* < 172.5	136.00000	2.70834	0.391	0.196
13	162.5 ≤* < 167.5	132.00000	2.65772	0.384	0.192
12	157.5 ≤* < 162.5	128.00000	2.60710	0.377	0.189
11	152.5 ≤* < 157.5	124.00000	2.55648	0.369	0.185
10	147.5 ≤* < 152.5	120.00000	2.50587	0.362	0.181
9	142.5 ≤* < 147.5	116.00000	2.45525	0.355	0.178
8	137.5 ≤* < 142.5	112.00000	2.40463	0.347	0.174
7	132.5 ≤* < 137.5	108.00000	2.35401	0.340	0.170
6	127.5 ≤* < 132.5	104.00000	2.30340	0.333	0.167
5	122.5 ≤* < 127.5	100.00000	2.25278	0.326	0.163
4	117.5 ≤* < 122.5	96.00000	2.20216	0.318	0.159
3	112.5 ≤* < 117.5	92.00000	2.15154	0.311	0.156
2	107.5 ≤* < 112.5	88.00000	2.10093	0.304	0.152
1	102.5 ≤* < 107.5	84.00000	2.05031	0.296	0.148
0	97.5 ≤* < 102.5	80.00000	1.99969	0.289	0.145
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.282	0.141
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.274	0.137
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.267	0.134
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.260	0.130
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.252	0.126
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.245	0.123
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.238	0.119
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.230	0.115
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.223	0.112
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.216	0.108
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.208	0.104
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.201	0.101
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.194	0.097
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.187	0.094
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.179	0.090
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.172	0.086
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.165	0.083
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.157	0.079
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.150	0.075
-20	0 ≤* < 2.5	1.00000	1.00000	0.144	0.072
		平均値		標準率	
		80.02439	2.00000	0.289	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(10万円、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.434	0.217
19	192.5 ≤* < 197.5	156.00000	2.96142	0.426	0.213
18	187.5 ≤* < 192.5	152.00000	2.91081	0.419	0.210
17	182.5 ≤* < 187.5	148.00000	2.86019	0.412	0.206
16	177.5 ≤* < 182.5	144.00000	2.80957	0.405	0.203
15	172.5 ≤* < 177.5	140.00000	2.75895	0.397	0.199
14	167.5 ≤* < 172.5	136.00000	2.70834	0.390	0.195
13	162.5 ≤* < 167.5	132.00000	2.65772	0.383	0.192
12	157.5 ≤* < 162.5	128.00000	2.60710	0.375	0.188
11	152.5 ≤* < 157.5	124.00000	2.55648	0.368	0.184
10	147.5 ≤* < 152.5	120.00000	2.50587	0.361	0.181
9	142.5 ≤* < 147.5	116.00000	2.45525	0.354	0.177
8	137.5 ≤* < 142.5	112.00000	2.40463	0.346	0.173
7	132.5 ≤* < 137.5	108.00000	2.35401	0.339	0.170
6	127.5 ≤* < 132.5	104.00000	2.30340	0.332	0.166
5	122.5 ≤* < 127.5	100.00000	2.25278	0.324	0.162
4	117.5 ≤* < 122.5	96.00000	2.20216	0.317	0.159
3	112.5 ≤* < 117.5	92.00000	2.15154	0.310	0.155
2	107.5 ≤* < 112.5	88.00000	2.10093	0.303	0.152
1	102.5 ≤* < 107.5	84.00000	2.05031	0.295	0.148
0	97.5 ≤* < 102.5	80.00000	1.99969	0.288	0.144
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.281	0.141
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.273	0.137
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.266	0.133
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.259	0.130
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.252	0.126
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.244	0.122
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.237	0.119
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.230	0.115
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.222	0.111
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.215	0.108
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.208	0.104
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.200	0.100
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.193	0.097
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.186	0.093
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.179	0.090
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.171	0.086
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.164	0.082
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.157	0.079
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.149	0.075
-20	0 ≤* < 2.5	1.00000	1.00000	0.144	0.072
		平均値		標準率	
		80.02439	2.00000	0.288	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(20万円、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.416	0.208
19	192.5 ≤* < 197.5	156.00000	2.96142	0.409	0.205
18	187.5 ≤* < 192.5	152.00000	2.91081	0.402	0.201
17	182.5 ≤* < 187.5	148.00000	2.86019	0.395	0.198
16	177.5 ≤* < 182.5	144.00000	2.80957	0.388	0.194
15	172.5 ≤* < 177.5	140.00000	2.75895	0.381	0.191
14	167.5 ≤* < 172.5	136.00000	2.70834	0.374	0.187
13	162.5 ≤* < 167.5	132.00000	2.65772	0.367	0.184
12	157.5 ≤* < 162.5	128.00000	2.60710	0.360	0.180
11	152.5 ≤* < 157.5	124.00000	2.55648	0.353	0.177
10	147.5 ≤* < 152.5	120.00000	2.50587	0.346	0.173
9	142.5 ≤* < 147.5	116.00000	2.45525	0.339	0.170
8	137.5 ≤* < 142.5	112.00000	2.40463	0.332	0.166
7	132.5 ≤* < 137.5	108.00000	2.35401	0.325	0.163
6	127.5 ≤* < 132.5	104.00000	2.30340	0.318	0.159
5	122.5 ≤* < 127.5	100.00000	2.25278	0.311	0.156
4	117.5 ≤* < 122.5	96.00000	2.20216	0.304	0.152
3	112.5 ≤* < 117.5	92.00000	2.15154	0.297	0.149
2	107.5 ≤* < 112.5	88.00000	2.10093	0.290	0.145
1	102.5 ≤* < 107.5	84.00000	2.05031	0.283	0.142
0	97.5 ≤* < 102.5	80.00000	1.99969	0.276	0.138
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.269	0.135
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.262	0.131
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.255	0.128
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.248	0.124
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.241	0.121
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.234	0.117
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.227	0.114
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.220	0.110
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.213	0.107
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.206	0.103
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.199	0.100
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.192	0.096
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.185	0.093
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.178	0.089
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.171	0.086
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.164	0.082
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.157	0.079
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.150	0.075
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.143	0.072
-20	0 ≤* < 2.5	1.00000	1.00000	0.138	0.069
		平均値		標準率	
		80.02439	2.00000	0.276	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(50万円、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.360	0.180
19	192.5 ≤* < 197.5	156.00000	2.96142	0.354	0.177
18	187.5 ≤* < 192.5	152.00000	2.91081	0.348	0.174
17	182.5 ≤* < 187.5	148.00000	2.86019	0.342	0.171
16	177.5 ≤* < 182.5	144.00000	2.80957	0.336	0.168
15	172.5 ≤* < 177.5	140.00000	2.75895	0.330	0.165
14	167.5 ≤* < 172.5	136.00000	2.70834	0.324	0.162
13	162.5 ≤* < 167.5	132.00000	2.65772	0.318	0.159
12	157.5 ≤* < 162.5	128.00000	2.60710	0.312	0.156
11	152.5 ≤* < 157.5	124.00000	2.55648	0.305	0.153
10	147.5 ≤* < 152.5	120.00000	2.50587	0.299	0.150
9	142.5 ≤* < 147.5	116.00000	2.45525	0.293	0.147
8	137.5 ≤* < 142.5	112.00000	2.40463	0.287	0.144
7	132.5 ≤* < 137.5	108.00000	2.35401	0.281	0.141
6	127.5 ≤* < 132.5	104.00000	2.30340	0.275	0.138
5	122.5 ≤* < 127.5	100.00000	2.25278	0.269	0.135
4	117.5 ≤* < 122.5	96.00000	2.20216	0.263	0.132
3	112.5 ≤* < 117.5	92.00000	2.15154	0.257	0.129
2	107.5 ≤* < 112.5	88.00000	2.10093	0.251	0.126
1	102.5 ≤* < 107.5	84.00000	2.05031	0.245	0.123
0	97.5 ≤* < 102.5	80.00000	1.99969	0.239	0.120
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.233	0.117
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.227	0.114
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.221	0.111
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.215	0.108
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.209	0.105
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.203	0.102
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.197	0.099
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.191	0.096
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.185	0.093
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.178	0.089
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.172	0.086
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.166	0.083
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.160	0.080
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.154	0.077
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.148	0.074
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.142	0.071
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.136	0.068
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.130	0.065
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.124	0.062
-20	0 ≤* < 2.5	1.00000	1.00000	0.119	0.060
		平均値		標準率	
		80.02439	2.00000	0.239	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(100万円、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.081	0.041
19	192.5 ≤* < 197.5	156.00000	2.96142	0.080	0.040
18	187.5 ≤* < 192.5	152.00000	2.91081	0.079	0.040
17	182.5 ≤* < 187.5	148.00000	2.86019	0.077	0.039
16	177.5 ≤* < 182.5	144.00000	2.80957	0.076	0.038
15	172.5 ≤* < 177.5	140.00000	2.75895	0.074	0.037
14	167.5 ≤* < 172.5	136.00000	2.70834	0.073	0.037
13	162.5 ≤* < 167.5	132.00000	2.65772	0.072	0.036
12	157.5 ≤* < 162.5	128.00000	2.60710	0.070	0.035
11	152.5 ≤* < 157.5	124.00000	2.55648	0.069	0.035
10	147.5 ≤* < 152.5	120.00000	2.50587	0.068	0.034
9	142.5 ≤* < 147.5	116.00000	2.45525	0.066	0.033
8	137.5 ≤* < 142.5	112.00000	2.40463	0.065	0.033
7	132.5 ≤* < 137.5	108.00000	2.35401	0.064	0.032
6	127.5 ≤* < 132.5	104.00000	2.30340	0.062	0.031
5	122.5 ≤* < 127.5	100.00000	2.25278	0.061	0.031
4	117.5 ≤* < 122.5	96.00000	2.20216	0.059	0.030
3	112.5 ≤* < 117.5	92.00000	2.15154	0.058	0.029
2	107.5 ≤* < 112.5	88.00000	2.10093	0.057	0.029
1	102.5 ≤* < 107.5	84.00000	2.05031	0.055	0.028
0	97.5 ≤* < 102.5	80.00000	1.99969	0.054	0.027
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.053	0.027
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.051	0.026
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.050	0.025
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.049	0.025
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.047	0.024
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.046	0.023
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.044	0.022
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.043	0.022
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.042	0.021
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.040	0.020
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.039	0.020
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.038	0.019
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.036	0.018
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.035	0.018
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.033	0.017
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.032	0.016
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.031	0.016
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.029	0.015
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.028	0.014
-20	0 ≤* < 2.5	1.00000	1.00000	0.027	0.014
		平均値		標準率	
		80.02439	2.00000	0.054	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(1万円特約、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.002	0.002
19	192.5 ≤* < 197.5	156.00000	2.96142	0.001	0.001
18	187.5 ≤* < 192.5	152.00000	2.91081	0.001	0.001
17	182.5 ≤* < 187.5	148.00000	2.86019	0.002	0.002
16	177.5 ≤* < 182.5	144.00000	2.80957	0.001	0.001
15	172.5 ≤* < 177.5	140.00000	2.75895	0.001	0.001
14	167.5 ≤* < 172.5	136.00000	2.70834	0.002	0.002
13	162.5 ≤* < 167.5	132.00000	2.65772	0.001	0.001
12	157.5 ≤* < 162.5	128.00000	2.60710	0.001	0.001
11	152.5 ≤* < 157.5	124.00000	2.55648	0.002	0.002
10	147.5 ≤* < 152.5	120.00000	2.50587	0.001	0.001
9	142.5 ≤* < 147.5	116.00000	2.45525	0.001	0.001
8	137.5 ≤* < 142.5	112.00000	2.40463	0.002	0.002
7	132.5 ≤* < 137.5	108.00000	2.35401	0.001	0.001
6	127.5 ≤* < 132.5	104.00000	2.30340	0.001	0.001
5	122.5 ≤* < 127.5	100.00000	2.25278	0.001	0.001
4	117.5 ≤* < 122.5	96.00000	2.20216	0.001	0.001
3	112.5 ≤* < 117.5	92.00000	2.15154	0.001	0.001
2	107.5 ≤* < 112.5	88.00000	2.10093	0.001	0.001
1	102.5 ≤* < 107.5	84.00000	2.05031	0.001	0.001
0	97.5 ≤* < 102.5	80.00000	1.99969	0.001	0.001
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.001	0.001
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.001	0.001
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.001	0.001
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.001	0.001
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.001	0.001
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.001	0.001
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.001	0.001
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.001	0.001
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.001	0.001
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.001	0.001
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.001	0.001
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.001	0.001
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.001	0.001
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.000	0.000
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.001	0.001
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.001	0.001
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.000	0.000
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.001	0.001
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.001	0.001
-20	0 ≤* < 2.5	1.00000	1.00000	0.001	0.001
		平均値		標準率	
		80.02439	2.00000	0.001	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(3万円、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.301	0.301
19	192.5 ≤* < 197.5	156.00000	2.96142	0.296	0.296
18	187.5 ≤* < 192.5	152.00000	2.91081	0.291	0.291
17	182.5 ≤* < 187.5	148.00000	2.86019	0.286	0.286
16	177.5 ≤* < 182.5	144.00000	2.80957	0.281	0.281
15	172.5 ≤* < 177.5	140.00000	2.75895	0.276	0.276
14	167.5 ≤* < 172.5	136.00000	2.70834	0.271	0.271
13	162.5 ≤* < 167.5	132.00000	2.65772	0.266	0.266
12	157.5 ≤* < 162.5	128.00000	2.60710	0.261	0.261
11	152.5 ≤* < 157.5	124.00000	2.55648	0.256	0.256
10	147.5 ≤* < 152.5	120.00000	2.50587	0.251	0.251
9	142.5 ≤* < 147.5	116.00000	2.45525	0.246	0.246
8	137.5 ≤* < 142.5	112.00000	2.40463	0.240	0.240
7	132.5 ≤* < 137.5	108.00000	2.35401	0.235	0.235
6	127.5 ≤* < 132.5	104.00000	2.30340	0.230	0.230
5	122.5 ≤* < 127.5	100.00000	2.25278	0.225	0.225
4	117.5 ≤* < 122.5	96.00000	2.20216	0.220	0.220
3	112.5 ≤* < 117.5	92.00000	2.15154	0.215	0.215
2	107.5 ≤* < 112.5	88.00000	2.10093	0.210	0.210
1	102.5 ≤* < 107.5	84.00000	2.05031	0.205	0.205
0	97.5 ≤* < 102.5	80.00000	1.99969	0.200	0.200
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.195	0.195
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.190	0.190
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.185	0.185
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.180	0.180
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.175	0.175
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.170	0.170
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.165	0.165
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.159	0.159
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.154	0.154
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.149	0.149
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.144	0.144
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.139	0.139
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.134	0.134
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.129	0.129
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.124	0.124
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.119	0.119
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.114	0.114
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.109	0.109
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.104	0.104
-20	0 ≤* < 2.5	1.00000	1.00000	0.100	0.100
		平均値		標準率	
		80.02439	2.00000	0.200	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(10万円、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.197	0.197
19	192.5 ≤* < 197.5	156.00000	2.96142	0.194	0.194
18	187.5 ≤* < 192.5	152.00000	2.91081	0.191	0.191
17	182.5 ≤* < 187.5	148.00000	2.86019	0.187	0.187
16	177.5 ≤* < 182.5	144.00000	2.80957	0.184	0.184
15	172.5 ≤* < 177.5	140.00000	2.75895	0.181	0.181
14	167.5 ≤* < 172.5	136.00000	2.70834	0.177	0.177
13	162.5 ≤* < 167.5	132.00000	2.65772	0.174	0.174
12	157.5 ≤* < 162.5	128.00000	2.60710	0.171	0.171
11	152.5 ≤* < 157.5	124.00000	2.55648	0.167	0.167
10	147.5 ≤* < 152.5	120.00000	2.50587	0.164	0.164
9	142.5 ≤* < 147.5	116.00000	2.45525	0.161	0.161
8	137.5 ≤* < 142.5	112.00000	2.40463	0.158	0.158
7	132.5 ≤* < 137.5	108.00000	2.35401	0.154	0.154
6	127.5 ≤* < 132.5	104.00000	2.30340	0.151	0.151
5	122.5 ≤* < 127.5	100.00000	2.25278	0.148	0.148
4	117.5 ≤* < 122.5	96.00000	2.20216	0.144	0.144
3	112.5 ≤* < 117.5	92.00000	2.15154	0.141	0.141
2	107.5 ≤* < 112.5	88.00000	2.10093	0.138	0.138
1	102.5 ≤* < 107.5	84.00000	2.05031	0.134	0.134
0	97.5 ≤* < 102.5	80.00000	1.99969	0.131	0.131
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.128	0.128
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.124	0.124
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.121	0.121
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.118	0.118
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.114	0.114
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.111	0.111
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.108	0.108
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.104	0.104
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.101	0.101
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.098	0.098
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.095	0.095
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.091	0.091
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.088	0.088
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.085	0.085
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.081	0.081
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.078	0.078
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.075	0.075
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.071	0.071
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.068	0.068
-20	0 ≤* < 2.5	1.00000	1.00000	0.065	0.065
		平均値		標準率	
		80.02439	2.00000	0.131	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(20万円、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.151	0.151
19	192.5 ≤* < 197.5	156.00000	2.96142	0.148	0.148
18	187.5 ≤* < 192.5	152.00000	2.91081	0.146	0.146
17	182.5 ≤* < 187.5	148.00000	2.86019	0.143	0.143
16	177.5 ≤* < 182.5	144.00000	2.80957	0.140	0.140
15	172.5 ≤* < 177.5	140.00000	2.75895	0.138	0.138
14	167.5 ≤* < 172.5	136.00000	2.70834	0.135	0.135
13	162.5 ≤* < 167.5	132.00000	2.65772	0.133	0.133
12	157.5 ≤* < 162.5	128.00000	2.60710	0.130	0.130
11	152.5 ≤* < 157.5	124.00000	2.55648	0.128	0.128
10	147.5 ≤* < 152.5	120.00000	2.50587	0.125	0.125
9	142.5 ≤* < 147.5	116.00000	2.45525	0.123	0.123
8	137.5 ≤* < 142.5	112.00000	2.40463	0.120	0.120
7	132.5 ≤* < 137.5	108.00000	2.35401	0.118	0.118
6	127.5 ≤* < 132.5	104.00000	2.30340	0.115	0.115
5	122.5 ≤* < 127.5	100.00000	2.25278	0.113	0.113
4	117.5 ≤* < 122.5	96.00000	2.20216	0.110	0.110
3	112.5 ≤* < 117.5	92.00000	2.15154	0.108	0.108
2	107.5 ≤* < 112.5	88.00000	2.10093	0.105	0.105
1	102.5 ≤* < 107.5	84.00000	2.05031	0.103	0.103
0	97.5 ≤* < 102.5	80.00000	1.99969	0.100	0.100
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.097	0.097
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.095	0.095
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.092	0.092
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.090	0.090
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.087	0.087
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.085	0.085
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.082	0.082
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.080	0.080
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.077	0.077
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.075	0.075
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.072	0.072
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.070	0.070
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.067	0.067
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.065	0.065
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.062	0.062
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.059	0.059
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.057	0.057
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.054	0.054
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.052	0.052
-20	0 ≤* < 2.5	1.00000	1.00000	0.050	0.050
		平均値		標準率	
		80.02439	2.00000	0.100	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(50万円、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.080	0.080
19	192.5 ≤* < 197.5	156.00000	2.96142	0.078	0.078
18	187.5 ≤* < 192.5	152.00000	2.91081	0.077	0.077
17	182.5 ≤* < 187.5	148.00000	2.86019	0.076	0.076
16	177.5 ≤* < 182.5	144.00000	2.80957	0.074	0.074
15	172.5 ≤* < 177.5	140.00000	2.75895	0.073	0.073
14	167.5 ≤* < 172.5	136.00000	2.70834	0.072	0.072
13	162.5 ≤* < 167.5	132.00000	2.65772	0.070	0.070
12	157.5 ≤* < 162.5	128.00000	2.60710	0.069	0.069
11	152.5 ≤* < 157.5	124.00000	2.55648	0.068	0.068
10	147.5 ≤* < 152.5	120.00000	2.50587	0.066	0.066
9	142.5 ≤* < 147.5	116.00000	2.45525	0.065	0.065
8	137.5 ≤* < 142.5	112.00000	2.40463	0.064	0.064
7	132.5 ≤* < 137.5	108.00000	2.35401	0.062	0.062
6	127.5 ≤* < 132.5	104.00000	2.30340	0.061	0.061
5	122.5 ≤* < 127.5	100.00000	2.25278	0.060	0.060
4	117.5 ≤* < 122.5	96.00000	2.20216	0.058	0.058
3	112.5 ≤* < 117.5	92.00000	2.15154	0.057	0.057
2	107.5 ≤* < 112.5	88.00000	2.10093	0.056	0.056
1	102.5 ≤* < 107.5	84.00000	2.05031	0.054	0.054
0	97.5 ≤* < 102.5	80.00000	1.99969	0.053	0.053
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.052	0.052
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.050	0.050
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.049	0.049
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.048	0.048
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.046	0.046
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.045	0.045
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.044	0.044
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.042	0.042
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.041	0.041
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.040	0.040
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.038	0.038
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.037	0.037
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.036	0.036
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.034	0.034
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.033	0.033
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.032	0.032
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.030	0.030
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.029	0.029
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.028	0.028
-20	0 ≤* < 2.5	1.00000	1.00000	0.026	0.026
		平均値		標準率	
		80.02439	2.00000	0.053	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(100万円、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.015	0.015
19	192.5 ≤* < 197.5	156.00000	2.96142	0.015	0.015
18	187.5 ≤* < 192.5	152.00000	2.91081	0.015	0.015
17	182.5 ≤* < 187.5	148.00000	2.86019	0.014	0.014
16	177.5 ≤* < 182.5	144.00000	2.80957	0.014	0.014
15	172.5 ≤* < 177.5	140.00000	2.75895	0.014	0.014
14	167.5 ≤* < 172.5	136.00000	2.70834	0.014	0.014
13	162.5 ≤* < 167.5	132.00000	2.65772	0.013	0.013
12	157.5 ≤* < 162.5	128.00000	2.60710	0.013	0.013
11	152.5 ≤* < 157.5	124.00000	2.55648	0.013	0.013
10	147.5 ≤* < 152.5	120.00000	2.50587	0.013	0.013
9	142.5 ≤* < 147.5	116.00000	2.45525	0.012	0.012
8	137.5 ≤* < 142.5	112.00000	2.40463	0.012	0.012
7	132.5 ≤* < 137.5	108.00000	2.35401	0.012	0.012
6	127.5 ≤* < 132.5	104.00000	2.30340	0.012	0.012
5	122.5 ≤* < 127.5	100.00000	2.25278	0.011	0.011
4	117.5 ≤* < 122.5	96.00000	2.20216	0.011	0.011
3	112.5 ≤* < 117.5	92.00000	2.15154	0.011	0.011
2	107.5 ≤* < 112.5	88.00000	2.10093	0.011	0.011
1	102.5 ≤* < 107.5	84.00000	2.05031	0.010	0.010
0	97.5 ≤* < 102.5	80.00000	1.99969	0.010	0.010
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.010	0.010
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.009	0.009
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.009	0.009
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.009	0.009
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.009	0.009
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.008	0.008
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.008	0.008
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.008	0.008
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.008	0.008
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.007	0.007
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.007	0.007
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.007	0.007
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.007	0.007
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.006	0.006
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.006	0.006
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.006	0.006
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.006	0.006
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.005	0.005
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.005	0.005
-20	0 ≤* < 2.5	1.00000	1.00000	0.005	0.005
		平均値		標準率	
		80.02439	2.00000	0.010	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(1万円特約、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.012	0.012
19	192.5 ≤* < 197.5	156.00000	2.96142	0.012	0.012
18	187.5 ≤* < 192.5	152.00000	2.91081	0.012	0.012
17	182.5 ≤* < 187.5	148.00000	2.86019	0.011	0.011
16	177.5 ≤* < 182.5	144.00000	2.80957	0.011	0.011
15	172.5 ≤* < 177.5	140.00000	2.75895	0.011	0.011
14	167.5 ≤* < 172.5	136.00000	2.70834	0.011	0.011
13	162.5 ≤* < 167.5	132.00000	2.65772	0.010	0.010
12	157.5 ≤* < 162.5	128.00000	2.60710	0.010	0.010
11	152.5 ≤* < 157.5	124.00000	2.55648	0.010	0.010
10	147.5 ≤* < 152.5	120.00000	2.50587	0.010	0.010
9	142.5 ≤* < 147.5	116.00000	2.45525	0.009	0.009
8	137.5 ≤* < 142.5	112.00000	2.40463	0.010	0.010
7	132.5 ≤* < 137.5	108.00000	2.35401	0.010	0.010
6	127.5 ≤* < 132.5	104.00000	2.30340	0.010	0.010
5	122.5 ≤* < 127.5	100.00000	2.25278	0.009	0.009
4	117.5 ≤* < 122.5	96.00000	2.20216	0.009	0.009
3	112.5 ≤* < 117.5	92.00000	2.15154	0.009	0.009
2	107.5 ≤* < 112.5	88.00000	2.10093	0.008	0.008
1	102.5 ≤* < 107.5	84.00000	2.05031	0.008	0.008
0	97.5 ≤* < 102.5	80.00000	1.99969	0.008	0.008
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.008	0.008
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.007	0.007
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.007	0.007
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.007	0.007
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.007	0.007
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.006	0.006
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.006	0.006
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.007	0.007
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.007	0.007
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.006	0.006
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.006	0.006
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.006	0.006
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.006	0.006
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.005	0.005
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.005	0.005
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.005	0.005
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.004	0.004
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.004	0.004
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.004	0.004
-20	0 ≤* < 2.5	1.00000	1.00000	0.004	0.004
		平均値		標準率	
		80.02439	2.00000	0.008	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(3万円、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.450	0.225
19	192.5 ≤* < 197.5	156.00000	2.96142	0.443	0.222
18	187.5 ≤* < 192.5	152.00000	2.91081	0.435	0.218
17	182.5 ≤* < 187.5	148.00000	2.86019	0.428	0.214
16	177.5 ≤* < 182.5	144.00000	2.80957	0.420	0.210
15	172.5 ≤* < 177.5	140.00000	2.75895	0.412	0.206
14	167.5 ≤* < 172.5	136.00000	2.70834	0.405	0.203
13	162.5 ≤* < 167.5	132.00000	2.65772	0.397	0.199
12	157.5 ≤* < 162.5	128.00000	2.60710	0.390	0.195
11	152.5 ≤* < 157.5	124.00000	2.55648	0.382	0.191
10	147.5 ≤* < 152.5	120.00000	2.50587	0.375	0.188
9	142.5 ≤* < 147.5	116.00000	2.45525	0.367	0.184
8	137.5 ≤* < 142.5	112.00000	2.40463	0.359	0.180
7	132.5 ≤* < 137.5	108.00000	2.35401	0.352	0.176
6	127.5 ≤* < 132.5	104.00000	2.30340	0.344	0.172
5	122.5 ≤* < 127.5	100.00000	2.25278	0.337	0.169
4	117.5 ≤* < 122.5	96.00000	2.20216	0.329	0.165
3	112.5 ≤* < 117.5	92.00000	2.15154	0.322	0.161
2	107.5 ≤* < 112.5	88.00000	2.10093	0.314	0.157
1	102.5 ≤* < 107.5	84.00000	2.05031	0.307	0.154
0	97.5 ≤* < 102.5	80.00000	1.99969	0.299	0.150
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.291	0.146
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.284	0.142
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.276	0.138
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.269	0.135
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.261	0.131
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.254	0.127
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.246	0.123
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.238	0.119
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.231	0.116
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.223	0.112
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.216	0.108
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.208	0.104
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.201	0.101
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.193	0.097
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.185	0.093
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.178	0.089
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.170	0.085
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.163	0.082
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.155	0.078
-20	0 ≤* < 2.5	1.00000	1.00000	0.149	0.075
		平均値		標準率	
		80.02439	2.00000	0.299	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(10万円、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.289	0.145
19	192.5 ≤* < 197.5	156.00000	2.96142	0.284	0.142
18	187.5 ≤* < 192.5	152.00000	2.91081	0.279	0.140
17	182.5 ≤* < 187.5	148.00000	2.86019	0.275	0.138
16	177.5 ≤* < 182.5	144.00000	2.80957	0.270	0.135
15	172.5 ≤* < 177.5	140.00000	2.75895	0.265	0.133
14	167.5 ≤* < 172.5	136.00000	2.70834	0.260	0.130
13	162.5 ≤* < 167.5	132.00000	2.65772	0.255	0.128
12	157.5 ≤* < 162.5	128.00000	2.60710	0.250	0.125
11	152.5 ≤* < 157.5	124.00000	2.55648	0.245	0.123
10	147.5 ≤* < 152.5	120.00000	2.50587	0.241	0.121
9	142.5 ≤* < 147.5	116.00000	2.45525	0.236	0.118
8	137.5 ≤* < 142.5	112.00000	2.40463	0.231	0.116
7	132.5 ≤* < 137.5	108.00000	2.35401	0.226	0.113
6	127.5 ≤* < 132.5	104.00000	2.30340	0.221	0.111
5	122.5 ≤* < 127.5	100.00000	2.25278	0.216	0.108
4	117.5 ≤* < 122.5	96.00000	2.20216	0.211	0.106
3	112.5 ≤* < 117.5	92.00000	2.15154	0.207	0.104
2	107.5 ≤* < 112.5	88.00000	2.10093	0.202	0.101
1	102.5 ≤* < 107.5	84.00000	2.05031	0.197	0.099
0	97.5 ≤* < 102.5	80.00000	1.99969	0.192	0.096
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.187	0.094
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.182	0.091
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.177	0.089
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.173	0.087
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.168	0.084
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.163	0.082
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.158	0.079
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.153	0.077
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.148	0.074
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.143	0.072
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.139	0.070
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.134	0.067
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.129	0.065
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.124	0.062
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.119	0.060
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.114	0.057
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.109	0.055
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.105	0.053
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.100	0.050
-20	0 ≤* < 2.5	1.00000	1.00000	0.096	0.048
		平均値		標準率	
		80.02439	2.00000	0.192	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(20万円、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.224	0.112
19	192.5 ≤* < 197.5	156.00000	2.96142	0.221	0.111
18	187.5 ≤* < 192.5	152.00000	2.91081	0.217	0.109
17	182.5 ≤* < 187.5	148.00000	2.86019	0.213	0.107
16	177.5 ≤* < 182.5	144.00000	2.80957	0.209	0.105
15	172.5 ≤* < 177.5	140.00000	2.75895	0.206	0.103
14	167.5 ≤* < 172.5	136.00000	2.70834	0.202	0.101
13	162.5 ≤* < 167.5	132.00000	2.65772	0.198	0.099
12	157.5 ≤* < 162.5	128.00000	2.60710	0.194	0.097
11	152.5 ≤* < 157.5	124.00000	2.55648	0.190	0.095
10	147.5 ≤* < 152.5	120.00000	2.50587	0.187	0.094
9	142.5 ≤* < 147.5	116.00000	2.45525	0.183	0.092
8	137.5 ≤* < 142.5	112.00000	2.40463	0.179	0.090
7	132.5 ≤* < 137.5	108.00000	2.35401	0.175	0.088
6	127.5 ≤* < 132.5	104.00000	2.30340	0.172	0.086
5	122.5 ≤* < 127.5	100.00000	2.25278	0.168	0.084
4	117.5 ≤* < 122.5	96.00000	2.20216	0.164	0.082
3	112.5 ≤* < 117.5	92.00000	2.15154	0.160	0.080
2	107.5 ≤* < 112.5	88.00000	2.10093	0.157	0.079
1	102.5 ≤* < 107.5	84.00000	2.05031	0.153	0.077
0	97.5 ≤* < 102.5	80.00000	1.99969	0.149	0.075
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.145	0.073
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.141	0.071
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.138	0.069
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.134	0.067
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.130	0.065
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.126	0.063
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.123	0.062
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.119	0.060
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.115	0.058
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.111	0.056
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.107	0.054
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.104	0.052
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.100	0.050
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.096	0.048
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.092	0.046
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.089	0.045
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.085	0.043
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.081	0.041
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.077	0.039
-20	0 ≤* < 2.5	1.00000	1.00000	0.074	0.037
		平均値		標準率	
		80.02439	2.00000	0.149	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(50万円、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.120	0.060
19	192.5 ≤* < 197.5	156.00000	2.96142	0.118	0.059
18	187.5 ≤* < 192.5	152.00000	2.91081	0.116	0.058
17	182.5 ≤* < 187.5	148.00000	2.86019	0.114	0.057
16	177.5 ≤* < 182.5	144.00000	2.80957	0.112	0.056
15	172.5 ≤* < 177.5	140.00000	2.75895	0.110	0.055
14	167.5 ≤* < 172.5	136.00000	2.70834	0.108	0.054
13	162.5 ≤* < 167.5	132.00000	2.65772	0.106	0.053
12	157.5 ≤* < 162.5	128.00000	2.60710	0.104	0.052
11	152.5 ≤* < 157.5	124.00000	2.55648	0.102	0.051
10	147.5 ≤* < 152.5	120.00000	2.50587	0.100	0.050
9	142.5 ≤* < 147.5	116.00000	2.45525	0.098	0.049
8	137.5 ≤* < 142.5	112.00000	2.40463	0.096	0.048
7	132.5 ≤* < 137.5	108.00000	2.35401	0.094	0.047
6	127.5 ≤* < 132.5	104.00000	2.30340	0.092	0.046
5	122.5 ≤* < 127.5	100.00000	2.25278	0.090	0.045
4	117.5 ≤* < 122.5	96.00000	2.20216	0.088	0.044
3	112.5 ≤* < 117.5	92.00000	2.15154	0.086	0.043
2	107.5 ≤* < 112.5	88.00000	2.10093	0.084	0.042
1	102.5 ≤* < 107.5	84.00000	2.05031	0.082	0.041
0	97.5 ≤* < 102.5	80.00000	1.99969	0.080	0.040
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.078	0.039
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.076	0.038
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.074	0.037
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.072	0.036
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.070	0.035
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.068	0.034
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.066	0.033
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.064	0.032
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.062	0.031
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.060	0.030
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.058	0.029
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.056	0.028
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.054	0.027
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.052	0.026
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.050	0.025
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.048	0.024
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.046	0.023
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.044	0.022
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.042	0.021
-20	0 ≤* < 2.5	1.00000	1.00000	0.040	0.020
		平均値		標準率	
		80.02439	2.00000	0.080	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(100万円、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.018	0.009
19	192.5 ≤* < 197.5	156.00000	2.96142	0.018	0.009
18	187.5 ≤* < 192.5	152.00000	2.91081	0.017	0.009
17	182.5 ≤* < 187.5	148.00000	2.86019	0.017	0.009
16	177.5 ≤* < 182.5	144.00000	2.80957	0.017	0.009
15	172.5 ≤* < 177.5	140.00000	2.75895	0.017	0.009
14	167.5 ≤* < 172.5	136.00000	2.70834	0.016	0.008
13	162.5 ≤* < 167.5	132.00000	2.65772	0.016	0.008
12	157.5 ≤* < 162.5	128.00000	2.60710	0.016	0.008
11	152.5 ≤* < 157.5	124.00000	2.55648	0.015	0.008
10	147.5 ≤* < 152.5	120.00000	2.50587	0.015	0.008
9	142.5 ≤* < 147.5	116.00000	2.45525	0.015	0.008
8	137.5 ≤* < 142.5	112.00000	2.40463	0.014	0.007
7	132.5 ≤* < 137.5	108.00000	2.35401	0.014	0.007
6	127.5 ≤* < 132.5	104.00000	2.30340	0.014	0.007
5	122.5 ≤* < 127.5	100.00000	2.25278	0.014	0.007
4	117.5 ≤* < 122.5	96.00000	2.20216	0.013	0.007
3	112.5 ≤* < 117.5	92.00000	2.15154	0.013	0.007
2	107.5 ≤* < 112.5	88.00000	2.10093	0.013	0.007
1	102.5 ≤* < 107.5	84.00000	2.05031	0.012	0.006
0	97.5 ≤* < 102.5	80.00000	1.99969	0.012	0.006
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.012	0.006
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.011	0.006
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.011	0.006
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.011	0.006
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.010	0.005
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.010	0.005
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.010	0.005
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.010	0.005
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.009	0.005
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.009	0.005
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.009	0.005
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.008	0.004
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.008	0.004
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.008	0.004
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.007	0.004
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.007	0.004
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.007	0.004
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.007	0.004
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.006	0.003
-20	0 ≤* < 2.5	1.00000	1.00000	0.006	0.003
		平均値		標準率	
		80.02439	2.00000	0.012	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(1万円特約、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.020	0.020
19	192.5 ≤* < 197.5	156.00000	2.96142	0.019	0.019
18	187.5 ≤* < 192.5	152.00000	2.91081	0.019	0.019
17	182.5 ≤* < 187.5	148.00000	2.86019	0.018	0.018
16	177.5 ≤* < 182.5	144.00000	2.80957	0.018	0.018
15	172.5 ≤* < 177.5	140.00000	2.75895	0.018	0.018
14	167.5 ≤* < 172.5	136.00000	2.70834	0.018	0.018
13	162.5 ≤* < 167.5	132.00000	2.65772	0.018	0.018
12	157.5 ≤* < 162.5	128.00000	2.60710	0.017	0.017
11	152.5 ≤* < 157.5	124.00000	2.55648	0.017	0.017
10	147.5 ≤* < 152.5	120.00000	2.50587	0.016	0.016
9	142.5 ≤* < 147.5	116.00000	2.45525	0.016	0.016
8	137.5 ≤* < 142.5	112.00000	2.40463	0.016	0.016
7	132.5 ≤* < 137.5	108.00000	2.35401	0.015	0.015
6	127.5 ≤* < 132.5	104.00000	2.30340	0.015	0.015
5	122.5 ≤* < 127.5	100.00000	2.25278	0.014	0.014
4	117.5 ≤* < 122.5	96.00000	2.20216	0.015	0.015
3	112.5 ≤* < 117.5	92.00000	2.15154	0.014	0.014
2	107.5 ≤* < 112.5	88.00000	2.10093	0.014	0.014
1	102.5 ≤* < 107.5	84.00000	2.05031	0.013	0.013
0	97.5 ≤* < 102.5	80.00000	1.99969	0.013	0.013
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.013	0.013
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.012	0.012
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.012	0.012
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.011	0.011
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.011	0.011
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.011	0.011
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.011	0.011
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.011	0.011
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.010	0.010
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.010	0.010
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.009	0.009
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.009	0.009
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.008	0.008
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.008	0.008
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.009	0.009
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.008	0.008
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.008	0.008
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.007	0.007
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.007	0.007
-20	0 ≤* < 2.5	1.00000	1.00000	0.007	0.007
		平均値		標準率	
		80.02439	2.00000	0.013	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(3万円、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	1.211	0.606
19	192.5 ≤* < 197.5	156.00000	2.96142	1.190	0.595
18	187.5 ≤* < 192.5	152.00000	2.91081	1.170	0.585
17	182.5 ≤* < 187.5	148.00000	2.86019	1.150	0.575
16	177.5 ≤* < 182.5	144.00000	2.80957	1.129	0.565
15	172.5 ≤* < 177.5	140.00000	2.75895	1.109	0.555
14	167.5 ≤* < 172.5	136.00000	2.70834	1.089	0.545
13	162.5 ≤* < 167.5	132.00000	2.65772	1.068	0.534
12	157.5 ≤* < 162.5	128.00000	2.60710	1.048	0.524
11	152.5 ≤* < 157.5	124.00000	2.55648	1.028	0.514
10	147.5 ≤* < 152.5	120.00000	2.50587	1.007	0.504
9	142.5 ≤* < 147.5	116.00000	2.45525	0.987	0.494
8	137.5 ≤* < 142.5	112.00000	2.40463	0.967	0.484
7	132.5 ≤* < 137.5	108.00000	2.35401	0.946	0.473
6	127.5 ≤* < 132.5	104.00000	2.30340	0.926	0.463
5	122.5 ≤* < 127.5	100.00000	2.25278	0.906	0.453
4	117.5 ≤* < 122.5	96.00000	2.20216	0.885	0.443
3	112.5 ≤* < 117.5	92.00000	2.15154	0.865	0.433
2	107.5 ≤* < 112.5	88.00000	2.10093	0.845	0.423
1	102.5 ≤* < 107.5	84.00000	2.05031	0.824	0.412
0	97.5 ≤* < 102.5	80.00000	1.99969	0.804	0.402
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.784	0.392
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.763	0.382
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.743	0.372
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.722	0.361
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.702	0.351
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.682	0.341
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.661	0.331
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.641	0.321
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.621	0.311
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.600	0.300
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.580	0.290
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.560	0.280
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.539	0.270
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.519	0.260
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.499	0.250
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.478	0.239
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.458	0.229
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.438	0.219
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.417	0.209
-20	0 ≤* < 2.5	1.00000	1.00000	0.402	0.201
		平均値		標準率	
		80.02439	2.00000	0.804	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(10万円、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.839	0.420
19	192.5 ≤* < 197.5	156.00000	2.96142	0.825	0.413
18	187.5 ≤* < 192.5	152.00000	2.91081	0.811	0.406
17	182.5 ≤* < 187.5	148.00000	2.86019	0.797	0.399
16	177.5 ≤* < 182.5	144.00000	2.80957	0.782	0.391
15	172.5 ≤* < 177.5	140.00000	2.75895	0.768	0.384
14	167.5 ≤* < 172.5	136.00000	2.70834	0.754	0.377
13	162.5 ≤* < 167.5	132.00000	2.65772	0.740	0.370
12	157.5 ≤* < 162.5	128.00000	2.60710	0.726	0.363
11	152.5 ≤* < 157.5	124.00000	2.55648	0.712	0.356
10	147.5 ≤* < 152.5	120.00000	2.50587	0.698	0.349
9	142.5 ≤* < 147.5	116.00000	2.45525	0.684	0.342
8	137.5 ≤* < 142.5	112.00000	2.40463	0.670	0.335
7	132.5 ≤* < 137.5	108.00000	2.35401	0.656	0.328
6	127.5 ≤* < 132.5	104.00000	2.30340	0.641	0.321
5	122.5 ≤* < 127.5	100.00000	2.25278	0.627	0.314
4	117.5 ≤* < 122.5	96.00000	2.20216	0.613	0.307
3	112.5 ≤* < 117.5	92.00000	2.15154	0.599	0.300
2	107.5 ≤* < 112.5	88.00000	2.10093	0.585	0.293
1	102.5 ≤* < 107.5	84.00000	2.05031	0.571	0.286
0	97.5 ≤* < 102.5	80.00000	1.99969	0.557	0.279
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.543	0.272
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.529	0.265
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.515	0.258
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.501	0.251
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.486	0.243
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.472	0.236
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.458	0.229
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.444	0.222
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.430	0.215
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.416	0.208
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.402	0.201
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.388	0.194
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.374	0.187
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.360	0.180
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.345	0.173
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.331	0.166
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.317	0.159
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.303	0.152
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.289	0.145
-20	0 ≤* < 2.5	1.00000	1.00000	0.278	0.139
		平均値		標準率	
		80.02439	2.00000	0.557	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(20万円、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.556	0.278
19	192.5 ≤* < 197.5	156.00000	2.96142	0.546	0.273
18	187.5 ≤* < 192.5	152.00000	2.91081	0.537	0.269
17	182.5 ≤* < 187.5	148.00000	2.86019	0.528	0.264
16	177.5 ≤* < 182.5	144.00000	2.80957	0.518	0.259
15	172.5 ≤* < 177.5	140.00000	2.75895	0.509	0.255
14	167.5 ≤* < 172.5	136.00000	2.70834	0.500	0.250
13	162.5 ≤* < 167.5	132.00000	2.65772	0.490	0.245
12	157.5 ≤* < 162.5	128.00000	2.60710	0.481	0.241
11	152.5 ≤* < 157.5	124.00000	2.55648	0.472	0.236
10	147.5 ≤* < 152.5	120.00000	2.50587	0.462	0.231
9	142.5 ≤* < 147.5	116.00000	2.45525	0.453	0.227
8	137.5 ≤* < 142.5	112.00000	2.40463	0.444	0.222
7	132.5 ≤* < 137.5	108.00000	2.35401	0.434	0.217
6	127.5 ≤* < 132.5	104.00000	2.30340	0.425	0.213
5	122.5 ≤* < 127.5	100.00000	2.25278	0.416	0.208
4	117.5 ≤* < 122.5	96.00000	2.20216	0.406	0.203
3	112.5 ≤* < 117.5	92.00000	2.15154	0.397	0.199
2	107.5 ≤* < 112.5	88.00000	2.10093	0.388	0.194
1	102.5 ≤* < 107.5	84.00000	2.05031	0.378	0.189
0	97.5 ≤* < 102.5	80.00000	1.99969	0.369	0.185
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.360	0.180
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.350	0.175
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.341	0.171
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.332	0.166
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.322	0.161
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.313	0.157
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.304	0.152
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.294	0.147
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.285	0.143
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.276	0.138
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.266	0.133
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.257	0.129
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.248	0.124
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.238	0.119
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.229	0.115
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.220	0.110
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.210	0.105
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.201	0.101
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.192	0.096
-20	0 ≤* < 2.5	1.00000	1.00000	0.184	0.092
		平均値		標準率	
		80.02439	2.00000	0.369	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(50万円、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.033	0.017
19	192.5 ≤* < 197.5	156.00000	2.96142	0.033	0.017
18	187.5 ≤* < 192.5	152.00000	2.91081	0.032	0.016
17	182.5 ≤* < 187.5	148.00000	2.86019	0.031	0.016
16	177.5 ≤* < 182.5	144.00000	2.80957	0.031	0.016
15	172.5 ≤* < 177.5	140.00000	2.75895	0.030	0.015
14	167.5 ≤* < 172.5	136.00000	2.70834	0.030	0.015
13	162.5 ≤* < 167.5	132.00000	2.65772	0.029	0.015
12	157.5 ≤* < 162.5	128.00000	2.60710	0.029	0.015
11	152.5 ≤* < 157.5	124.00000	2.55648	0.028	0.014
10	147.5 ≤* < 152.5	120.00000	2.50587	0.028	0.014
9	142.5 ≤* < 147.5	116.00000	2.45525	0.027	0.014
8	137.5 ≤* < 142.5	112.00000	2.40463	0.026	0.013
7	132.5 ≤* < 137.5	108.00000	2.35401	0.026	0.013
6	127.5 ≤* < 132.5	104.00000	2.30340	0.025	0.013
5	122.5 ≤* < 127.5	100.00000	2.25278	0.025	0.013
4	117.5 ≤* < 122.5	96.00000	2.20216	0.024	0.012
3	112.5 ≤* < 117.5	92.00000	2.15154	0.024	0.012
2	107.5 ≤* < 112.5	88.00000	2.10093	0.023	0.012
1	102.5 ≤* < 107.5	84.00000	2.05031	0.023	0.012
0	97.5 ≤* < 102.5	80.00000	1.99969	0.022	0.011
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.021	0.011
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.021	0.011
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.020	0.010
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.020	0.010
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.019	0.010
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.019	0.010
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.018	0.009
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.018	0.009
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.017	0.009
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.016	0.008
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.016	0.008
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.015	0.008
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.015	0.008
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.014	0.007
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.014	0.007
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.013	0.007
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.013	0.007
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.012	0.006
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.011	0.006
-20	0 ≤* < 2.5	1.00000	1.00000	0.011	0.006
		平均値		標準率	
		80.02439	2.00000	0.022	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(100万円、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.032	0.016
19	192.5 ≤* < 197.5	156.00000	2.96142	0.031	0.016
18	187.5 ≤* < 192.5	152.00000	2.91081	0.031	0.016
17	182.5 ≤* < 187.5	148.00000	2.86019	0.030	0.015
16	177.5 ≤* < 182.5	144.00000	2.80957	0.030	0.015
15	172.5 ≤* < 177.5	140.00000	2.75895	0.029	0.015
14	167.5 ≤* < 172.5	136.00000	2.70834	0.028	0.014
13	162.5 ≤* < 167.5	132.00000	2.65772	0.028	0.014
12	157.5 ≤* < 162.5	128.00000	2.60710	0.027	0.014
11	152.5 ≤* < 157.5	124.00000	2.55648	0.027	0.014
10	147.5 ≤* < 152.5	120.00000	2.50587	0.026	0.013
9	142.5 ≤* < 147.5	116.00000	2.45525	0.026	0.013
8	137.5 ≤* < 142.5	112.00000	2.40463	0.025	0.013
7	132.5 ≤* < 137.5	108.00000	2.35401	0.025	0.013
6	127.5 ≤* < 132.5	104.00000	2.30340	0.024	0.012
5	122.5 ≤* < 127.5	100.00000	2.25278	0.024	0.012
4	117.5 ≤* < 122.5	96.00000	2.20216	0.023	0.012
3	112.5 ≤* < 117.5	92.00000	2.15154	0.023	0.012
2	107.5 ≤* < 112.5	88.00000	2.10093	0.022	0.011
1	102.5 ≤* < 107.5	84.00000	2.05031	0.022	0.011
0	97.5 ≤* < 102.5	80.00000	1.99969	0.021	0.011
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.020	0.010
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.020	0.010
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.019	0.010
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.019	0.010
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.018	0.009
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.018	0.009
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.017	0.009
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.017	0.009
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.016	0.008
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.016	0.008
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.015	0.008
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.015	0.008
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.014	0.007
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.014	0.007
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.013	0.007
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.012	0.006
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.012	0.006
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.011	0.006
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.011	0.006
-20	0 ≤* < 2.5	1.00000	1.00000	0.010	0.005
		平均値		標準率	
		80.02439	2.00000	0.021	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(1万円特約、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.001	0.001
19	192.5 ≤* < 197.5	156.00000	2.96142	0.002	0.002
18	187.5 ≤* < 192.5	152.00000	2.91081	0.002	0.002
17	182.5 ≤* < 187.5	148.00000	2.86019	0.001	0.001
16	177.5 ≤* < 182.5	144.00000	2.80957	0.002	0.002
15	172.5 ≤* < 177.5	140.00000	2.75895	0.001	0.001
14	167.5 ≤* < 172.5	136.00000	2.70834	0.001	0.001
13	162.5 ≤* < 167.5	132.00000	2.65772	0.002	0.002
12	157.5 ≤* < 162.5	128.00000	2.60710	0.001	0.001
11	152.5 ≤* < 157.5	124.00000	2.55648	0.001	0.001
10	147.5 ≤* < 152.5	120.00000	2.50587	0.002	0.002
9	142.5 ≤* < 147.5	116.00000	2.45525	0.001	0.001
8	137.5 ≤* < 142.5	112.00000	2.40463	0.001	0.001
7	132.5 ≤* < 137.5	108.00000	2.35401	0.001	0.001
6	127.5 ≤* < 132.5	104.00000	2.30340	0.001	0.001
5	122.5 ≤* < 127.5	100.00000	2.25278	0.001	0.001
4	117.5 ≤* < 122.5	96.00000	2.20216	0.001	0.001
3	112.5 ≤* < 117.5	92.00000	2.15154	0.001	0.001
2	107.5 ≤* < 112.5	88.00000	2.10093	0.001	0.001
1	102.5 ≤* < 107.5	84.00000	2.05031	0.001	0.001
0	97.5 ≤* < 102.5	80.00000	1.99969	0.001	0.001
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.001	0.001
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.001	0.001
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.001	0.001
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.001	0.001
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.001	0.001
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.001	0.001
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.001	0.001
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.001	0.001
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.001	0.001
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.001	0.001
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.001	0.001
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.000	0.000
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.001	0.001
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.001	0.001
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.000	0.000
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.001	0.001
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.001	0.001
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.000	0.000
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.001	0.001
-20	0 ≤* < 2.5	1.00000	1.00000	0.000	0.000
		平均値		標準率	
		80.02439	2.00000	0.001	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(3万円、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.446	0.223
19	192.5 ≤* < 197.5	156.00000	2.96142	0.438	0.219
18	187.5 ≤* < 192.5	152.00000	2.91081	0.431	0.216
17	182.5 ≤* < 187.5	148.00000	2.86019	0.423	0.212
16	177.5 ≤* < 182.5	144.00000	2.80957	0.416	0.208
15	172.5 ≤* < 177.5	140.00000	2.75895	0.408	0.204
14	167.5 ≤* < 172.5	136.00000	2.70834	0.401	0.201
13	162.5 ≤* < 167.5	132.00000	2.65772	0.393	0.197
12	157.5 ≤* < 162.5	128.00000	2.60710	0.386	0.193
11	152.5 ≤* < 157.5	124.00000	2.55648	0.378	0.189
10	147.5 ≤* < 152.5	120.00000	2.50587	0.371	0.186
9	142.5 ≤* < 147.5	116.00000	2.45525	0.363	0.182
8	137.5 ≤* < 142.5	112.00000	2.40463	0.356	0.178
7	132.5 ≤* < 137.5	108.00000	2.35401	0.348	0.174
6	127.5 ≤* < 132.5	104.00000	2.30340	0.341	0.171
5	122.5 ≤* < 127.5	100.00000	2.25278	0.333	0.167
4	117.5 ≤* < 122.5	96.00000	2.20216	0.326	0.163
3	112.5 ≤* < 117.5	92.00000	2.15154	0.318	0.159
2	107.5 ≤* < 112.5	88.00000	2.10093	0.311	0.156
1	102.5 ≤* < 107.5	84.00000	2.05031	0.303	0.152
0	97.5 ≤* < 102.5	80.00000	1.99969	0.296	0.148
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.288	0.144
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.281	0.141
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.273	0.137
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.266	0.133
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.258	0.129
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.251	0.126
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.244	0.122
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.236	0.118
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.229	0.115
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.221	0.111
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.214	0.107
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.206	0.103
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.199	0.100
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.191	0.096
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.184	0.092
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.176	0.088
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.169	0.085
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.161	0.081
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.154	0.077
-20	0 ≤* < 2.5	1.00000	1.00000	0.148	0.074
		平均値		標準率	
		80.02439	2.00000	0.296	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(10万円、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.330	0.165
19	192.5 ≤* < 197.5	156.00000	2.96142	0.324	0.162
18	187.5 ≤* < 192.5	152.00000	2.91081	0.319	0.160
17	182.5 ≤* < 187.5	148.00000	2.86019	0.313	0.157
16	177.5 ≤* < 182.5	144.00000	2.80957	0.308	0.154
15	172.5 ≤* < 177.5	140.00000	2.75895	0.302	0.151
14	167.5 ≤* < 172.5	136.00000	2.70834	0.297	0.149
13	162.5 ≤* < 167.5	132.00000	2.65772	0.291	0.146
12	157.5 ≤* < 162.5	128.00000	2.60710	0.285	0.143
11	152.5 ≤* < 157.5	124.00000	2.55648	0.280	0.140
10	147.5 ≤* < 152.5	120.00000	2.50587	0.274	0.137
9	142.5 ≤* < 147.5	116.00000	2.45525	0.269	0.135
8	137.5 ≤* < 142.5	112.00000	2.40463	0.263	0.132
7	132.5 ≤* < 137.5	108.00000	2.35401	0.258	0.129
6	127.5 ≤* < 132.5	104.00000	2.30340	0.252	0.126
5	122.5 ≤* < 127.5	100.00000	2.25278	0.247	0.124
4	117.5 ≤* < 122.5	96.00000	2.20216	0.241	0.121
3	112.5 ≤* < 117.5	92.00000	2.15154	0.236	0.118
2	107.5 ≤* < 112.5	88.00000	2.10093	0.230	0.115
1	102.5 ≤* < 107.5	84.00000	2.05031	0.225	0.113
0	97.5 ≤* < 102.5	80.00000	1.99969	0.219	0.110
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.213	0.107
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.208	0.104
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.202	0.101
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.197	0.099
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.191	0.096
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.186	0.093
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.180	0.090
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.175	0.088
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.169	0.085
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.164	0.082
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.158	0.079
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.152	0.076
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.147	0.074
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.141	0.071
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.136	0.068
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.130	0.065
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.125	0.063
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.119	0.060
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.114	0.057
-20	0 ≤* < 2.5	1.00000	1.00000	0.109	0.055
		平均値		標準率	
		80.02439	2.00000	0.219	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(20万円、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.224	0.112
19	192.5 ≤* < 197.5	156.00000	2.96142	0.221	0.111
18	187.5 ≤* < 192.5	152.00000	2.91081	0.217	0.109
17	182.5 ≤* < 187.5	148.00000	2.86019	0.213	0.107
16	177.5 ≤* < 182.5	144.00000	2.80957	0.209	0.105
15	172.5 ≤* < 177.5	140.00000	2.75895	0.206	0.103
14	167.5 ≤* < 172.5	136.00000	2.70834	0.202	0.101
13	162.5 ≤* < 167.5	132.00000	2.65772	0.198	0.099
12	157.5 ≤* < 162.5	128.00000	2.60710	0.194	0.097
11	152.5 ≤* < 157.5	124.00000	2.55648	0.190	0.095
10	147.5 ≤* < 152.5	120.00000	2.50587	0.187	0.094
9	142.5 ≤* < 147.5	116.00000	2.45525	0.183	0.092
8	137.5 ≤* < 142.5	112.00000	2.40463	0.179	0.090
7	132.5 ≤* < 137.5	108.00000	2.35401	0.175	0.088
6	127.5 ≤* < 132.5	104.00000	2.30340	0.172	0.086
5	122.5 ≤* < 127.5	100.00000	2.25278	0.168	0.084
4	117.5 ≤* < 122.5	96.00000	2.20216	0.164	0.082
3	112.5 ≤* < 117.5	92.00000	2.15154	0.160	0.080
2	107.5 ≤* < 112.5	88.00000	2.10093	0.157	0.079
1	102.5 ≤* < 107.5	84.00000	2.05031	0.153	0.077
0	97.5 ≤* < 102.5	80.00000	1.99969	0.149	0.075
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.145	0.073
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.141	0.071
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.138	0.069
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.134	0.067
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.130	0.065
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.126	0.063
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.123	0.062
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.119	0.060
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.115	0.058
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.111	0.056
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.107	0.054
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.104	0.052
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.100	0.050
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.096	0.048
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.092	0.046
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.089	0.045
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.085	0.043
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.081	0.041
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.077	0.039
-20	0 ≤* < 2.5	1.00000	1.00000	0.074	0.037
		平均値		標準率	
		80.02439	2.00000	0.149	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(50万円、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.032	0.016
19	192.5 ≤* < 197.5	156.00000	2.96142	0.031	0.016
18	187.5 ≤* < 192.5	152.00000	2.91081	0.031	0.016
17	182.5 ≤* < 187.5	148.00000	2.86019	0.030	0.015
16	177.5 ≤* < 182.5	144.00000	2.80957	0.030	0.015
15	172.5 ≤* < 177.5	140.00000	2.75895	0.029	0.015
14	167.5 ≤* < 172.5	136.00000	2.70834	0.028	0.014
13	162.5 ≤* < 167.5	132.00000	2.65772	0.028	0.014
12	157.5 ≤* < 162.5	128.00000	2.60710	0.027	0.014
11	152.5 ≤* < 157.5	124.00000	2.55648	0.027	0.014
10	147.5 ≤* < 152.5	120.00000	2.50587	0.026	0.013
9	142.5 ≤* < 147.5	116.00000	2.45525	0.026	0.013
8	137.5 ≤* < 142.5	112.00000	2.40463	0.025	0.013
7	132.5 ≤* < 137.5	108.00000	2.35401	0.025	0.013
6	127.5 ≤* < 132.5	104.00000	2.30340	0.024	0.012
5	122.5 ≤* < 127.5	100.00000	2.25278	0.024	0.012
4	117.5 ≤* < 122.5	96.00000	2.20216	0.023	0.012
3	112.5 ≤* < 117.5	92.00000	2.15154	0.023	0.012
2	107.5 ≤* < 112.5	88.00000	2.10093	0.022	0.011
1	102.5 ≤* < 107.5	84.00000	2.05031	0.022	0.011
0	97.5 ≤* < 102.5	80.00000	1.99969	0.021	0.011
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.020	0.010
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.020	0.010
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.019	0.010
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.019	0.010
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.018	0.009
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.018	0.009
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.017	0.009
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.017	0.009
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.016	0.008
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.016	0.008
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.015	0.008
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.015	0.008
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.014	0.007
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.014	0.007
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.013	0.007
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.012	0.006
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.012	0.006
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.011	0.006
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.011	0.006
-20	0 ≤* < 2.5	1.00000	1.00000	0.010	0.005
		平均値		標準率	
		80.02439	2.00000	0.021	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(100万円、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.030	0.015
19	192.5 ≤* < 197.5	156.00000	2.96142	0.030	0.015
18	187.5 ≤* < 192.5	152.00000	2.91081	0.029	0.015
17	182.5 ≤* < 187.5	148.00000	2.86019	0.029	0.015
16	177.5 ≤* < 182.5	144.00000	2.80957	0.028	0.014
15	172.5 ≤* < 177.5	140.00000	2.75895	0.028	0.014
14	167.5 ≤* < 172.5	136.00000	2.70834	0.027	0.014
13	162.5 ≤* < 167.5	132.00000	2.65772	0.027	0.014
12	157.5 ≤* < 162.5	128.00000	2.60710	0.026	0.013
11	152.5 ≤* < 157.5	124.00000	2.55648	0.026	0.013
10	147.5 ≤* < 152.5	120.00000	2.50587	0.025	0.013
9	142.5 ≤* < 147.5	116.00000	2.45525	0.025	0.013
8	137.5 ≤* < 142.5	112.00000	2.40463	0.024	0.012
7	132.5 ≤* < 137.5	108.00000	2.35401	0.024	0.012
6	127.5 ≤* < 132.5	104.00000	2.30340	0.023	0.012
5	122.5 ≤* < 127.5	100.00000	2.25278	0.023	0.012
4	117.5 ≤* < 122.5	96.00000	2.20216	0.022	0.011
3	112.5 ≤* < 117.5	92.00000	2.15154	0.022	0.011
2	107.5 ≤* < 112.5	88.00000	2.10093	0.021	0.011
1	102.5 ≤* < 107.5	84.00000	2.05031	0.021	0.011
0	97.5 ≤* < 102.5	80.00000	1.99969	0.020	0.010
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.019	0.010
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.019	0.010
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.018	0.009
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.018	0.009
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.017	0.009
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.017	0.009
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.016	0.008
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.016	0.008
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.015	0.008
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.015	0.008
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.014	0.007
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.014	0.007
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.013	0.007
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.013	0.007
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.012	0.006
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.012	0.006
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.011	0.006
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.011	0.006
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.010	0.005
-20	0 ≤* < 2.5	1.00000	1.00000	0.010	0.005
		平均値		標準率	
		80.02439	2.00000	0.020	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(1万円特約、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.001	0.001
19	192.5 ≤* < 197.5	156.00000	2.96142	0.002	0.002
18	187.5 ≤* < 192.5	152.00000	2.91081	0.001	0.001
17	182.5 ≤* < 187.5	148.00000	2.86019	0.002	0.002
16	177.5 ≤* < 182.5	144.00000	2.80957	0.001	0.001
15	172.5 ≤* < 177.5	140.00000	2.75895	0.002	0.002
14	167.5 ≤* < 172.5	136.00000	2.70834	0.001	0.001
13	162.5 ≤* < 167.5	132.00000	2.65772	0.002	0.002
12	157.5 ≤* < 162.5	128.00000	2.60710	0.001	0.001
11	152.5 ≤* < 157.5	124.00000	2.55648	0.002	0.002
10	147.5 ≤* < 152.5	120.00000	2.50587	0.001	0.001
9	142.5 ≤* < 147.5	116.00000	2.45525	0.002	0.002
8	137.5 ≤* < 142.5	112.00000	2.40463	0.001	0.001
7	132.5 ≤* < 137.5	108.00000	2.35401	0.002	0.002
6	127.5 ≤* < 132.5	104.00000	2.30340	0.001	0.001
5	122.5 ≤* < 127.5	100.00000	2.25278	0.002	0.002
4	117.5 ≤* < 122.5	96.00000	2.20216	0.001	0.001
3	112.5 ≤* < 117.5	92.00000	2.15154	0.002	0.002
2	107.5 ≤* < 112.5	88.00000	2.10093	0.001	0.001
1	102.5 ≤* < 107.5	84.00000	2.05031	0.001	0.001
0	97.5 ≤* < 102.5	80.00000	1.99969	0.001	0.001
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.001	0.001
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.001	0.001
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.001	0.001
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.001	0.001
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.001	0.001
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.001	0.001
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.000	0.000
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.001	0.001
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.000	0.000
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.001	0.001
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.000	0.000
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.001	0.001
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.000	0.000
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.001	0.001
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.000	0.000
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.001	0.001
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.000	0.000
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.001	0.001
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.000	0.000
-20	0 ≤* < 2.5	1.00000	1.00000	0.000	0.000
		平均値		標準率	
		80.02439	2.00000	0.001	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(3万円、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.414	0.207
19	192.5 ≤* < 197.5	156.00000	2.96142	0.407	0.204
18	187.5 ≤* < 192.5	152.00000	2.91081	0.400	0.200
17	182.5 ≤* < 187.5	148.00000	2.86019	0.393	0.197
16	177.5 ≤* < 182.5	144.00000	2.80957	0.386	0.193
15	172.5 ≤* < 177.5	140.00000	2.75895	0.379	0.190
14	167.5 ≤* < 172.5	136.00000	2.70834	0.372	0.186
13	162.5 ≤* < 167.5	132.00000	2.65772	0.365	0.183
12	157.5 ≤* < 162.5	128.00000	2.60710	0.358	0.179
11	152.5 ≤* < 157.5	124.00000	2.55648	0.352	0.176
10	147.5 ≤* < 152.5	120.00000	2.50587	0.345	0.173
9	142.5 ≤* < 147.5	116.00000	2.45525	0.338	0.169
8	137.5 ≤* < 142.5	112.00000	2.40463	0.331	0.166
7	132.5 ≤* < 137.5	108.00000	2.35401	0.324	0.162
6	127.5 ≤* < 132.5	104.00000	2.30340	0.317	0.159
5	122.5 ≤* < 127.5	100.00000	2.25278	0.310	0.155
4	117.5 ≤* < 122.5	96.00000	2.20216	0.303	0.152
3	112.5 ≤* < 117.5	92.00000	2.15154	0.296	0.148
2	107.5 ≤* < 112.5	88.00000	2.10093	0.289	0.145
1	102.5 ≤* < 107.5	84.00000	2.05031	0.282	0.141
0	97.5 ≤* < 102.5	80.00000	1.99969	0.275	0.138
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.268	0.134
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.261	0.131
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.254	0.127
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.247	0.124
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.240	0.120
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.233	0.117
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.226	0.113
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.219	0.110
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.212	0.106
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.205	0.103
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.198	0.099
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.191	0.096
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.184	0.092
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.178	0.089
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.171	0.086
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.164	0.082
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.157	0.079
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.150	0.075
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.143	0.072
-20	0 ≤* < 2.5	1.00000	1.00000	0.137	0.069
		平均値		標準率	
		80.02439	2.00000	0.275	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(10万円、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.413	0.207
19	192.5 ≤* < 197.5	156.00000	2.96142	0.406	0.203
18	187.5 ≤* < 192.5	152.00000	2.91081	0.399	0.200
17	182.5 ≤* < 187.5	148.00000	2.86019	0.392	0.196
16	177.5 ≤* < 182.5	144.00000	2.80957	0.385	0.193
15	172.5 ≤* < 177.5	140.00000	2.75895	0.378	0.189
14	167.5 ≤* < 172.5	136.00000	2.70834	0.371	0.186
13	162.5 ≤* < 167.5	132.00000	2.65772	0.364	0.182
12	157.5 ≤* < 162.5	128.00000	2.60710	0.357	0.179
11	152.5 ≤* < 157.5	124.00000	2.55648	0.350	0.175
10	147.5 ≤* < 152.5	120.00000	2.50587	0.343	0.172
9	142.5 ≤* < 147.5	116.00000	2.45525	0.336	0.168
8	137.5 ≤* < 142.5	112.00000	2.40463	0.329	0.165
7	132.5 ≤* < 137.5	108.00000	2.35401	0.322	0.161
6	127.5 ≤* < 132.5	104.00000	2.30340	0.316	0.158
5	122.5 ≤* < 127.5	100.00000	2.25278	0.309	0.155
4	117.5 ≤* < 122.5	96.00000	2.20216	0.302	0.151
3	112.5 ≤* < 117.5	92.00000	2.15154	0.295	0.148
2	107.5 ≤* < 112.5	88.00000	2.10093	0.288	0.144
1	102.5 ≤* < 107.5	84.00000	2.05031	0.281	0.141
0	97.5 ≤* < 102.5	80.00000	1.99969	0.274	0.137
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.267	0.134
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.260	0.130
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.253	0.127
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.246	0.123
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.239	0.120
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.232	0.116
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.225	0.113
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.218	0.109
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.212	0.106
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.205	0.103
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.198	0.099
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.191	0.096
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.184	0.092
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.177	0.089
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.170	0.085
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.163	0.082
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.156	0.078
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.149	0.075
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.142	0.071
-20	0 ≤* < 2.5	1.00000	1.00000	0.137	0.069
		平均値		標準率	
		80.02439	2.00000	0.274	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(20万円、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.395	0.198
19	192.5 ≤* < 197.5	156.00000	2.96142	0.388	0.194
18	187.5 ≤* < 192.5	152.00000	2.91081	0.381	0.191
17	182.5 ≤* < 187.5	148.00000	2.86019	0.375	0.188
16	177.5 ≤* < 182.5	144.00000	2.80957	0.368	0.184
15	172.5 ≤* < 177.5	140.00000	2.75895	0.361	0.181
14	167.5 ≤* < 172.5	136.00000	2.70834	0.355	0.178
13	162.5 ≤* < 167.5	132.00000	2.65772	0.348	0.174
12	157.5 ≤* < 162.5	128.00000	2.60710	0.342	0.171
11	152.5 ≤* < 157.5	124.00000	2.55648	0.335	0.168
10	147.5 ≤* < 152.5	120.00000	2.50587	0.328	0.164
9	142.5 ≤* < 147.5	116.00000	2.45525	0.322	0.161
8	137.5 ≤* < 142.5	112.00000	2.40463	0.315	0.158
7	132.5 ≤* < 137.5	108.00000	2.35401	0.308	0.154
6	127.5 ≤* < 132.5	104.00000	2.30340	0.302	0.151
5	122.5 ≤* < 127.5	100.00000	2.25278	0.295	0.148
4	117.5 ≤* < 122.5	96.00000	2.20216	0.288	0.144
3	112.5 ≤* < 117.5	92.00000	2.15154	0.282	0.141
2	107.5 ≤* < 112.5	88.00000	2.10093	0.275	0.138
1	102.5 ≤* < 107.5	84.00000	2.05031	0.269	0.135
0	97.5 ≤* < 102.5	80.00000	1.99969	0.262	0.131
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.255	0.128
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.249	0.125
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.242	0.121
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.235	0.118
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.229	0.115
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.222	0.111
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.216	0.108
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.209	0.105
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.202	0.101
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.196	0.098
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.189	0.095
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.182	0.091
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.176	0.088
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.169	0.085
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.162	0.081
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.156	0.078
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.149	0.075
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.143	0.072
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.136	0.068
-20	0 ≤* < 2.5	1.00000	1.00000	0.131	0.066
		平均値		標準率	
		80.02439	2.00000	0.262	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(50万円、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.342	0.171
19	192.5 ≤* < 197.5	156.00000	2.96142	0.336	0.168
18	187.5 ≤* < 192.5	152.00000	2.91081	0.330	0.165
17	182.5 ≤* < 187.5	148.00000	2.86019	0.325	0.163
16	177.5 ≤* < 182.5	144.00000	2.80957	0.319	0.160
15	172.5 ≤* < 177.5	140.00000	2.75895	0.313	0.157
14	167.5 ≤* < 172.5	136.00000	2.70834	0.307	0.154
13	162.5 ≤* < 167.5	132.00000	2.65772	0.302	0.151
12	157.5 ≤* < 162.5	128.00000	2.60710	0.296	0.148
11	152.5 ≤* < 157.5	124.00000	2.55648	0.290	0.145
10	147.5 ≤* < 152.5	120.00000	2.50587	0.284	0.142
9	142.5 ≤* < 147.5	116.00000	2.45525	0.279	0.140
8	137.5 ≤* < 142.5	112.00000	2.40463	0.273	0.137
7	132.5 ≤* < 137.5	108.00000	2.35401	0.267	0.134
6	127.5 ≤* < 132.5	104.00000	2.30340	0.261	0.131
5	122.5 ≤* < 127.5	100.00000	2.25278	0.256	0.128
4	117.5 ≤* < 122.5	96.00000	2.20216	0.250	0.125
3	112.5 ≤* < 117.5	92.00000	2.15154	0.244	0.122
2	107.5 ≤* < 112.5	88.00000	2.10093	0.238	0.119
1	102.5 ≤* < 107.5	84.00000	2.05031	0.233	0.117
0	97.5 ≤* < 102.5	80.00000	1.99969	0.227	0.114
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.221	0.111
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.215	0.108
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.210	0.105
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.204	0.102
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.198	0.099
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.192	0.096
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.187	0.094
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.181	0.091
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.175	0.088
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.170	0.085
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.164	0.082
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.158	0.079
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.152	0.076
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.147	0.074
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.141	0.071
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.135	0.068
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.129	0.065
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.124	0.062
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.118	0.059
-20	0 ≤* < 2.5	1.00000	1.00000	0.113	0.057
		平均値		標準率	
		80.02439	2.00000	0.227	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(100万円、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.077	0.039
19	192.5 ≤* < 197.5	156.00000	2.96142	0.076	0.038
18	187.5 ≤* < 192.5	152.00000	2.91081	0.074	0.037
17	182.5 ≤* < 187.5	148.00000	2.86019	0.073	0.037
16	177.5 ≤* < 182.5	144.00000	2.80957	0.072	0.036
15	172.5 ≤* < 177.5	140.00000	2.75895	0.070	0.035
14	167.5 ≤* < 172.5	136.00000	2.70834	0.069	0.035
13	162.5 ≤* < 167.5	132.00000	2.65772	0.068	0.034
12	157.5 ≤* < 162.5	128.00000	2.60710	0.066	0.033
11	152.5 ≤* < 157.5	124.00000	2.55648	0.065	0.033
10	147.5 ≤* < 152.5	120.00000	2.50587	0.064	0.032
9	142.5 ≤* < 147.5	116.00000	2.45525	0.063	0.032
8	137.5 ≤* < 142.5	112.00000	2.40463	0.061	0.031
7	132.5 ≤* < 137.5	108.00000	2.35401	0.060	0.030
6	127.5 ≤* < 132.5	104.00000	2.30340	0.059	0.030
5	122.5 ≤* < 127.5	100.00000	2.25278	0.057	0.029
4	117.5 ≤* < 122.5	96.00000	2.20216	0.056	0.028
3	112.5 ≤* < 117.5	92.00000	2.15154	0.055	0.028
2	107.5 ≤* < 112.5	88.00000	2.10093	0.054	0.027
1	102.5 ≤* < 107.5	84.00000	2.05031	0.052	0.026
0	97.5 ≤* < 102.5	80.00000	1.99969	0.051	0.026
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.050	0.025
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.048	0.024
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.047	0.024
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.046	0.023
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.045	0.023
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.043	0.022
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.042	0.021
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.041	0.021
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.039	0.020
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.038	0.019
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.037	0.019
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.036	0.018
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.034	0.017
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.033	0.017
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.032	0.016
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.030	0.015
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.029	0.015
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.028	0.014
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.026	0.013
-20	0 ≤* < 2.5	1.00000	1.00000	0.025	0.013
		平均値		標準率	
		80.02439	2.00000	0.051	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(1万円特約、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.002	0.002
19	192.5 ≤* < 197.5	156.00000	2.96142	0.002	0.002
18	187.5 ≤* < 192.5	152.00000	2.91081	0.002	0.002
17	182.5 ≤* < 187.5	148.00000	2.86019	0.002	0.002
16	177.5 ≤* < 182.5	144.00000	2.80957	0.002	0.002
15	172.5 ≤* < 177.5	140.00000	2.75895	0.002	0.002
14	167.5 ≤* < 172.5	136.00000	2.70834	0.002	0.002
13	162.5 ≤* < 167.5	132.00000	2.65772	0.002	0.002
12	157.5 ≤* < 162.5	128.00000	2.60710	0.002	0.002
11	152.5 ≤* < 157.5	124.00000	2.55648	0.001	0.001
10	147.5 ≤* < 152.5	120.00000	2.50587	0.001	0.001
9	142.5 ≤* < 147.5	116.00000	2.45525	0.001	0.001
8	137.5 ≤* < 142.5	112.00000	2.40463	0.001	0.001
7	132.5 ≤* < 137.5	108.00000	2.35401	0.001	0.001
6	127.5 ≤* < 132.5	104.00000	2.30340	0.001	0.001
5	122.5 ≤* < 127.5	100.00000	2.25278	0.001	0.001
4	117.5 ≤* < 122.5	96.00000	2.20216	0.001	0.001
3	112.5 ≤* < 117.5	92.00000	2.15154	0.001	0.001
2	107.5 ≤* < 112.5	88.00000	2.10093	0.001	0.001
1	102.5 ≤* < 107.5	84.00000	2.05031	0.001	0.001
0	97.5 ≤* < 102.5	80.00000	1.99969	0.001	0.001
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.001	0.001
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.001	0.001
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.001	0.001
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.001	0.001
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.001	0.001
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.001	0.001
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.001	0.001
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.001	0.001
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.001	0.001
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.001	0.001
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.001	0.001
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.001	0.001
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.001	0.001
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.000	0.000
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.000	0.000
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.000	0.000
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.000	0.000
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.000	0.000
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.000	0.000
-20	0 ≤* < 2.5	1.00000	1.00000	0.001	0.001
		平均値		標準率	
		80.02439	2.00000	0.001	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(3万円、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.286	0.286
19	192.5 ≤* < 197.5	156.00000	2.96142	0.281	0.281
18	187.5 ≤* < 192.5	152.00000	2.91081	0.277	0.277
17	182.5 ≤* < 187.5	148.00000	2.86019	0.272	0.272
16	177.5 ≤* < 182.5	144.00000	2.80957	0.267	0.267
15	172.5 ≤* < 177.5	140.00000	2.75895	0.262	0.262
14	167.5 ≤* < 172.5	136.00000	2.70834	0.257	0.257
13	162.5 ≤* < 167.5	132.00000	2.65772	0.252	0.252
12	157.5 ≤* < 162.5	128.00000	2.60710	0.248	0.248
11	152.5 ≤* < 157.5	124.00000	2.55648	0.243	0.243
10	147.5 ≤* < 152.5	120.00000	2.50587	0.238	0.238
9	142.5 ≤* < 147.5	116.00000	2.45525	0.233	0.233
8	137.5 ≤* < 142.5	112.00000	2.40463	0.228	0.228
7	132.5 ≤* < 137.5	108.00000	2.35401	0.224	0.224
6	127.5 ≤* < 132.5	104.00000	2.30340	0.219	0.219
5	122.5 ≤* < 127.5	100.00000	2.25278	0.214	0.214
4	117.5 ≤* < 122.5	96.00000	2.20216	0.209	0.209
3	112.5 ≤* < 117.5	92.00000	2.15154	0.204	0.204
2	107.5 ≤* < 112.5	88.00000	2.10093	0.200	0.200
1	102.5 ≤* < 107.5	84.00000	2.05031	0.195	0.195
0	97.5 ≤* < 102.5	80.00000	1.99969	0.190	0.190
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.185	0.185
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.180	0.180
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.176	0.176
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.171	0.171
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.166	0.166
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.161	0.161
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.156	0.156
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.152	0.152
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.147	0.147
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.142	0.142
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.137	0.137
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.132	0.132
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.127	0.127
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.123	0.123
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.118	0.118
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.113	0.113
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.108	0.108
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.103	0.103
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.099	0.099
-20	0 ≤* < 2.5	1.00000	1.00000	0.095	0.095
		平均値		標準率	
		80.02439	2.00000	0.190	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(10万円、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.187	0.187
19	192.5 ≤* < 197.5	156.00000	2.96142	0.184	0.184
18	187.5 ≤* < 192.5	152.00000	2.91081	0.180	0.180
17	182.5 ≤* < 187.5	148.00000	2.86019	0.177	0.177
16	177.5 ≤* < 182.5	144.00000	2.80957	0.174	0.174
15	172.5 ≤* < 177.5	140.00000	2.75895	0.171	0.171
14	167.5 ≤* < 172.5	136.00000	2.70834	0.168	0.168
13	162.5 ≤* < 167.5	132.00000	2.65772	0.165	0.165
12	157.5 ≤* < 162.5	128.00000	2.60710	0.162	0.162
11	152.5 ≤* < 157.5	124.00000	2.55648	0.159	0.159
10	147.5 ≤* < 152.5	120.00000	2.50587	0.155	0.155
9	142.5 ≤* < 147.5	116.00000	2.45525	0.152	0.152
8	137.5 ≤* < 142.5	112.00000	2.40463	0.149	0.149
7	132.5 ≤* < 137.5	108.00000	2.35401	0.146	0.146
6	127.5 ≤* < 132.5	104.00000	2.30340	0.143	0.143
5	122.5 ≤* < 127.5	100.00000	2.25278	0.140	0.140
4	117.5 ≤* < 122.5	96.00000	2.20216	0.137	0.137
3	112.5 ≤* < 117.5	92.00000	2.15154	0.133	0.133
2	107.5 ≤* < 112.5	88.00000	2.10093	0.130	0.130
1	102.5 ≤* < 107.5	84.00000	2.05031	0.127	0.127
0	97.5 ≤* < 102.5	80.00000	1.99969	0.124	0.124
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.121	0.121
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.118	0.118
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.115	0.115
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.111	0.111
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.108	0.108
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.105	0.105
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.102	0.102
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.099	0.099
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.096	0.096
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.093	0.093
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.089	0.089
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.086	0.086
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.083	0.083
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.080	0.080
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.077	0.077
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.074	0.074
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.071	0.071
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.067	0.067
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.064	0.064
-20	0 ≤* < 2.5	1.00000	1.00000	0.062	0.062
		平均値		標準率	
		80.02439	2.00000	0.124	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(20万円、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.143	0.143
19	192.5 ≤* < 197.5	156.00000	2.96142	0.141	0.141
18	187.5 ≤* < 192.5	152.00000	2.91081	0.138	0.138
17	182.5 ≤* < 187.5	148.00000	2.86019	0.136	0.136
16	177.5 ≤* < 182.5	144.00000	2.80957	0.133	0.133
15	172.5 ≤* < 177.5	140.00000	2.75895	0.131	0.131
14	167.5 ≤* < 172.5	136.00000	2.70834	0.129	0.129
13	162.5 ≤* < 167.5	132.00000	2.65772	0.126	0.126
12	157.5 ≤* < 162.5	128.00000	2.60710	0.124	0.124
11	152.5 ≤* < 157.5	124.00000	2.55648	0.121	0.121
10	147.5 ≤* < 152.5	120.00000	2.50587	0.119	0.119
9	142.5 ≤* < 147.5	116.00000	2.45525	0.117	0.117
8	137.5 ≤* < 142.5	112.00000	2.40463	0.114	0.114
7	132.5 ≤* < 137.5	108.00000	2.35401	0.112	0.112
6	127.5 ≤* < 132.5	104.00000	2.30340	0.109	0.109
5	122.5 ≤* < 127.5	100.00000	2.25278	0.107	0.107
4	117.5 ≤* < 122.5	96.00000	2.20216	0.105	0.105
3	112.5 ≤* < 117.5	92.00000	2.15154	0.102	0.102
2	107.5 ≤* < 112.5	88.00000	2.10093	0.100	0.100
1	102.5 ≤* < 107.5	84.00000	2.05031	0.097	0.097
0	97.5 ≤* < 102.5	80.00000	1.99969	0.095	0.095
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.093	0.093
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.090	0.090
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.088	0.088
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.085	0.085
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.083	0.083
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.081	0.081
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.078	0.078
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.076	0.076
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.073	0.073
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.071	0.071
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.069	0.069
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.066	0.066
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.064	0.064
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.061	0.061
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.059	0.059
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.057	0.057
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.054	0.054
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.052	0.052
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.049	0.049
-20	0 ≤* < 2.5	1.00000	1.00000	0.047	0.047
		平均値		標準率	
		80.02439	2.00000	0.095	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(50万円、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.075	0.075
19	192.5 ≤* < 197.5	156.00000	2.96142	0.074	0.074
18	187.5 ≤* < 192.5	152.00000	2.91081	0.073	0.073
17	182.5 ≤* < 187.5	148.00000	2.86019	0.072	0.072
16	177.5 ≤* < 182.5	144.00000	2.80957	0.070	0.070
15	172.5 ≤* < 177.5	140.00000	2.75895	0.069	0.069
14	167.5 ≤* < 172.5	136.00000	2.70834	0.068	0.068
13	162.5 ≤* < 167.5	132.00000	2.65772	0.066	0.066
12	157.5 ≤* < 162.5	128.00000	2.60710	0.065	0.065
11	152.5 ≤* < 157.5	124.00000	2.55648	0.064	0.064
10	147.5 ≤* < 152.5	120.00000	2.50587	0.063	0.063
9	142.5 ≤* < 147.5	116.00000	2.45525	0.061	0.061
8	137.5 ≤* < 142.5	112.00000	2.40463	0.060	0.060
7	132.5 ≤* < 137.5	108.00000	2.35401	0.059	0.059
6	127.5 ≤* < 132.5	104.00000	2.30340	0.058	0.058
5	122.5 ≤* < 127.5	100.00000	2.25278	0.056	0.056
4	117.5 ≤* < 122.5	96.00000	2.20216	0.055	0.055
3	112.5 ≤* < 117.5	92.00000	2.15154	0.054	0.054
2	107.5 ≤* < 112.5	88.00000	2.10093	0.053	0.053
1	102.5 ≤* < 107.5	84.00000	2.05031	0.051	0.051
0	97.5 ≤* < 102.5	80.00000	1.99969	0.050	0.050
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.049	0.049
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.047	0.047
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.046	0.046
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.045	0.045
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.044	0.044
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.042	0.042
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.041	0.041
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.040	0.040
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.039	0.039
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.037	0.037
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.036	0.036
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.035	0.035
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.034	0.034
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.032	0.032
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.031	0.031
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.030	0.030
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.028	0.028
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.027	0.027
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.026	0.026
-20	0 ≤* < 2.5	1.00000	1.00000	0.025	0.025
		平均値		標準率	
		80.02439	2.00000	0.050	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(100万円、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.015	0.015
19	192.5 ≤* < 197.5	156.00000	2.96142	0.015	0.015
18	187.5 ≤* < 192.5	152.00000	2.91081	0.015	0.015
17	182.5 ≤* < 187.5	148.00000	2.86019	0.014	0.014
16	177.5 ≤* < 182.5	144.00000	2.80957	0.014	0.014
15	172.5 ≤* < 177.5	140.00000	2.75895	0.014	0.014
14	167.5 ≤* < 172.5	136.00000	2.70834	0.014	0.014
13	162.5 ≤* < 167.5	132.00000	2.65772	0.013	0.013
12	157.5 ≤* < 162.5	128.00000	2.60710	0.013	0.013
11	152.5 ≤* < 157.5	124.00000	2.55648	0.013	0.013
10	147.5 ≤* < 152.5	120.00000	2.50587	0.013	0.013
9	142.5 ≤* < 147.5	116.00000	2.45525	0.012	0.012
8	137.5 ≤* < 142.5	112.00000	2.40463	0.012	0.012
7	132.5 ≤* < 137.5	108.00000	2.35401	0.012	0.012
6	127.5 ≤* < 132.5	104.00000	2.30340	0.012	0.012
5	122.5 ≤* < 127.5	100.00000	2.25278	0.011	0.011
4	117.5 ≤* < 122.5	96.00000	2.20216	0.011	0.011
3	112.5 ≤* < 117.5	92.00000	2.15154	0.011	0.011
2	107.5 ≤* < 112.5	88.00000	2.10093	0.011	0.011
1	102.5 ≤* < 107.5	84.00000	2.05031	0.010	0.010
0	97.5 ≤* < 102.5	80.00000	1.99969	0.010	0.010
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.010	0.010
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.009	0.009
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.009	0.009
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.009	0.009
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.009	0.009
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.008	0.008
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.008	0.008
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.008	0.008
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.008	0.008
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.007	0.007
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.007	0.007
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.007	0.007
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.007	0.007
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.006	0.006
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.006	0.006
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.006	0.006
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.006	0.006
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.005	0.005
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.005	0.005
-20	0 ≤* < 2.5	1.00000	1.00000	0.005	0.005
		平均値		標準率	
		80.02439	2.00000	0.010	

園芸施設共済危険段階別共済掛金率表

10 ガラス室 I 類(1万円特約、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	3.01204	0.012	0.012
19	192.5 ≤* < 197.5	156.00000	2.96142	0.012	0.012
18	187.5 ≤* < 192.5	152.00000	2.91081	0.011	0.011
17	182.5 ≤* < 187.5	148.00000	2.86019	0.011	0.011
16	177.5 ≤* < 182.5	144.00000	2.80957	0.011	0.011
15	172.5 ≤* < 177.5	140.00000	2.75895	0.011	0.011
14	167.5 ≤* < 172.5	136.00000	2.70834	0.011	0.011
13	162.5 ≤* < 167.5	132.00000	2.65772	0.011	0.011
12	157.5 ≤* < 162.5	128.00000	2.60710	0.010	0.010
11	152.5 ≤* < 157.5	124.00000	2.55648	0.010	0.010
10	147.5 ≤* < 152.5	120.00000	2.50587	0.010	0.010
9	142.5 ≤* < 147.5	116.00000	2.45525	0.010	0.010
8	137.5 ≤* < 142.5	112.00000	2.40463	0.010	0.010
7	132.5 ≤* < 137.5	108.00000	2.35401	0.009	0.009
6	127.5 ≤* < 132.5	104.00000	2.30340	0.009	0.009
5	122.5 ≤* < 127.5	100.00000	2.25278	0.009	0.009
4	117.5 ≤* < 122.5	96.00000	2.20216	0.009	0.009
3	112.5 ≤* < 117.5	92.00000	2.15154	0.009	0.009
2	107.5 ≤* < 112.5	88.00000	2.10093	0.008	0.008
1	102.5 ≤* < 107.5	84.00000	2.05031	0.008	0.008
0	97.5 ≤* < 102.5	80.00000	1.99969	0.008	0.008
-1	92.5 ≤* < 97.5	76.00000	1.94908	0.008	0.008
-2	87.5 ≤* < 92.5	72.00000	1.89846	0.008	0.008
-3	82.5 ≤* < 87.5	68.00000	1.84784	0.007	0.007
-4	77.5 ≤* < 82.5	64.00000	1.79722	0.007	0.007
-5	72.5 ≤* < 77.5	60.00000	1.74661	0.007	0.007
-6	67.5 ≤* < 72.5	56.00000	1.69599	0.007	0.007
-7	62.5 ≤* < 67.5	52.00000	1.64537	0.007	0.007
-8	57.5 ≤* < 62.5	48.00000	1.59475	0.006	0.006
-9	52.5 ≤* < 57.5	44.00000	1.54414	0.006	0.006
-10	47.5 ≤* < 52.5	40.00000	1.49352	0.006	0.006
-11	42.5 ≤* < 47.5	36.00000	1.44290	0.006	0.006
-12	37.5 ≤* < 42.5	32.00000	1.39228	0.006	0.006
-13	32.5 ≤* < 37.5	28.00000	1.34167	0.006	0.006
-14	27.5 ≤* < 32.5	24.00000	1.29105	0.005	0.005
-15	22.5 ≤* < 27.5	20.00000	1.24043	0.005	0.005
-16	17.5 ≤* < 22.5	16.00000	1.18982	0.005	0.005
-17	12.5 ≤* < 17.5	12.00000	1.13920	0.005	0.005
-18	7.5 ≤* < 12.5	8.00000	1.08858	0.005	0.005
-19	2.5 ≤* < 7.5	4.00000	1.03796	0.004	0.004
-20	0 ≤* < 2.5	1.00000	1.00000	0.004	0.004
		平均値		標準率	
		80.02439	2.00000	0.008	