

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.371	0.186
19	192.5 ≤* < 197.5	156.00000	7.63682	0.363	0.182
18	187.5 ≤* < 192.5	152.00000	7.46554	0.355	0.178
17	182.5 ≤* < 187.5	148.00000	7.29427	0.346	0.173
16	177.5 ≤* < 182.5	144.00000	7.12300	0.338	0.169
15	172.5 ≤* < 177.5	140.00000	6.95173	0.330	0.165
14	167.5 ≤* < 172.5	136.00000	6.78045	0.322	0.161
13	162.5 ≤* < 167.5	132.00000	6.60918	0.314	0.157
12	157.5 ≤* < 162.5	128.00000	6.43791	0.306	0.153
11	152.5 ≤* < 157.5	124.00000	6.26664	0.298	0.149
10	147.5 ≤* < 152.5	120.00000	6.09536	0.290	0.145
9	142.5 ≤* < 147.5	116.00000	5.92409	0.281	0.141
8	137.5 ≤* < 142.5	112.00000	5.75282	0.273	0.137
7	132.5 ≤* < 137.5	108.00000	5.58154	0.265	0.133
6	127.5 ≤* < 132.5	104.00000	5.41027	0.257	0.129
5	122.5 ≤* < 127.5	100.00000	5.23900	0.249	0.125
4	117.5 ≤* < 122.5	96.00000	5.06773	0.241	0.121
3	112.5 ≤* < 117.5	92.00000	4.89645	0.233	0.117
2	107.5 ≤* < 112.5	88.00000	4.72518	0.224	0.112
1	102.5 ≤* < 107.5	84.00000	4.55391	0.216	0.108
0	97.5 ≤* < 102.5	80.00000	4.38264	0.208	0.104
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.200	0.100
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.192	0.096
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.184	0.092
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.176	0.088
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.167	0.084
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.159	0.080
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.151	0.076
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.143	0.072
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.135	0.068
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.127	0.064
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.119	0.060
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.111	0.056
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.102	0.051
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.094	0.047
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.086	0.043
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.078	0.039
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.070	0.035
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.062	0.031
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.054	0.027
-20	0 ≤* < 2.5	1.00000	1.00000	0.047	0.024
		平均値		標準率	
		24.35458	2.00000	0.095	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.336	0.168
19	192.5 ≤* < 197.5	156.00000	7.63682	0.328	0.164
18	187.5 ≤* < 192.5	152.00000	7.46554	0.321	0.161
17	182.5 ≤* < 187.5	148.00000	7.29427	0.314	0.157
16	177.5 ≤* < 182.5	144.00000	7.12300	0.306	0.153
15	172.5 ≤* < 177.5	140.00000	6.95173	0.299	0.150
14	167.5 ≤* < 172.5	136.00000	6.78045	0.292	0.146
13	162.5 ≤* < 167.5	132.00000	6.60918	0.284	0.142
12	157.5 ≤* < 162.5	128.00000	6.43791	0.277	0.139
11	152.5 ≤* < 157.5	124.00000	6.26664	0.269	0.135
10	147.5 ≤* < 152.5	120.00000	6.09536	0.262	0.131
9	142.5 ≤* < 147.5	116.00000	5.92409	0.255	0.128
8	137.5 ≤* < 142.5	112.00000	5.75282	0.247	0.124
7	132.5 ≤* < 137.5	108.00000	5.58154	0.240	0.120
6	127.5 ≤* < 132.5	104.00000	5.41027	0.233	0.117
5	122.5 ≤* < 127.5	100.00000	5.23900	0.225	0.113
4	117.5 ≤* < 122.5	96.00000	5.06773	0.218	0.109
3	112.5 ≤* < 117.5	92.00000	4.89645	0.211	0.106
2	107.5 ≤* < 112.5	88.00000	4.72518	0.203	0.102
1	102.5 ≤* < 107.5	84.00000	4.55391	0.196	0.098
0	97.5 ≤* < 102.5	80.00000	4.38264	0.188	0.094
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.181	0.091
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.174	0.087
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.166	0.083
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.159	0.080
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.152	0.076
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.144	0.072
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.137	0.069
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.130	0.065
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.122	0.061
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.115	0.058
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.107	0.054
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.100	0.050
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.093	0.047
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.085	0.043
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.078	0.039
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.071	0.036
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.063	0.032
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.056	0.028
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.049	0.025
-20	0 ≤* < 2.5	1.00000	1.00000	0.043	0.022
		平均値		標準率	
		24.35458	2.00000	0.086	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.262	0.131
19	192.5 ≤* < 197.5	156.00000	7.63682	0.256	0.128
18	187.5 ≤* < 192.5	152.00000	7.46554	0.250	0.125
17	182.5 ≤* < 187.5	148.00000	7.29427	0.244	0.122
16	177.5 ≤* < 182.5	144.00000	7.12300	0.239	0.120
15	172.5 ≤* < 177.5	140.00000	6.95173	0.233	0.117
14	167.5 ≤* < 172.5	136.00000	6.78045	0.227	0.114
13	162.5 ≤* < 167.5	132.00000	6.60918	0.221	0.111
12	157.5 ≤* < 162.5	128.00000	6.43791	0.216	0.108
11	152.5 ≤* < 157.5	124.00000	6.26664	0.210	0.105
10	147.5 ≤* < 152.5	120.00000	6.09536	0.204	0.102
9	142.5 ≤* < 147.5	116.00000	5.92409	0.198	0.099
8	137.5 ≤* < 142.5	112.00000	5.75282	0.193	0.097
7	132.5 ≤* < 137.5	108.00000	5.58154	0.187	0.094
6	127.5 ≤* < 132.5	104.00000	5.41027	0.181	0.091
5	122.5 ≤* < 127.5	100.00000	5.23900	0.176	0.088
4	117.5 ≤* < 122.5	96.00000	5.06773	0.170	0.085
3	112.5 ≤* < 117.5	92.00000	4.89645	0.164	0.082
2	107.5 ≤* < 112.5	88.00000	4.72518	0.158	0.079
1	102.5 ≤* < 107.5	84.00000	4.55391	0.153	0.077
0	97.5 ≤* < 102.5	80.00000	4.38264	0.147	0.074
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.141	0.071
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.135	0.068
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.130	0.065
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.124	0.062
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.118	0.059
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.112	0.056
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.107	0.054
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.101	0.051
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.095	0.048
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.089	0.045
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.084	0.042
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.078	0.039
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.072	0.036
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.066	0.033
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.061	0.031
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.055	0.028
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.049	0.025
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.044	0.022
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.038	0.019
-20	0 ≤* < 2.5	1.00000	1.00000	0.033	0.017
		平均値		標準率	
		24.35458	2.00000	0.067	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.172	0.086
19	192.5 ≤* < 197.5	156.00000	7.63682	0.168	0.084
18	187.5 ≤* < 192.5	152.00000	7.46554	0.164	0.082
17	182.5 ≤* < 187.5	148.00000	7.29427	0.160	0.080
16	177.5 ≤* < 182.5	144.00000	7.12300	0.157	0.079
15	172.5 ≤* < 177.5	140.00000	6.95173	0.153	0.077
14	167.5 ≤* < 172.5	136.00000	6.78045	0.149	0.075
13	162.5 ≤* < 167.5	132.00000	6.60918	0.145	0.073
12	157.5 ≤* < 162.5	128.00000	6.43791	0.142	0.071
11	152.5 ≤* < 157.5	124.00000	6.26664	0.138	0.069
10	147.5 ≤* < 152.5	120.00000	6.09536	0.134	0.067
9	142.5 ≤* < 147.5	116.00000	5.92409	0.130	0.065
8	137.5 ≤* < 142.5	112.00000	5.75282	0.127	0.064
7	132.5 ≤* < 137.5	108.00000	5.58154	0.123	0.062
6	127.5 ≤* < 132.5	104.00000	5.41027	0.119	0.060
5	122.5 ≤* < 127.5	100.00000	5.23900	0.115	0.058
4	117.5 ≤* < 122.5	96.00000	5.06773	0.111	0.056
3	112.5 ≤* < 117.5	92.00000	4.89645	0.108	0.054
2	107.5 ≤* < 112.5	88.00000	4.72518	0.104	0.052
1	102.5 ≤* < 107.5	84.00000	4.55391	0.100	0.050
0	97.5 ≤* < 102.5	80.00000	4.38264	0.096	0.048
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.093	0.047
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.089	0.045
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.085	0.043
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.081	0.041
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.078	0.039
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.074	0.037
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.070	0.035
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.066	0.033
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.063	0.032
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.059	0.030
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.055	0.028
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.051	0.026
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.047	0.024
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.044	0.022
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.040	0.020
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.036	0.018
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.032	0.016
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.029	0.015
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.025	0.013
-20	0 ≤* < 2.5	1.00000	1.00000	0.022	0.011
		平均値		標準率	
		24.35458	2.00000	0.044	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.098	0.049
19	192.5 ≤* < 197.5	156.00000	7.63682	0.095	0.048
18	187.5 ≤* < 192.5	152.00000	7.46554	0.093	0.047
17	182.5 ≤* < 187.5	148.00000	7.29427	0.091	0.046
16	177.5 ≤* < 182.5	144.00000	7.12300	0.089	0.045
15	172.5 ≤* < 177.5	140.00000	6.95173	0.087	0.044
14	167.5 ≤* < 172.5	136.00000	6.78045	0.085	0.043
13	162.5 ≤* < 167.5	132.00000	6.60918	0.083	0.042
12	157.5 ≤* < 162.5	128.00000	6.43791	0.080	0.040
11	152.5 ≤* < 157.5	124.00000	6.26664	0.078	0.039
10	147.5 ≤* < 152.5	120.00000	6.09536	0.076	0.038
9	142.5 ≤* < 147.5	116.00000	5.92409	0.074	0.037
8	137.5 ≤* < 142.5	112.00000	5.75282	0.072	0.036
7	132.5 ≤* < 137.5	108.00000	5.58154	0.070	0.035
6	127.5 ≤* < 132.5	104.00000	5.41027	0.068	0.034
5	122.5 ≤* < 127.5	100.00000	5.23900	0.065	0.033
4	117.5 ≤* < 122.5	96.00000	5.06773	0.063	0.032
3	112.5 ≤* < 117.5	92.00000	4.89645	0.061	0.031
2	107.5 ≤* < 112.5	88.00000	4.72518	0.059	0.030
1	102.5 ≤* < 107.5	84.00000	4.55391	0.057	0.029
0	97.5 ≤* < 102.5	80.00000	4.38264	0.055	0.028
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.053	0.027
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.051	0.026
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.048	0.024
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.046	0.023
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.044	0.022
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.042	0.021
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.040	0.020
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.038	0.019
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.036	0.018
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.033	0.017
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.031	0.016
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.029	0.015
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.027	0.014
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.025	0.013
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.023	0.012
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.021	0.011
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.018	0.009
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.016	0.008
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.014	0.007
-20	0 ≤* < 2.5	1.00000	1.00000	0.012	0.006
		平均値		標準率	
		24.35458	2.00000	0.025	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(1万円特約、被覆、本体及び附帯)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.008	0.008
19	192.5 ≤* < 197.5	156.00000	7.63682	0.007	0.007
18	187.5 ≤* < 192.5	152.00000	7.46554	0.007	0.007
17	182.5 ≤* < 187.5	148.00000	7.29427	0.008	0.008
16	177.5 ≤* < 182.5	144.00000	7.12300	0.007	0.007
15	172.5 ≤* < 177.5	140.00000	6.95173	0.007	0.007
14	167.5 ≤* < 172.5	136.00000	6.78045	0.007	0.007
13	162.5 ≤* < 167.5	132.00000	6.60918	0.007	0.007
12	157.5 ≤* < 162.5	128.00000	6.43791	0.006	0.006
11	152.5 ≤* < 157.5	124.00000	6.26664	0.006	0.006
10	147.5 ≤* < 152.5	120.00000	6.09536	0.006	0.006
9	142.5 ≤* < 147.5	116.00000	5.92409	0.006	0.006
8	137.5 ≤* < 142.5	112.00000	5.75282	0.006	0.006
7	132.5 ≤* < 137.5	108.00000	5.58154	0.006	0.006
6	127.5 ≤* < 132.5	104.00000	5.41027	0.005	0.005
5	122.5 ≤* < 127.5	100.00000	5.23900	0.005	0.005
4	117.5 ≤* < 122.5	96.00000	5.06773	0.005	0.005
3	112.5 ≤* < 117.5	92.00000	4.89645	0.004	0.004
2	107.5 ≤* < 112.5	88.00000	4.72518	0.005	0.005
1	102.5 ≤* < 107.5	84.00000	4.55391	0.005	0.005
0	97.5 ≤* < 102.5	80.00000	4.38264	0.005	0.005
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.004	0.004
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.004	0.004
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.004	0.004
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.003	0.003
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.004	0.004
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.004	0.004
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.003	0.003
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.003	0.003
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.003	0.003
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.002	0.002
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.002	0.002
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.002	0.002
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.003	0.003
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.002	0.002
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.002	0.002
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.002	0.002
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.001	0.001
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.001	0.001
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.001	0.001
-20	0 ≤* < 2.5	1.00000	1.00000	0.001	0.001
		平均値		標準率	
		24.35458	2.00000	0.002	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	5.848	2.924
19	192.5 ≤* < 197.5	156.00000	7.63682	5.720	2.860
18	187.5 ≤* < 192.5	152.00000	7.46554	5.592	2.796
17	182.5 ≤* < 187.5	148.00000	7.29427	5.463	2.732
16	177.5 ≤* < 182.5	144.00000	7.12300	5.335	2.668
15	172.5 ≤* < 177.5	140.00000	6.95173	5.207	2.604
14	167.5 ≤* < 172.5	136.00000	6.78045	5.079	2.540
13	162.5 ≤* < 167.5	132.00000	6.60918	4.950	2.475
12	157.5 ≤* < 162.5	128.00000	6.43791	4.822	2.411
11	152.5 ≤* < 157.5	124.00000	6.26664	4.694	2.347
10	147.5 ≤* < 152.5	120.00000	6.09536	4.565	2.283
9	142.5 ≤* < 147.5	116.00000	5.92409	4.437	2.219
8	137.5 ≤* < 142.5	112.00000	5.75282	4.309	2.155
7	132.5 ≤* < 137.5	108.00000	5.58154	4.181	2.091
6	127.5 ≤* < 132.5	104.00000	5.41027	4.052	2.026
5	122.5 ≤* < 127.5	100.00000	5.23900	3.924	1.962
4	117.5 ≤* < 122.5	96.00000	5.06773	3.796	1.898
3	112.5 ≤* < 117.5	92.00000	4.89645	3.667	1.834
2	107.5 ≤* < 112.5	88.00000	4.72518	3.539	1.770
1	102.5 ≤* < 107.5	84.00000	4.55391	3.411	1.706
0	97.5 ≤* < 102.5	80.00000	4.38264	3.283	1.642
-1	92.5 ≤* < 97.5	76.00000	4.21136	3.154	1.577
-2	87.5 ≤* < 92.5	72.00000	4.04009	3.026	1.513
-3	82.5 ≤* < 87.5	68.00000	3.86882	2.898	1.449
-4	77.5 ≤* < 82.5	64.00000	3.69755	2.769	1.385
-5	72.5 ≤* < 77.5	60.00000	3.52627	2.641	1.321
-6	67.5 ≤* < 72.5	56.00000	3.35500	2.513	1.257
-7	62.5 ≤* < 67.5	52.00000	3.18373	2.385	1.193
-8	57.5 ≤* < 62.5	48.00000	3.01245	2.256	1.128
-9	52.5 ≤* < 57.5	44.00000	2.84118	2.128	1.064
-10	47.5 ≤* < 52.5	40.00000	2.66991	2.000	1.000
-11	42.5 ≤* < 47.5	36.00000	2.49864	1.871	0.936
-12	37.5 ≤* < 42.5	32.00000	2.32736	1.743	0.872
-13	32.5 ≤* < 37.5	28.00000	2.15609	1.615	0.808
-14	27.5 ≤* < 32.5	24.00000	1.98482	1.487	0.744
-15	22.5 ≤* < 27.5	20.00000	1.81355	1.358	0.679
-16	17.5 ≤* < 22.5	16.00000	1.64227	1.230	0.615
-17	12.5 ≤* < 17.5	12.00000	1.47100	1.102	0.551
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.973	0.487
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.845	0.423
-20	0 ≤* < 2.5	1.00000	1.00000	0.749	0.375
		平均値		標準率	
		24.35458	2.00000	1.498	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	4.115	2.058
19	192.5 ≤* < 197.5	156.00000	7.63682	4.025	2.013
18	187.5 ≤* < 192.5	152.00000	7.46554	3.934	1.967
17	182.5 ≤* < 187.5	148.00000	7.29427	3.844	1.922
16	177.5 ≤* < 182.5	144.00000	7.12300	3.754	1.877
15	172.5 ≤* < 177.5	140.00000	6.95173	3.664	1.832
14	167.5 ≤* < 172.5	136.00000	6.78045	3.573	1.787
13	162.5 ≤* < 167.5	132.00000	6.60918	3.483	1.742
12	157.5 ≤* < 162.5	128.00000	6.43791	3.393	1.697
11	152.5 ≤* < 157.5	124.00000	6.26664	3.303	1.652
10	147.5 ≤* < 152.5	120.00000	6.09536	3.212	1.606
9	142.5 ≤* < 147.5	116.00000	5.92409	3.122	1.561
8	137.5 ≤* < 142.5	112.00000	5.75282	3.032	1.516
7	132.5 ≤* < 137.5	108.00000	5.58154	2.941	1.471
6	127.5 ≤* < 132.5	104.00000	5.41027	2.851	1.426
5	122.5 ≤* < 127.5	100.00000	5.23900	2.761	1.381
4	117.5 ≤* < 122.5	96.00000	5.06773	2.671	1.336
3	112.5 ≤* < 117.5	92.00000	4.89645	2.580	1.290
2	107.5 ≤* < 112.5	88.00000	4.72518	2.490	1.245
1	102.5 ≤* < 107.5	84.00000	4.55391	2.400	1.200
0	97.5 ≤* < 102.5	80.00000	4.38264	2.310	1.155
-1	92.5 ≤* < 97.5	76.00000	4.21136	2.219	1.110
-2	87.5 ≤* < 92.5	72.00000	4.04009	2.129	1.065
-3	82.5 ≤* < 87.5	68.00000	3.86882	2.039	1.020
-4	77.5 ≤* < 82.5	64.00000	3.69755	1.949	0.975
-5	72.5 ≤* < 77.5	60.00000	3.52627	1.858	0.929
-6	67.5 ≤* < 72.5	56.00000	3.35500	1.768	0.884
-7	62.5 ≤* < 67.5	52.00000	3.18373	1.678	0.839
-8	57.5 ≤* < 62.5	48.00000	3.01245	1.588	0.794
-9	52.5 ≤* < 57.5	44.00000	2.84118	1.497	0.749
-10	47.5 ≤* < 52.5	40.00000	2.66991	1.407	0.704
-11	42.5 ≤* < 47.5	36.00000	2.49864	1.317	0.659
-12	37.5 ≤* < 42.5	32.00000	2.32736	1.227	0.614
-13	32.5 ≤* < 37.5	28.00000	2.15609	1.136	0.568
-14	27.5 ≤* < 32.5	24.00000	1.98482	1.046	0.523
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.956	0.478
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.865	0.433
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.775	0.388
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.685	0.343
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.595	0.298
-20	0 ≤* < 2.5	1.00000	1.00000	0.527	0.264
		平均値		標準率	
		24.35458	2.00000	1.054	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	3.186	1.593
19	192.5 ≤* < 197.5	156.00000	7.63682	3.116	1.558
18	187.5 ≤* < 192.5	152.00000	7.46554	3.046	1.523
17	182.5 ≤* < 187.5	148.00000	7.29427	2.976	1.488
16	177.5 ≤* < 182.5	144.00000	7.12300	2.906	1.453
15	172.5 ≤* < 177.5	140.00000	6.95173	2.836	1.418
14	167.5 ≤* < 172.5	136.00000	6.78045	2.766	1.383
13	162.5 ≤* < 167.5	132.00000	6.60918	2.697	1.349
12	157.5 ≤* < 162.5	128.00000	6.43791	2.627	1.314
11	152.5 ≤* < 157.5	124.00000	6.26664	2.557	1.279
10	147.5 ≤* < 152.5	120.00000	6.09536	2.487	1.244
9	142.5 ≤* < 147.5	116.00000	5.92409	2.417	1.209
8	137.5 ≤* < 142.5	112.00000	5.75282	2.347	1.174
7	132.5 ≤* < 137.5	108.00000	5.58154	2.277	1.139
6	127.5 ≤* < 132.5	104.00000	5.41027	2.207	1.104
5	122.5 ≤* < 127.5	100.00000	5.23900	2.138	1.069
4	117.5 ≤* < 122.5	96.00000	5.06773	2.068	1.034
3	112.5 ≤* < 117.5	92.00000	4.89645	1.998	0.999
2	107.5 ≤* < 112.5	88.00000	4.72518	1.928	0.964
1	102.5 ≤* < 107.5	84.00000	4.55391	1.858	0.929
0	97.5 ≤* < 102.5	80.00000	4.38264	1.788	0.894
-1	92.5 ≤* < 97.5	76.00000	4.21136	1.718	0.859
-2	87.5 ≤* < 92.5	72.00000	4.04009	1.648	0.824
-3	82.5 ≤* < 87.5	68.00000	3.86882	1.578	0.789
-4	77.5 ≤* < 82.5	64.00000	3.69755	1.509	0.755
-5	72.5 ≤* < 77.5	60.00000	3.52627	1.439	0.720
-6	67.5 ≤* < 72.5	56.00000	3.35500	1.369	0.685
-7	62.5 ≤* < 67.5	52.00000	3.18373	1.299	0.650
-8	57.5 ≤* < 62.5	48.00000	3.01245	1.229	0.615
-9	52.5 ≤* < 57.5	44.00000	2.84118	1.159	0.580
-10	47.5 ≤* < 52.5	40.00000	2.66991	1.089	0.545
-11	42.5 ≤* < 47.5	36.00000	2.49864	1.019	0.510
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.950	0.475
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.880	0.440
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.810	0.405
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.740	0.370
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.670	0.335
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.600	0.300
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.530	0.265
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.460	0.230
-20	0 ≤* < 2.5	1.00000	1.00000	0.408	0.204
		平均値		標準率	
		24.35458	2.00000	0.816	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	1.179	0.590
19	192.5 ≤* < 197.5	156.00000	7.63682	1.153	0.577
18	187.5 ≤* < 192.5	152.00000	7.46554	1.127	0.564
17	182.5 ≤* < 187.5	148.00000	7.29427	1.101	0.551
16	177.5 ≤* < 182.5	144.00000	7.12300	1.076	0.538
15	172.5 ≤* < 177.5	140.00000	6.95173	1.050	0.525
14	167.5 ≤* < 172.5	136.00000	6.78045	1.024	0.512
13	162.5 ≤* < 167.5	132.00000	6.60918	0.998	0.499
12	157.5 ≤* < 162.5	128.00000	6.43791	0.972	0.486
11	152.5 ≤* < 157.5	124.00000	6.26664	0.946	0.473
10	147.5 ≤* < 152.5	120.00000	6.09536	0.920	0.460
9	142.5 ≤* < 147.5	116.00000	5.92409	0.895	0.448
8	137.5 ≤* < 142.5	112.00000	5.75282	0.869	0.435
7	132.5 ≤* < 137.5	108.00000	5.58154	0.843	0.422
6	127.5 ≤* < 132.5	104.00000	5.41027	0.817	0.409
5	122.5 ≤* < 127.5	100.00000	5.23900	0.791	0.396
4	117.5 ≤* < 122.5	96.00000	5.06773	0.765	0.383
3	112.5 ≤* < 117.5	92.00000	4.89645	0.739	0.370
2	107.5 ≤* < 112.5	88.00000	4.72518	0.714	0.357
1	102.5 ≤* < 107.5	84.00000	4.55391	0.688	0.344
0	97.5 ≤* < 102.5	80.00000	4.38264	0.662	0.331
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.636	0.318
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.610	0.305
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.584	0.292
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.558	0.279
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.532	0.266
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.507	0.254
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.481	0.241
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.455	0.228
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.429	0.215
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.403	0.202
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.377	0.189
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.351	0.176
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.326	0.163
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.300	0.150
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.274	0.137
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.248	0.124
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.222	0.111
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.196	0.098
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.170	0.085
-20	0 ≤* < 2.5	1.00000	1.00000	0.151	0.076
		平均値		標準率	
		24.35458	2.00000	0.302	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.020	0.010
19	192.5 ≤* < 197.5	156.00000	7.63682	0.019	0.010
18	187.5 ≤* < 192.5	152.00000	7.46554	0.019	0.010
17	182.5 ≤* < 187.5	148.00000	7.29427	0.018	0.009
16	177.5 ≤* < 182.5	144.00000	7.12300	0.018	0.009
15	172.5 ≤* < 177.5	140.00000	6.95173	0.017	0.009
14	167.5 ≤* < 172.5	136.00000	6.78045	0.017	0.009
13	162.5 ≤* < 167.5	132.00000	6.60918	0.017	0.009
12	157.5 ≤* < 162.5	128.00000	6.43791	0.016	0.008
11	152.5 ≤* < 157.5	124.00000	6.26664	0.016	0.008
10	147.5 ≤* < 152.5	120.00000	6.09536	0.015	0.008
9	142.5 ≤* < 147.5	116.00000	5.92409	0.015	0.008
8	137.5 ≤* < 142.5	112.00000	5.75282	0.014	0.007
7	132.5 ≤* < 137.5	108.00000	5.58154	0.014	0.007
6	127.5 ≤* < 132.5	104.00000	5.41027	0.014	0.007
5	122.5 ≤* < 127.5	100.00000	5.23900	0.013	0.007
4	117.5 ≤* < 122.5	96.00000	5.06773	0.013	0.007
3	112.5 ≤* < 117.5	92.00000	4.89645	0.012	0.006
2	107.5 ≤* < 112.5	88.00000	4.72518	0.012	0.006
1	102.5 ≤* < 107.5	84.00000	4.55391	0.011	0.006
0	97.5 ≤* < 102.5	80.00000	4.38264	0.011	0.006
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.011	0.006
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.010	0.005
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.010	0.005
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.009	0.005
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.009	0.005
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.008	0.004
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.008	0.004
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.008	0.004
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.007	0.004
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.007	0.004
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.006	0.003
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.006	0.003
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.005	0.003
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.005	0.003
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.005	0.003
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.004	0.002
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.004	0.002
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.003	0.002
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.003	0.002
-20	0 ≤* < 2.5	1.00000	1.00000	0.002	0.001
		平均値		標準率	
		24.35458	2.00000	0.005	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(1万円特約、被覆、内作一般)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.207	0.207
19	192.5 ≤* < 197.5	156.00000	7.63682	0.202	0.202
18	187.5 ≤* < 192.5	152.00000	7.46554	0.198	0.198
17	182.5 ≤* < 187.5	148.00000	7.29427	0.194	0.194
16	177.5 ≤* < 182.5	144.00000	7.12300	0.189	0.189
15	172.5 ≤* < 177.5	140.00000	6.95173	0.184	0.184
14	167.5 ≤* < 172.5	136.00000	6.78045	0.179	0.179
13	162.5 ≤* < 167.5	132.00000	6.60918	0.175	0.175
12	157.5 ≤* < 162.5	128.00000	6.43791	0.171	0.171
11	152.5 ≤* < 157.5	124.00000	6.26664	0.166	0.166
10	147.5 ≤* < 152.5	120.00000	6.09536	0.162	0.162
9	142.5 ≤* < 147.5	116.00000	5.92409	0.157	0.157
8	137.5 ≤* < 142.5	112.00000	5.75282	0.152	0.152
7	132.5 ≤* < 137.5	108.00000	5.58154	0.147	0.147
6	127.5 ≤* < 132.5	104.00000	5.41027	0.144	0.144
5	122.5 ≤* < 127.5	100.00000	5.23900	0.139	0.139
4	117.5 ≤* < 122.5	96.00000	5.06773	0.134	0.134
3	112.5 ≤* < 117.5	92.00000	4.89645	0.130	0.130
2	107.5 ≤* < 112.5	88.00000	4.72518	0.125	0.125
1	102.5 ≤* < 107.5	84.00000	4.55391	0.121	0.121
0	97.5 ≤* < 102.5	80.00000	4.38264	0.116	0.116
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.112	0.112
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.107	0.107
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.102	0.102
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.098	0.098
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.094	0.094
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.089	0.089
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.084	0.084
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.080	0.080
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.075	0.075
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.071	0.071
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.067	0.067
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.062	0.062
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.057	0.057
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.052	0.052
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.048	0.048
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.044	0.044
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.039	0.039
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.035	0.035
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.030	0.030
-20	0 ≤* < 2.5	1.00000	1.00000	0.026	0.026
		平均値		標準率	
		24.35458	2.00000	0.053	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.808	0.404
19	192.5 ≤* < 197.5	156.00000	7.63682	0.790	0.395
18	187.5 ≤* < 192.5	152.00000	7.46554	0.773	0.387
17	182.5 ≤* < 187.5	148.00000	7.29427	0.755	0.378
16	177.5 ≤* < 182.5	144.00000	7.12300	0.737	0.369
15	172.5 ≤* < 177.5	140.00000	6.95173	0.720	0.360
14	167.5 ≤* < 172.5	136.00000	6.78045	0.702	0.351
13	162.5 ≤* < 167.5	132.00000	6.60918	0.684	0.342
12	157.5 ≤* < 162.5	128.00000	6.43791	0.666	0.333
11	152.5 ≤* < 157.5	124.00000	6.26664	0.649	0.325
10	147.5 ≤* < 152.5	120.00000	6.09536	0.631	0.316
9	142.5 ≤* < 147.5	116.00000	5.92409	0.613	0.307
8	137.5 ≤* < 142.5	112.00000	5.75282	0.595	0.298
7	132.5 ≤* < 137.5	108.00000	5.58154	0.578	0.289
6	127.5 ≤* < 132.5	104.00000	5.41027	0.560	0.280
5	122.5 ≤* < 127.5	100.00000	5.23900	0.542	0.271
4	117.5 ≤* < 122.5	96.00000	5.06773	0.525	0.263
3	112.5 ≤* < 117.5	92.00000	4.89645	0.507	0.254
2	107.5 ≤* < 112.5	88.00000	4.72518	0.489	0.245
1	102.5 ≤* < 107.5	84.00000	4.55391	0.471	0.236
0	97.5 ≤* < 102.5	80.00000	4.38264	0.454	0.227
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.436	0.218
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.418	0.209
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.400	0.200
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.383	0.192
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.365	0.183
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.347	0.174
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.330	0.165
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.312	0.156
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.294	0.147
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.276	0.138
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.259	0.130
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.241	0.121
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.223	0.112
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.205	0.103
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.188	0.094
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.170	0.085
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.152	0.076
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.135	0.068
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.117	0.059
-20	0 ≤* < 2.5	1.00000	1.00000	0.103	0.052
		平均値		標準率	
		24.35458	2.00000	0.207	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.804	0.402
19	192.5 ≤* < 197.5	156.00000	7.63682	0.787	0.394
18	187.5 ≤* < 192.5	152.00000	7.46554	0.769	0.385
17	182.5 ≤* < 187.5	148.00000	7.29427	0.751	0.376
16	177.5 ≤* < 182.5	144.00000	7.12300	0.734	0.367
15	172.5 ≤* < 177.5	140.00000	6.95173	0.716	0.358
14	167.5 ≤* < 172.5	136.00000	6.78045	0.698	0.349
13	162.5 ≤* < 167.5	132.00000	6.60918	0.681	0.341
12	157.5 ≤* < 162.5	128.00000	6.43791	0.663	0.332
11	152.5 ≤* < 157.5	124.00000	6.26664	0.645	0.323
10	147.5 ≤* < 152.5	120.00000	6.09536	0.628	0.314
9	142.5 ≤* < 147.5	116.00000	5.92409	0.610	0.305
8	137.5 ≤* < 142.5	112.00000	5.75282	0.593	0.297
7	132.5 ≤* < 137.5	108.00000	5.58154	0.575	0.288
6	127.5 ≤* < 132.5	104.00000	5.41027	0.557	0.279
5	122.5 ≤* < 127.5	100.00000	5.23900	0.540	0.270
4	117.5 ≤* < 122.5	96.00000	5.06773	0.522	0.261
3	112.5 ≤* < 117.5	92.00000	4.89645	0.504	0.252
2	107.5 ≤* < 112.5	88.00000	4.72518	0.487	0.244
1	102.5 ≤* < 107.5	84.00000	4.55391	0.469	0.235
0	97.5 ≤* < 102.5	80.00000	4.38264	0.451	0.226
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.434	0.217
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.416	0.208
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.398	0.199
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.381	0.191
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.363	0.182
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.346	0.173
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.328	0.164
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.310	0.155
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.293	0.147
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.275	0.138
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.257	0.129
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.240	0.120
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.222	0.111
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.204	0.102
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.187	0.094
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.169	0.085
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.152	0.076
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.134	0.067
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.116	0.058
-20	0 ≤* < 2.5	1.00000	1.00000	0.103	0.052
		平均値		標準率	
		24.35458	2.00000	0.206	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.800	0.400
19	192.5 ≤* < 197.5	156.00000	7.63682	0.783	0.392
18	187.5 ≤* < 192.5	152.00000	7.46554	0.765	0.383
17	182.5 ≤* < 187.5	148.00000	7.29427	0.748	0.374
16	177.5 ≤* < 182.5	144.00000	7.12300	0.730	0.365
15	172.5 ≤* < 177.5	140.00000	6.95173	0.713	0.357
14	167.5 ≤* < 172.5	136.00000	6.78045	0.695	0.348
13	162.5 ≤* < 167.5	132.00000	6.60918	0.677	0.339
12	157.5 ≤* < 162.5	128.00000	6.43791	0.660	0.330
11	152.5 ≤* < 157.5	124.00000	6.26664	0.642	0.321
10	147.5 ≤* < 152.5	120.00000	6.09536	0.625	0.313
9	142.5 ≤* < 147.5	116.00000	5.92409	0.607	0.304
8	137.5 ≤* < 142.5	112.00000	5.75282	0.590	0.295
7	132.5 ≤* < 137.5	108.00000	5.58154	0.572	0.286
6	127.5 ≤* < 132.5	104.00000	5.41027	0.555	0.278
5	122.5 ≤* < 127.5	100.00000	5.23900	0.537	0.269
4	117.5 ≤* < 122.5	96.00000	5.06773	0.519	0.260
3	112.5 ≤* < 117.5	92.00000	4.89645	0.502	0.251
2	107.5 ≤* < 112.5	88.00000	4.72518	0.484	0.242
1	102.5 ≤* < 107.5	84.00000	4.55391	0.467	0.234
0	97.5 ≤* < 102.5	80.00000	4.38264	0.449	0.225
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.432	0.216
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.414	0.207
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.397	0.199
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.379	0.190
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.361	0.181
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.344	0.172
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.326	0.163
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.309	0.155
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.291	0.146
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.274	0.137
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.256	0.128
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.239	0.120
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.221	0.111
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.203	0.102
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.186	0.093
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.168	0.084
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.151	0.076
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.133	0.067
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.116	0.058
-20	0 ≤* < 2.5	1.00000	1.00000	0.102	0.051
		平均値		標準率	
		24.35458	2.00000	0.205	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.796	0.398
19	192.5 ≤* < 197.5	156.00000	7.63682	0.779	0.390
18	187.5 ≤* < 192.5	152.00000	7.46554	0.761	0.381
17	182.5 ≤* < 187.5	148.00000	7.29427	0.744	0.372
16	177.5 ≤* < 182.5	144.00000	7.12300	0.727	0.364
15	172.5 ≤* < 177.5	140.00000	6.95173	0.709	0.355
14	167.5 ≤* < 172.5	136.00000	6.78045	0.692	0.346
13	162.5 ≤* < 167.5	132.00000	6.60918	0.674	0.337
12	157.5 ≤* < 162.5	128.00000	6.43791	0.657	0.329
11	152.5 ≤* < 157.5	124.00000	6.26664	0.639	0.320
10	147.5 ≤* < 152.5	120.00000	6.09536	0.622	0.311
9	142.5 ≤* < 147.5	116.00000	5.92409	0.604	0.302
8	137.5 ≤* < 142.5	112.00000	5.75282	0.587	0.294
7	132.5 ≤* < 137.5	108.00000	5.58154	0.569	0.285
6	127.5 ≤* < 132.5	104.00000	5.41027	0.552	0.276
5	122.5 ≤* < 127.5	100.00000	5.23900	0.534	0.267
4	117.5 ≤* < 122.5	96.00000	5.06773	0.517	0.259
3	112.5 ≤* < 117.5	92.00000	4.89645	0.499	0.250
2	107.5 ≤* < 112.5	88.00000	4.72518	0.482	0.241
1	102.5 ≤* < 107.5	84.00000	4.55391	0.464	0.232
0	97.5 ≤* < 102.5	80.00000	4.38264	0.447	0.224
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.430	0.215
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.412	0.206
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.395	0.198
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.377	0.189
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.360	0.180
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.342	0.171
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.325	0.163
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.307	0.154
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.290	0.145
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.272	0.136
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.255	0.128
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.237	0.119
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.220	0.110
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.202	0.101
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.185	0.093
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.168	0.084
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.150	0.075
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.133	0.067
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.115	0.058
-20	0 ≤* < 2.5	1.00000	1.00000	0.102	0.051
		平均値		標準率	
		24.35458	2.00000	0.204	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.016	0.008
19	192.5 ≤* < 197.5	156.00000	7.63682	0.015	0.008
18	187.5 ≤* < 192.5	152.00000	7.46554	0.015	0.008
17	182.5 ≤* < 187.5	148.00000	7.29427	0.015	0.008
16	177.5 ≤* < 182.5	144.00000	7.12300	0.014	0.007
15	172.5 ≤* < 177.5	140.00000	6.95173	0.014	0.007
14	167.5 ≤* < 172.5	136.00000	6.78045	0.014	0.007
13	162.5 ≤* < 167.5	132.00000	6.60918	0.013	0.007
12	157.5 ≤* < 162.5	128.00000	6.43791	0.013	0.007
11	152.5 ≤* < 157.5	124.00000	6.26664	0.013	0.007
10	147.5 ≤* < 152.5	120.00000	6.09536	0.012	0.006
9	142.5 ≤* < 147.5	116.00000	5.92409	0.012	0.006
8	137.5 ≤* < 142.5	112.00000	5.75282	0.012	0.006
7	132.5 ≤* < 137.5	108.00000	5.58154	0.011	0.006
6	127.5 ≤* < 132.5	104.00000	5.41027	0.011	0.006
5	122.5 ≤* < 127.5	100.00000	5.23900	0.010	0.005
4	117.5 ≤* < 122.5	96.00000	5.06773	0.010	0.005
3	112.5 ≤* < 117.5	92.00000	4.89645	0.010	0.005
2	107.5 ≤* < 112.5	88.00000	4.72518	0.009	0.005
1	102.5 ≤* < 107.5	84.00000	4.55391	0.009	0.005
0	97.5 ≤* < 102.5	80.00000	4.38264	0.009	0.005
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.008	0.004
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.008	0.004
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.008	0.004
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.007	0.004
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.007	0.004
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.007	0.004
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.006	0.003
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.006	0.003
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.006	0.003
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.005	0.003
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.005	0.003
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.005	0.003
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.004	0.002
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.004	0.002
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.004	0.002
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.003	0.002
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.003	0.002
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.003	0.002
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.002	0.001
-20	0 ≤* < 2.5	1.00000	1.00000	0.002	0.001
		平均値		標準率	
		24.35458	2.00000	0.004	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(1万円特約、被覆、内作事故除外)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.004	0.004
19	192.5 ≤* < 197.5	156.00000	7.63682	0.004	0.004
18	187.5 ≤* < 192.5	152.00000	7.46554	0.003	0.003
17	182.5 ≤* < 187.5	148.00000	7.29427	0.004	0.004
16	177.5 ≤* < 182.5	144.00000	7.12300	0.004	0.004
15	172.5 ≤* < 177.5	140.00000	6.95173	0.003	0.003
14	167.5 ≤* < 172.5	136.00000	6.78045	0.003	0.003
13	162.5 ≤* < 167.5	132.00000	6.60918	0.003	0.003
12	157.5 ≤* < 162.5	128.00000	6.43791	0.004	0.004
11	152.5 ≤* < 157.5	124.00000	6.26664	0.003	0.003
10	147.5 ≤* < 152.5	120.00000	6.09536	0.003	0.003
9	142.5 ≤* < 147.5	116.00000	5.92409	0.003	0.003
8	137.5 ≤* < 142.5	112.00000	5.75282	0.003	0.003
7	132.5 ≤* < 137.5	108.00000	5.58154	0.002	0.002
6	127.5 ≤* < 132.5	104.00000	5.41027	0.003	0.003
5	122.5 ≤* < 127.5	100.00000	5.23900	0.003	0.003
4	117.5 ≤* < 122.5	96.00000	5.06773	0.002	0.002
3	112.5 ≤* < 117.5	92.00000	4.89645	0.002	0.002
2	107.5 ≤* < 112.5	88.00000	4.72518	0.002	0.002
1	102.5 ≤* < 107.5	84.00000	4.55391	0.003	0.003
0	97.5 ≤* < 102.5	80.00000	4.38264	0.002	0.002
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.002	0.002
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.002	0.002
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.002	0.002
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.002	0.002
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.002	0.002
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.002	0.002
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.001	0.001
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.001	0.001
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.001	0.001
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.002	0.002
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.001	0.001
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.001	0.001
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.001	0.001
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.001	0.001
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.001	0.001
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.001	0.001
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.001	0.001
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.000	0.000
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.000	0.000
-20	0 ≤* < 2.5	1.00000	1.00000	0.001	0.001
		平均値		標準率	
		24.35458	2.00000	0.001	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.258	0.129
19	192.5 ≤* < 197.5	156.00000	7.63682	0.252	0.126
18	187.5 ≤* < 192.5	152.00000	7.46554	0.246	0.123
17	182.5 ≤* < 187.5	148.00000	7.29427	0.241	0.121
16	177.5 ≤* < 182.5	144.00000	7.12300	0.235	0.118
15	172.5 ≤* < 177.5	140.00000	6.95173	0.229	0.115
14	167.5 ≤* < 172.5	136.00000	6.78045	0.224	0.112
13	162.5 ≤* < 167.5	132.00000	6.60918	0.218	0.109
12	157.5 ≤* < 162.5	128.00000	6.43791	0.212	0.106
11	152.5 ≤* < 157.5	124.00000	6.26664	0.207	0.104
10	147.5 ≤* < 152.5	120.00000	6.09536	0.201	0.101
9	142.5 ≤* < 147.5	116.00000	5.92409	0.195	0.098
8	137.5 ≤* < 142.5	112.00000	5.75282	0.190	0.095
7	132.5 ≤* < 137.5	108.00000	5.58154	0.184	0.092
6	127.5 ≤* < 132.5	104.00000	5.41027	0.179	0.090
5	122.5 ≤* < 127.5	100.00000	5.23900	0.173	0.087
4	117.5 ≤* < 122.5	96.00000	5.06773	0.167	0.084
3	112.5 ≤* < 117.5	92.00000	4.89645	0.162	0.081
2	107.5 ≤* < 112.5	88.00000	4.72518	0.156	0.078
1	102.5 ≤* < 107.5	84.00000	4.55391	0.150	0.075
0	97.5 ≤* < 102.5	80.00000	4.38264	0.145	0.073
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.139	0.070
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.133	0.067
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.128	0.064
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.122	0.061
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.116	0.058
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.111	0.056
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.105	0.053
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.099	0.050
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.094	0.047
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.088	0.044
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.082	0.041
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.077	0.039
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.071	0.036
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.065	0.033
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.060	0.030
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.054	0.027
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.049	0.025
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.043	0.022
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.037	0.019
-20	0 ≤* < 2.5	1.00000	1.00000	0.033	0.017
		平均値		標準率	
		24.35458	2.00000	0.066	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.223	0.112
19	192.5 ≤* < 197.5	156.00000	7.63682	0.218	0.109
18	187.5 ≤* < 192.5	152.00000	7.46554	0.213	0.107
17	182.5 ≤* < 187.5	148.00000	7.29427	0.208	0.104
16	177.5 ≤* < 182.5	144.00000	7.12300	0.203	0.102
15	172.5 ≤* < 177.5	140.00000	6.95173	0.198	0.099
14	167.5 ≤* < 172.5	136.00000	6.78045	0.193	0.097
13	162.5 ≤* < 167.5	132.00000	6.60918	0.188	0.094
12	157.5 ≤* < 162.5	128.00000	6.43791	0.183	0.092
11	152.5 ≤* < 157.5	124.00000	6.26664	0.179	0.090
10	147.5 ≤* < 152.5	120.00000	6.09536	0.174	0.087
9	142.5 ≤* < 147.5	116.00000	5.92409	0.169	0.085
8	137.5 ≤* < 142.5	112.00000	5.75282	0.164	0.082
7	132.5 ≤* < 137.5	108.00000	5.58154	0.159	0.080
6	127.5 ≤* < 132.5	104.00000	5.41027	0.154	0.077
5	122.5 ≤* < 127.5	100.00000	5.23900	0.149	0.075
4	117.5 ≤* < 122.5	96.00000	5.06773	0.144	0.072
3	112.5 ≤* < 117.5	92.00000	4.89645	0.140	0.070
2	107.5 ≤* < 112.5	88.00000	4.72518	0.135	0.068
1	102.5 ≤* < 107.5	84.00000	4.55391	0.130	0.065
0	97.5 ≤* < 102.5	80.00000	4.38264	0.125	0.063
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.120	0.060
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.115	0.058
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.110	0.055
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.105	0.053
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.100	0.050
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.096	0.048
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.091	0.046
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.086	0.043
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.081	0.041
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.076	0.038
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.071	0.036
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.066	0.033
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.061	0.031
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.057	0.029
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.052	0.026
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.047	0.024
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.042	0.021
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.037	0.019
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.032	0.016
-20	0 ≤* < 2.5	1.00000	1.00000	0.028	0.014
		平均値		標準率	
		24.35458	2.00000	0.057	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.207	0.104
19	192.5 ≤* < 197.5	156.00000	7.63682	0.202	0.101
18	187.5 ≤* < 192.5	152.00000	7.46554	0.198	0.099
17	182.5 ≤* < 187.5	148.00000	7.29427	0.193	0.097
16	177.5 ≤* < 182.5	144.00000	7.12300	0.189	0.095
15	172.5 ≤* < 177.5	140.00000	6.95173	0.184	0.092
14	167.5 ≤* < 172.5	136.00000	6.78045	0.180	0.090
13	162.5 ≤* < 167.5	132.00000	6.60918	0.175	0.088
12	157.5 ≤* < 162.5	128.00000	6.43791	0.171	0.086
11	152.5 ≤* < 157.5	124.00000	6.26664	0.166	0.083
10	147.5 ≤* < 152.5	120.00000	6.09536	0.162	0.081
9	142.5 ≤* < 147.5	116.00000	5.92409	0.157	0.079
8	137.5 ≤* < 142.5	112.00000	5.75282	0.152	0.076
7	132.5 ≤* < 137.5	108.00000	5.58154	0.148	0.074
6	127.5 ≤* < 132.5	104.00000	5.41027	0.143	0.072
5	122.5 ≤* < 127.5	100.00000	5.23900	0.139	0.070
4	117.5 ≤* < 122.5	96.00000	5.06773	0.134	0.067
3	112.5 ≤* < 117.5	92.00000	4.89645	0.130	0.065
2	107.5 ≤* < 112.5	88.00000	4.72518	0.125	0.063
1	102.5 ≤* < 107.5	84.00000	4.55391	0.121	0.061
0	97.5 ≤* < 102.5	80.00000	4.38264	0.116	0.058
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.112	0.056
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.107	0.054
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.103	0.052
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.098	0.049
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.093	0.047
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.089	0.045
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.084	0.042
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.080	0.040
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.075	0.038
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.071	0.036
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.066	0.033
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.062	0.031
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.057	0.029
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.053	0.027
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.048	0.024
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.044	0.022
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.039	0.020
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.034	0.017
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.030	0.015
-20	0 ≤* < 2.5	1.00000	1.00000	0.026	0.013
		平均値		標準率	
		24.35458	2.00000	0.053	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.133	0.067
19	192.5 ≤* < 197.5	156.00000	7.63682	0.130	0.065
18	187.5 ≤* < 192.5	152.00000	7.46554	0.127	0.064
17	182.5 ≤* < 187.5	148.00000	7.29427	0.124	0.062
16	177.5 ≤* < 182.5	144.00000	7.12300	0.121	0.061
15	172.5 ≤* < 177.5	140.00000	6.95173	0.118	0.059
14	167.5 ≤* < 172.5	136.00000	6.78045	0.115	0.058
13	162.5 ≤* < 167.5	132.00000	6.60918	0.112	0.056
12	157.5 ≤* < 162.5	128.00000	6.43791	0.109	0.055
11	152.5 ≤* < 157.5	124.00000	6.26664	0.107	0.054
10	147.5 ≤* < 152.5	120.00000	6.09536	0.104	0.052
9	142.5 ≤* < 147.5	116.00000	5.92409	0.101	0.051
8	137.5 ≤* < 142.5	112.00000	5.75282	0.098	0.049
7	132.5 ≤* < 137.5	108.00000	5.58154	0.095	0.048
6	127.5 ≤* < 132.5	104.00000	5.41027	0.092	0.046
5	122.5 ≤* < 127.5	100.00000	5.23900	0.089	0.045
4	117.5 ≤* < 122.5	96.00000	5.06773	0.086	0.043
3	112.5 ≤* < 117.5	92.00000	4.89645	0.083	0.042
2	107.5 ≤* < 112.5	88.00000	4.72518	0.080	0.040
1	102.5 ≤* < 107.5	84.00000	4.55391	0.077	0.039
0	97.5 ≤* < 102.5	80.00000	4.38264	0.075	0.038
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.072	0.036
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.069	0.035
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.066	0.033
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.063	0.032
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.060	0.030
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.057	0.029
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.054	0.027
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.051	0.026
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.048	0.024
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.045	0.023
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.042	0.021
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.040	0.020
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.037	0.019
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.034	0.017
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.031	0.016
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.028	0.014
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.025	0.013
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.022	0.011
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.019	0.010
-20	0 ≤* < 2.5	1.00000	1.00000	0.017	0.009
		平均値		標準率	
		24.35458	2.00000	0.034	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.074	0.037
19	192.5 ≤* < 197.5	156.00000	7.63682	0.073	0.037
18	187.5 ≤* < 192.5	152.00000	7.46554	0.071	0.036
17	182.5 ≤* < 187.5	148.00000	7.29427	0.069	0.035
16	177.5 ≤* < 182.5	144.00000	7.12300	0.068	0.034
15	172.5 ≤* < 177.5	140.00000	6.95173	0.066	0.033
14	167.5 ≤* < 172.5	136.00000	6.78045	0.064	0.032
13	162.5 ≤* < 167.5	132.00000	6.60918	0.063	0.032
12	157.5 ≤* < 162.5	128.00000	6.43791	0.061	0.031
11	152.5 ≤* < 157.5	124.00000	6.26664	0.060	0.030
10	147.5 ≤* < 152.5	120.00000	6.09536	0.058	0.029
9	142.5 ≤* < 147.5	116.00000	5.92409	0.056	0.028
8	137.5 ≤* < 142.5	112.00000	5.75282	0.055	0.028
7	132.5 ≤* < 137.5	108.00000	5.58154	0.053	0.027
6	127.5 ≤* < 132.5	104.00000	5.41027	0.051	0.026
5	122.5 ≤* < 127.5	100.00000	5.23900	0.050	0.025
4	117.5 ≤* < 122.5	96.00000	5.06773	0.048	0.024
3	112.5 ≤* < 117.5	92.00000	4.89645	0.047	0.024
2	107.5 ≤* < 112.5	88.00000	4.72518	0.045	0.023
1	102.5 ≤* < 107.5	84.00000	4.55391	0.043	0.022
0	97.5 ≤* < 102.5	80.00000	4.38264	0.042	0.021
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.040	0.020
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.038	0.019
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.037	0.019
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.035	0.018
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.033	0.017
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.032	0.016
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.030	0.015
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.029	0.015
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.027	0.014
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.025	0.013
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.024	0.012
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.022	0.011
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.020	0.010
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.019	0.010
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.017	0.009
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.016	0.008
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.014	0.007
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.012	0.006
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.011	0.006
-20	0 ≤* < 2.5	1.00000	1.00000	0.009	0.005
		平均値		標準率	
		24.35458	2.00000	0.019	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(1万円特約、被覆、撤去費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.004	0.004
19	192.5 ≤* < 197.5	156.00000	7.63682	0.004	0.004
18	187.5 ≤* < 192.5	152.00000	7.46554	0.004	0.004
17	182.5 ≤* < 187.5	148.00000	7.29427	0.003	0.003
16	177.5 ≤* < 182.5	144.00000	7.12300	0.004	0.004
15	172.5 ≤* < 177.5	140.00000	6.95173	0.004	0.004
14	167.5 ≤* < 172.5	136.00000	6.78045	0.003	0.003
13	162.5 ≤* < 167.5	132.00000	6.60918	0.003	0.003
12	157.5 ≤* < 162.5	128.00000	6.43791	0.004	0.004
11	152.5 ≤* < 157.5	124.00000	6.26664	0.003	0.003
10	147.5 ≤* < 152.5	120.00000	6.09536	0.003	0.003
9	142.5 ≤* < 147.5	116.00000	5.92409	0.003	0.003
8	137.5 ≤* < 142.5	112.00000	5.75282	0.003	0.003
7	132.5 ≤* < 137.5	108.00000	5.58154	0.003	0.003
6	127.5 ≤* < 132.5	104.00000	5.41027	0.002	0.002
5	122.5 ≤* < 127.5	100.00000	5.23900	0.003	0.003
4	117.5 ≤* < 122.5	96.00000	5.06773	0.003	0.003
3	112.5 ≤* < 117.5	92.00000	4.89645	0.002	0.002
2	107.5 ≤* < 112.5	88.00000	4.72518	0.002	0.002
1	102.5 ≤* < 107.5	84.00000	4.55391	0.003	0.003
0	97.5 ≤* < 102.5	80.00000	4.38264	0.002	0.002
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.002	0.002
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.002	0.002
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.002	0.002
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.002	0.002
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.002	0.002
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.001	0.001
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.002	0.002
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.002	0.002
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.001	0.001
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.001	0.001
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.002	0.002
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.001	0.001
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.001	0.001
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.001	0.001
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.001	0.001
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.001	0.001
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.000	0.000
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.001	0.001
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.001	0.001
-20	0 ≤* < 2.5	1.00000	1.00000	0.000	0.000
		平均値		標準率	
		24.35458	2.00000	0.001	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.371	0.371
19	192.5 ≤* < 197.5	156.00000	7.63682	0.363	0.363
18	187.5 ≤* < 192.5	152.00000	7.46554	0.355	0.355
17	182.5 ≤* < 187.5	148.00000	7.29427	0.346	0.346
16	177.5 ≤* < 182.5	144.00000	7.12300	0.338	0.338
15	172.5 ≤* < 177.5	140.00000	6.95173	0.330	0.330
14	167.5 ≤* < 172.5	136.00000	6.78045	0.322	0.322
13	162.5 ≤* < 167.5	132.00000	6.60918	0.314	0.314
12	157.5 ≤* < 162.5	128.00000	6.43791	0.306	0.306
11	152.5 ≤* < 157.5	124.00000	6.26664	0.298	0.298
10	147.5 ≤* < 152.5	120.00000	6.09536	0.290	0.290
9	142.5 ≤* < 147.5	116.00000	5.92409	0.281	0.281
8	137.5 ≤* < 142.5	112.00000	5.75282	0.273	0.273
7	132.5 ≤* < 137.5	108.00000	5.58154	0.265	0.265
6	127.5 ≤* < 132.5	104.00000	5.41027	0.257	0.257
5	122.5 ≤* < 127.5	100.00000	5.23900	0.249	0.249
4	117.5 ≤* < 122.5	96.00000	5.06773	0.241	0.241
3	112.5 ≤* < 117.5	92.00000	4.89645	0.233	0.233
2	107.5 ≤* < 112.5	88.00000	4.72518	0.224	0.224
1	102.5 ≤* < 107.5	84.00000	4.55391	0.216	0.216
0	97.5 ≤* < 102.5	80.00000	4.38264	0.208	0.208
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.200	0.200
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.192	0.192
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.184	0.184
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.176	0.176
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.167	0.167
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.159	0.159
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.151	0.151
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.143	0.143
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.135	0.135
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.127	0.127
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.119	0.119
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.111	0.111
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.102	0.102
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.094	0.094
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.086	0.086
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.078	0.078
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.070	0.070
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.062	0.062
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.054	0.054
-20	0 ≤* < 2.5	1.00000	1.00000	0.047	0.047
		平均値		標準率	
		24.35458	2.00000	0.095	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.336	0.336
19	192.5 ≤* < 197.5	156.00000	7.63682	0.328	0.328
18	187.5 ≤* < 192.5	152.00000	7.46554	0.321	0.321
17	182.5 ≤* < 187.5	148.00000	7.29427	0.314	0.314
16	177.5 ≤* < 182.5	144.00000	7.12300	0.306	0.306
15	172.5 ≤* < 177.5	140.00000	6.95173	0.299	0.299
14	167.5 ≤* < 172.5	136.00000	6.78045	0.292	0.292
13	162.5 ≤* < 167.5	132.00000	6.60918	0.284	0.284
12	157.5 ≤* < 162.5	128.00000	6.43791	0.277	0.277
11	152.5 ≤* < 157.5	124.00000	6.26664	0.269	0.269
10	147.5 ≤* < 152.5	120.00000	6.09536	0.262	0.262
9	142.5 ≤* < 147.5	116.00000	5.92409	0.255	0.255
8	137.5 ≤* < 142.5	112.00000	5.75282	0.247	0.247
7	132.5 ≤* < 137.5	108.00000	5.58154	0.240	0.240
6	127.5 ≤* < 132.5	104.00000	5.41027	0.233	0.233
5	122.5 ≤* < 127.5	100.00000	5.23900	0.225	0.225
4	117.5 ≤* < 122.5	96.00000	5.06773	0.218	0.218
3	112.5 ≤* < 117.5	92.00000	4.89645	0.211	0.211
2	107.5 ≤* < 112.5	88.00000	4.72518	0.203	0.203
1	102.5 ≤* < 107.5	84.00000	4.55391	0.196	0.196
0	97.5 ≤* < 102.5	80.00000	4.38264	0.188	0.188
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.181	0.181
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.174	0.174
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.166	0.166
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.159	0.159
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.152	0.152
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.144	0.144
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.137	0.137
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.130	0.130
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.122	0.122
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.115	0.115
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.107	0.107
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.100	0.100
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.093	0.093
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.085	0.085
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.078	0.078
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.071	0.071
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.063	0.063
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.056	0.056
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.049	0.049
-20	0 ≤* < 2.5	1.00000	1.00000	0.043	0.043
		平均値		標準率	
		24.35458	2.00000	0.086	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.250	0.250
19	192.5 ≤* < 197.5	156.00000	7.63682	0.244	0.244
18	187.5 ≤* < 192.5	152.00000	7.46554	0.239	0.239
17	182.5 ≤* < 187.5	148.00000	7.29427	0.233	0.233
16	177.5 ≤* < 182.5	144.00000	7.12300	0.228	0.228
15	172.5 ≤* < 177.5	140.00000	6.95173	0.222	0.222
14	167.5 ≤* < 172.5	136.00000	6.78045	0.217	0.217
13	162.5 ≤* < 167.5	132.00000	6.60918	0.211	0.211
12	157.5 ≤* < 162.5	128.00000	6.43791	0.206	0.206
11	152.5 ≤* < 157.5	124.00000	6.26664	0.201	0.201
10	147.5 ≤* < 152.5	120.00000	6.09536	0.195	0.195
9	142.5 ≤* < 147.5	116.00000	5.92409	0.190	0.190
8	137.5 ≤* < 142.5	112.00000	5.75282	0.184	0.184
7	132.5 ≤* < 137.5	108.00000	5.58154	0.179	0.179
6	127.5 ≤* < 132.5	104.00000	5.41027	0.173	0.173
5	122.5 ≤* < 127.5	100.00000	5.23900	0.168	0.168
4	117.5 ≤* < 122.5	96.00000	5.06773	0.162	0.162
3	112.5 ≤* < 117.5	92.00000	4.89645	0.157	0.157
2	107.5 ≤* < 112.5	88.00000	4.72518	0.151	0.151
1	102.5 ≤* < 107.5	84.00000	4.55391	0.146	0.146
0	97.5 ≤* < 102.5	80.00000	4.38264	0.140	0.140
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.135	0.135
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.129	0.129
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.124	0.124
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.118	0.118
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.113	0.113
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.107	0.107
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.102	0.102
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.096	0.096
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.091	0.091
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.085	0.085
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.080	0.080
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.074	0.074
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.069	0.069
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.064	0.064
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.058	0.058
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.053	0.053
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.047	0.047
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.042	0.042
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.036	0.036
-20	0 ≤* < 2.5	1.00000	1.00000	0.032	0.032
		平均値		標準率	
		24.35458	2.00000	0.064	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.164	0.164
19	192.5 ≤* < 197.5	156.00000	7.63682	0.160	0.160
18	187.5 ≤* < 192.5	152.00000	7.46554	0.157	0.157
17	182.5 ≤* < 187.5	148.00000	7.29427	0.153	0.153
16	177.5 ≤* < 182.5	144.00000	7.12300	0.150	0.150
15	172.5 ≤* < 177.5	140.00000	6.95173	0.146	0.146
14	167.5 ≤* < 172.5	136.00000	6.78045	0.142	0.142
13	162.5 ≤* < 167.5	132.00000	6.60918	0.139	0.139
12	157.5 ≤* < 162.5	128.00000	6.43791	0.135	0.135
11	152.5 ≤* < 157.5	124.00000	6.26664	0.132	0.132
10	147.5 ≤* < 152.5	120.00000	6.09536	0.128	0.128
9	142.5 ≤* < 147.5	116.00000	5.92409	0.124	0.124
8	137.5 ≤* < 142.5	112.00000	5.75282	0.121	0.121
7	132.5 ≤* < 137.5	108.00000	5.58154	0.117	0.117
6	127.5 ≤* < 132.5	104.00000	5.41027	0.114	0.114
5	122.5 ≤* < 127.5	100.00000	5.23900	0.110	0.110
4	117.5 ≤* < 122.5	96.00000	5.06773	0.106	0.106
3	112.5 ≤* < 117.5	92.00000	4.89645	0.103	0.103
2	107.5 ≤* < 112.5	88.00000	4.72518	0.099	0.099
1	102.5 ≤* < 107.5	84.00000	4.55391	0.096	0.096
0	97.5 ≤* < 102.5	80.00000	4.38264	0.092	0.092
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.088	0.088
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.085	0.085
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.081	0.081
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.078	0.078
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.074	0.074
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.070	0.070
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.067	0.067
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.063	0.063
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.060	0.060
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.056	0.056
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.052	0.052
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.049	0.049
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.045	0.045
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.042	0.042
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.038	0.038
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.034	0.034
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.031	0.031
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.027	0.027
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.024	0.024
-20	0 ≤* < 2.5	1.00000	1.00000	0.021	0.021
		平均値		標準率	
		24.35458	2.00000	0.042	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.090	0.090
19	192.5 ≤* < 197.5	156.00000	7.63682	0.088	0.088
18	187.5 ≤* < 192.5	152.00000	7.46554	0.086	0.086
17	182.5 ≤* < 187.5	148.00000	7.29427	0.084	0.084
16	177.5 ≤* < 182.5	144.00000	7.12300	0.082	0.082
15	172.5 ≤* < 177.5	140.00000	6.95173	0.080	0.080
14	167.5 ≤* < 172.5	136.00000	6.78045	0.078	0.078
13	162.5 ≤* < 167.5	132.00000	6.60918	0.076	0.076
12	157.5 ≤* < 162.5	128.00000	6.43791	0.074	0.074
11	152.5 ≤* < 157.5	124.00000	6.26664	0.072	0.072
10	147.5 ≤* < 152.5	120.00000	6.09536	0.070	0.070
9	142.5 ≤* < 147.5	116.00000	5.92409	0.068	0.068
8	137.5 ≤* < 142.5	112.00000	5.75282	0.066	0.066
7	132.5 ≤* < 137.5	108.00000	5.58154	0.064	0.064
6	127.5 ≤* < 132.5	104.00000	5.41027	0.062	0.062
5	122.5 ≤* < 127.5	100.00000	5.23900	0.060	0.060
4	117.5 ≤* < 122.5	96.00000	5.06773	0.058	0.058
3	112.5 ≤* < 117.5	92.00000	4.89645	0.056	0.056
2	107.5 ≤* < 112.5	88.00000	4.72518	0.054	0.054
1	102.5 ≤* < 107.5	84.00000	4.55391	0.052	0.052
0	97.5 ≤* < 102.5	80.00000	4.38264	0.050	0.050
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.048	0.048
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.046	0.046
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.044	0.044
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.043	0.043
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.041	0.041
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.039	0.039
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.037	0.037
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.035	0.035
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.033	0.033
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.031	0.031
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.029	0.029
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.027	0.027
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.025	0.025
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.023	0.023
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.021	0.021
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.019	0.019
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.017	0.017
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.015	0.015
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.013	0.013
-20	0 ≤* < 2.5	1.00000	1.00000	0.011	0.011
		平均値		標準率	
		24.35458	2.00000	0.023	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(1万円特約、被覆、復旧費用)

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.008	0.008
19	192.5 ≤* < 197.5	156.00000	7.63682	0.007	0.007
18	187.5 ≤* < 192.5	152.00000	7.46554	0.007	0.007
17	182.5 ≤* < 187.5	148.00000	7.29427	0.008	0.008
16	177.5 ≤* < 182.5	144.00000	7.12300	0.007	0.007
15	172.5 ≤* < 177.5	140.00000	6.95173	0.007	0.007
14	167.5 ≤* < 172.5	136.00000	6.78045	0.007	0.007
13	162.5 ≤* < 167.5	132.00000	6.60918	0.007	0.007
12	157.5 ≤* < 162.5	128.00000	6.43791	0.006	0.006
11	152.5 ≤* < 157.5	124.00000	6.26664	0.006	0.006
10	147.5 ≤* < 152.5	120.00000	6.09536	0.006	0.006
9	142.5 ≤* < 147.5	116.00000	5.92409	0.006	0.006
8	137.5 ≤* < 142.5	112.00000	5.75282	0.006	0.006
7	132.5 ≤* < 137.5	108.00000	5.58154	0.006	0.006
6	127.5 ≤* < 132.5	104.00000	5.41027	0.005	0.005
5	122.5 ≤* < 127.5	100.00000	5.23900	0.005	0.005
4	117.5 ≤* < 122.5	96.00000	5.06773	0.005	0.005
3	112.5 ≤* < 117.5	92.00000	4.89645	0.004	0.004
2	107.5 ≤* < 112.5	88.00000	4.72518	0.005	0.005
1	102.5 ≤* < 107.5	84.00000	4.55391	0.005	0.005
0	97.5 ≤* < 102.5	80.00000	4.38264	0.005	0.005
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.004	0.004
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.004	0.004
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.004	0.004
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.003	0.003
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.004	0.004
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.004	0.004
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.003	0.003
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.003	0.003
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.003	0.003
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.002	0.002
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.002	0.002
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.002	0.002
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.003	0.003
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.002	0.002
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.002	0.002
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.002	0.002
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.001	0.001
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.001	0.001
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.001	0.001
-20	0 ≤* < 2.5	1.00000	1.00000	0.001	0.001
		平均値		標準率	
		24.35458	2.00000	0.002	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.351	0.176
19	192.5 ≤* < 197.5	156.00000	7.63682	0.344	0.172
18	187.5 ≤* < 192.5	152.00000	7.46554	0.336	0.168
17	182.5 ≤* < 187.5	148.00000	7.29427	0.328	0.164
16	177.5 ≤* < 182.5	144.00000	7.12300	0.321	0.161
15	172.5 ≤* < 177.5	140.00000	6.95173	0.313	0.157
14	167.5 ≤* < 172.5	136.00000	6.78045	0.305	0.153
13	162.5 ≤* < 167.5	132.00000	6.60918	0.297	0.149
12	157.5 ≤* < 162.5	128.00000	6.43791	0.290	0.145
11	152.5 ≤* < 157.5	124.00000	6.26664	0.282	0.141
10	147.5 ≤* < 152.5	120.00000	6.09536	0.274	0.137
9	142.5 ≤* < 147.5	116.00000	5.92409	0.267	0.134
8	137.5 ≤* < 142.5	112.00000	5.75282	0.259	0.130
7	132.5 ≤* < 137.5	108.00000	5.58154	0.251	0.126
6	127.5 ≤* < 132.5	104.00000	5.41027	0.243	0.122
5	122.5 ≤* < 127.5	100.00000	5.23900	0.236	0.118
4	117.5 ≤* < 122.5	96.00000	5.06773	0.228	0.114
3	112.5 ≤* < 117.5	92.00000	4.89645	0.220	0.110
2	107.5 ≤* < 112.5	88.00000	4.72518	0.213	0.107
1	102.5 ≤* < 107.5	84.00000	4.55391	0.205	0.103
0	97.5 ≤* < 102.5	80.00000	4.38264	0.197	0.099
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.190	0.095
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.182	0.091
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.174	0.087
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.166	0.083
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.159	0.080
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.151	0.076
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.143	0.072
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.136	0.068
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.128	0.064
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.120	0.060
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.112	0.056
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.105	0.053
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.097	0.049
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.089	0.045
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.082	0.041
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.074	0.037
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.066	0.033
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.058	0.029
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.051	0.026
-20	0 ≤* < 2.5	1.00000	1.00000	0.045	0.023
		平均値		標準率	
		24.35458	2.00000	0.090	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.320	0.160
19	192.5 ≤* < 197.5	156.00000	7.63682	0.313	0.157
18	187.5 ≤* < 192.5	152.00000	7.46554	0.306	0.153
17	182.5 ≤* < 187.5	148.00000	7.29427	0.299	0.150
16	177.5 ≤* < 182.5	144.00000	7.12300	0.292	0.146
15	172.5 ≤* < 177.5	140.00000	6.95173	0.285	0.143
14	167.5 ≤* < 172.5	136.00000	6.78045	0.278	0.139
13	162.5 ≤* < 167.5	132.00000	6.60918	0.271	0.136
12	157.5 ≤* < 162.5	128.00000	6.43791	0.264	0.132
11	152.5 ≤* < 157.5	124.00000	6.26664	0.257	0.129
10	147.5 ≤* < 152.5	120.00000	6.09536	0.250	0.125
9	142.5 ≤* < 147.5	116.00000	5.92409	0.243	0.122
8	137.5 ≤* < 142.5	112.00000	5.75282	0.236	0.118
7	132.5 ≤* < 137.5	108.00000	5.58154	0.229	0.115
6	127.5 ≤* < 132.5	104.00000	5.41027	0.222	0.111
5	122.5 ≤* < 127.5	100.00000	5.23900	0.215	0.108
4	117.5 ≤* < 122.5	96.00000	5.06773	0.208	0.104
3	112.5 ≤* < 117.5	92.00000	4.89645	0.201	0.101
2	107.5 ≤* < 112.5	88.00000	4.72518	0.194	0.097
1	102.5 ≤* < 107.5	84.00000	4.55391	0.187	0.094
0	97.5 ≤* < 102.5	80.00000	4.38264	0.180	0.090
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.173	0.087
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.166	0.083
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.159	0.080
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.152	0.076
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.145	0.073
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.138	0.069
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.131	0.066
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.124	0.062
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.116	0.058
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.109	0.055
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.102	0.051
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.095	0.048
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.088	0.044
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.081	0.041
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.074	0.037
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.067	0.034
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.060	0.030
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.053	0.027
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.046	0.023
-20	0 ≤* < 2.5	1.00000	1.00000	0.041	0.021
		平均値		標準率	
		24.35458	2.00000	0.082	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.250	0.125
19	192.5 ≤* < 197.5	156.00000	7.63682	0.244	0.122
18	187.5 ≤* < 192.5	152.00000	7.46554	0.239	0.120
17	182.5 ≤* < 187.5	148.00000	7.29427	0.233	0.117
16	177.5 ≤* < 182.5	144.00000	7.12300	0.228	0.114
15	172.5 ≤* < 177.5	140.00000	6.95173	0.222	0.111
14	167.5 ≤* < 172.5	136.00000	6.78045	0.217	0.109
13	162.5 ≤* < 167.5	132.00000	6.60918	0.211	0.106
12	157.5 ≤* < 162.5	128.00000	6.43791	0.206	0.103
11	152.5 ≤* < 157.5	124.00000	6.26664	0.201	0.101
10	147.5 ≤* < 152.5	120.00000	6.09536	0.195	0.098
9	142.5 ≤* < 147.5	116.00000	5.92409	0.190	0.095
8	137.5 ≤* < 142.5	112.00000	5.75282	0.184	0.092
7	132.5 ≤* < 137.5	108.00000	5.58154	0.179	0.090
6	127.5 ≤* < 132.5	104.00000	5.41027	0.173	0.087
5	122.5 ≤* < 127.5	100.00000	5.23900	0.168	0.084
4	117.5 ≤* < 122.5	96.00000	5.06773	0.162	0.081
3	112.5 ≤* < 117.5	92.00000	4.89645	0.157	0.079
2	107.5 ≤* < 112.5	88.00000	4.72518	0.151	0.076
1	102.5 ≤* < 107.5	84.00000	4.55391	0.146	0.073
0	97.5 ≤* < 102.5	80.00000	4.38264	0.140	0.070
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.135	0.068
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.129	0.065
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.124	0.062
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.118	0.059
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.113	0.057
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.107	0.054
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.102	0.051
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.096	0.048
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.091	0.046
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.085	0.043
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.080	0.040
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.074	0.037
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.069	0.035
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.064	0.032
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.058	0.029
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.053	0.027
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.047	0.024
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.042	0.021
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.036	0.018
-20	0 ≤* < 2.5	1.00000	1.00000	0.032	0.016
		平均値		標準率	
		24.35458	2.00000	0.064	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.164	0.082
19	192.5 ≤* < 197.5	156.00000	7.63682	0.160	0.080
18	187.5 ≤* < 192.5	152.00000	7.46554	0.157	0.079
17	182.5 ≤* < 187.5	148.00000	7.29427	0.153	0.077
16	177.5 ≤* < 182.5	144.00000	7.12300	0.150	0.075
15	172.5 ≤* < 177.5	140.00000	6.95173	0.146	0.073
14	167.5 ≤* < 172.5	136.00000	6.78045	0.142	0.071
13	162.5 ≤* < 167.5	132.00000	6.60918	0.139	0.070
12	157.5 ≤* < 162.5	128.00000	6.43791	0.135	0.068
11	152.5 ≤* < 157.5	124.00000	6.26664	0.132	0.066
10	147.5 ≤* < 152.5	120.00000	6.09536	0.128	0.064
9	142.5 ≤* < 147.5	116.00000	5.92409	0.124	0.062
8	137.5 ≤* < 142.5	112.00000	5.75282	0.121	0.061
7	132.5 ≤* < 137.5	108.00000	5.58154	0.117	0.059
6	127.5 ≤* < 132.5	104.00000	5.41027	0.114	0.057
5	122.5 ≤* < 127.5	100.00000	5.23900	0.110	0.055
4	117.5 ≤* < 122.5	96.00000	5.06773	0.106	0.053
3	112.5 ≤* < 117.5	92.00000	4.89645	0.103	0.052
2	107.5 ≤* < 112.5	88.00000	4.72518	0.099	0.050
1	102.5 ≤* < 107.5	84.00000	4.55391	0.096	0.048
0	97.5 ≤* < 102.5	80.00000	4.38264	0.092	0.046
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.088	0.044
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.085	0.043
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.081	0.041
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.078	0.039
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.074	0.037
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.070	0.035
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.067	0.034
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.063	0.032
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.060	0.030
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.056	0.028
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.052	0.026
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.049	0.025
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.045	0.023
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.042	0.021
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.038	0.019
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.034	0.017
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.031	0.016
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.027	0.014
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.024	0.012
-20	0 ≤* < 2.5	1.00000	1.00000	0.021	0.011
		平均値		標準率	
		24.35458	2.00000	0.042	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.094	0.047
19	192.5 ≤* < 197.5	156.00000	7.63682	0.092	0.046
18	187.5 ≤* < 192.5	152.00000	7.46554	0.090	0.045
17	182.5 ≤* < 187.5	148.00000	7.29427	0.088	0.044
16	177.5 ≤* < 182.5	144.00000	7.12300	0.085	0.043
15	172.5 ≤* < 177.5	140.00000	6.95173	0.083	0.042
14	167.5 ≤* < 172.5	136.00000	6.78045	0.081	0.041
13	162.5 ≤* < 167.5	132.00000	6.60918	0.079	0.040
12	157.5 ≤* < 162.5	128.00000	6.43791	0.077	0.039
11	152.5 ≤* < 157.5	124.00000	6.26664	0.075	0.038
10	147.5 ≤* < 152.5	120.00000	6.09536	0.073	0.037
9	142.5 ≤* < 147.5	116.00000	5.92409	0.071	0.036
8	137.5 ≤* < 142.5	112.00000	5.75282	0.069	0.035
7	132.5 ≤* < 137.5	108.00000	5.58154	0.067	0.034
6	127.5 ≤* < 132.5	104.00000	5.41027	0.065	0.033
5	122.5 ≤* < 127.5	100.00000	5.23900	0.063	0.032
4	117.5 ≤* < 122.5	96.00000	5.06773	0.061	0.031
3	112.5 ≤* < 117.5	92.00000	4.89645	0.059	0.030
2	107.5 ≤* < 112.5	88.00000	4.72518	0.057	0.029
1	102.5 ≤* < 107.5	84.00000	4.55391	0.055	0.028
0	97.5 ≤* < 102.5	80.00000	4.38264	0.053	0.027
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.051	0.026
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.048	0.024
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.046	0.023
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.044	0.022
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.042	0.021
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.040	0.020
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.038	0.019
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.036	0.018
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.034	0.017
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.032	0.016
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.030	0.015
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.028	0.014
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.026	0.013
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.024	0.012
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.022	0.011
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.020	0.010
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.018	0.009
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.016	0.008
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.014	0.007
-20	0 ≤* < 2.5	1.00000	1.00000	0.012	0.006
		平均値		標準率	
		24.35458	2.00000	0.024	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(1万円特約、被覆、本体及び附帯) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.008	0.008
19	192.5 ≤* < 197.5	156.00000	7.63682	0.007	0.007
18	187.5 ≤* < 192.5	152.00000	7.46554	0.007	0.007
17	182.5 ≤* < 187.5	148.00000	7.29427	0.008	0.008
16	177.5 ≤* < 182.5	144.00000	7.12300	0.007	0.007
15	172.5 ≤* < 177.5	140.00000	6.95173	0.007	0.007
14	167.5 ≤* < 172.5	136.00000	6.78045	0.007	0.007
13	162.5 ≤* < 167.5	132.00000	6.60918	0.007	0.007
12	157.5 ≤* < 162.5	128.00000	6.43791	0.006	0.006
11	152.5 ≤* < 157.5	124.00000	6.26664	0.006	0.006
10	147.5 ≤* < 152.5	120.00000	6.09536	0.006	0.006
9	142.5 ≤* < 147.5	116.00000	5.92409	0.006	0.006
8	137.5 ≤* < 142.5	112.00000	5.75282	0.006	0.006
7	132.5 ≤* < 137.5	108.00000	5.58154	0.006	0.006
6	127.5 ≤* < 132.5	104.00000	5.41027	0.006	0.006
5	122.5 ≤* < 127.5	100.00000	5.23900	0.005	0.005
4	117.5 ≤* < 122.5	96.00000	5.06773	0.005	0.005
3	112.5 ≤* < 117.5	92.00000	4.89645	0.005	0.005
2	107.5 ≤* < 112.5	88.00000	4.72518	0.004	0.004
1	102.5 ≤* < 107.5	84.00000	4.55391	0.004	0.004
0	97.5 ≤* < 102.5	80.00000	4.38264	0.005	0.005
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.004	0.004
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.004	0.004
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.004	0.004
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.004	0.004
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.003	0.003
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.003	0.003
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.003	0.003
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.003	0.003
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.003	0.003
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.003	0.003
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.003	0.003
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.002	0.002
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.002	0.002
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.002	0.002
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.001	0.001
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.002	0.002
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.002	0.002
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.002	0.002
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.001	0.001
-20	0 ≤* < 2.5	1.00000	1.00000	0.001	0.001
		平均値		標準率	
		24.35458	2.00000	0.002	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	5.555	2.778
19	192.5 ≤* < 197.5	156.00000	7.63682	5.434	2.717
18	187.5 ≤* < 192.5	152.00000	7.46554	5.312	2.656
17	182.5 ≤* < 187.5	148.00000	7.29427	5.190	2.595
16	177.5 ≤* < 182.5	144.00000	7.12300	5.068	2.534
15	172.5 ≤* < 177.5	140.00000	6.95173	4.946	2.473
14	167.5 ≤* < 172.5	136.00000	6.78045	4.824	2.412
13	162.5 ≤* < 167.5	132.00000	6.60918	4.702	2.351
12	157.5 ≤* < 162.5	128.00000	6.43791	4.581	2.291
11	152.5 ≤* < 157.5	124.00000	6.26664	4.459	2.230
10	147.5 ≤* < 152.5	120.00000	6.09536	4.337	2.169
9	142.5 ≤* < 147.5	116.00000	5.92409	4.215	2.108
8	137.5 ≤* < 142.5	112.00000	5.75282	4.093	2.047
7	132.5 ≤* < 137.5	108.00000	5.58154	3.971	1.986
6	127.5 ≤* < 132.5	104.00000	5.41027	3.849	1.925
5	122.5 ≤* < 127.5	100.00000	5.23900	3.728	1.864
4	117.5 ≤* < 122.5	96.00000	5.06773	3.606	1.803
3	112.5 ≤* < 117.5	92.00000	4.89645	3.484	1.742
2	107.5 ≤* < 112.5	88.00000	4.72518	3.362	1.681
1	102.5 ≤* < 107.5	84.00000	4.55391	3.240	1.620
0	97.5 ≤* < 102.5	80.00000	4.38264	3.118	1.559
-1	92.5 ≤* < 97.5	76.00000	4.21136	2.996	1.498
-2	87.5 ≤* < 92.5	72.00000	4.04009	2.875	1.438
-3	82.5 ≤* < 87.5	68.00000	3.86882	2.753	1.377
-4	77.5 ≤* < 82.5	64.00000	3.69755	2.631	1.316
-5	72.5 ≤* < 77.5	60.00000	3.52627	2.509	1.255
-6	67.5 ≤* < 72.5	56.00000	3.35500	2.387	1.194
-7	62.5 ≤* < 67.5	52.00000	3.18373	2.265	1.133
-8	57.5 ≤* < 62.5	48.00000	3.01245	2.143	1.072
-9	52.5 ≤* < 57.5	44.00000	2.84118	2.021	1.011
-10	47.5 ≤* < 52.5	40.00000	2.66991	1.900	0.950
-11	42.5 ≤* < 47.5	36.00000	2.49864	1.778	0.889
-12	37.5 ≤* < 42.5	32.00000	2.32736	1.656	0.828
-13	32.5 ≤* < 37.5	28.00000	2.15609	1.534	0.767
-14	27.5 ≤* < 32.5	24.00000	1.98482	1.412	0.706
-15	22.5 ≤* < 27.5	20.00000	1.81355	1.290	0.645
-16	17.5 ≤* < 22.5	16.00000	1.64227	1.168	0.584
-17	12.5 ≤* < 17.5	12.00000	1.47100	1.047	0.524
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.925	0.463
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.803	0.402
-20	0 ≤* < 2.5	1.00000	1.00000	0.711	0.356
		平均値		標準率	
		24.35458	2.00000	1.423	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	3.908	1.954
19	192.5 ≤* < 197.5	156.00000	7.63682	3.822	1.911
18	187.5 ≤* < 192.5	152.00000	7.46554	3.737	1.869
17	182.5 ≤* < 187.5	148.00000	7.29427	3.651	1.826
16	177.5 ≤* < 182.5	144.00000	7.12300	3.565	1.783
15	172.5 ≤* < 177.5	140.00000	6.95173	3.479	1.740
14	167.5 ≤* < 172.5	136.00000	6.78045	3.394	1.697
13	162.5 ≤* < 167.5	132.00000	6.60918	3.308	1.654
12	157.5 ≤* < 162.5	128.00000	6.43791	3.222	1.611
11	152.5 ≤* < 157.5	124.00000	6.26664	3.136	1.568
10	147.5 ≤* < 152.5	120.00000	6.09536	3.051	1.526
9	142.5 ≤* < 147.5	116.00000	5.92409	2.965	1.483
8	137.5 ≤* < 142.5	112.00000	5.75282	2.879	1.440
7	132.5 ≤* < 137.5	108.00000	5.58154	2.794	1.397
6	127.5 ≤* < 132.5	104.00000	5.41027	2.708	1.354
5	122.5 ≤* < 127.5	100.00000	5.23900	2.622	1.311
4	117.5 ≤* < 122.5	96.00000	5.06773	2.536	1.268
3	112.5 ≤* < 117.5	92.00000	4.89645	2.451	1.226
2	107.5 ≤* < 112.5	88.00000	4.72518	2.365	1.183
1	102.5 ≤* < 107.5	84.00000	4.55391	2.279	1.140
0	97.5 ≤* < 102.5	80.00000	4.38264	2.194	1.097
-1	92.5 ≤* < 97.5	76.00000	4.21136	2.108	1.054
-2	87.5 ≤* < 92.5	72.00000	4.04009	2.022	1.011
-3	82.5 ≤* < 87.5	68.00000	3.86882	1.936	0.968
-4	77.5 ≤* < 82.5	64.00000	3.69755	1.851	0.926
-5	72.5 ≤* < 77.5	60.00000	3.52627	1.765	0.883
-6	67.5 ≤* < 72.5	56.00000	3.35500	1.679	0.840
-7	62.5 ≤* < 67.5	52.00000	3.18373	1.593	0.797
-8	57.5 ≤* < 62.5	48.00000	3.01245	1.508	0.754
-9	52.5 ≤* < 57.5	44.00000	2.84118	1.422	0.711
-10	47.5 ≤* < 52.5	40.00000	2.66991	1.336	0.668
-11	42.5 ≤* < 47.5	36.00000	2.49864	1.251	0.626
-12	37.5 ≤* < 42.5	32.00000	2.32736	1.165	0.583
-13	32.5 ≤* < 37.5	28.00000	2.15609	1.079	0.540
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.993	0.497
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.908	0.454
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.822	0.411
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.736	0.368
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.651	0.326
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.565	0.283
-20	0 ≤* < 2.5	1.00000	1.00000	0.500	0.250
		平均値		標準率	
		24.35458	2.00000	1.001	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	3.026	1.513
19	192.5 ≤* < 197.5	156.00000	7.63682	2.959	1.480
18	187.5 ≤* < 192.5	152.00000	7.46554	2.893	1.447
17	182.5 ≤* < 187.5	148.00000	7.29427	2.827	1.414
16	177.5 ≤* < 182.5	144.00000	7.12300	2.760	1.380
15	172.5 ≤* < 177.5	140.00000	6.95173	2.694	1.347
14	167.5 ≤* < 172.5	136.00000	6.78045	2.627	1.314
13	162.5 ≤* < 167.5	132.00000	6.60918	2.561	1.281
12	157.5 ≤* < 162.5	128.00000	6.43791	2.495	1.248
11	152.5 ≤* < 157.5	124.00000	6.26664	2.428	1.214
10	147.5 ≤* < 152.5	120.00000	6.09536	2.362	1.181
9	142.5 ≤* < 147.5	116.00000	5.92409	2.296	1.148
8	137.5 ≤* < 142.5	112.00000	5.75282	2.229	1.115
7	132.5 ≤* < 137.5	108.00000	5.58154	2.163	1.082
6	127.5 ≤* < 132.5	104.00000	5.41027	2.096	1.048
5	122.5 ≤* < 127.5	100.00000	5.23900	2.030	1.015
4	117.5 ≤* < 122.5	96.00000	5.06773	1.964	0.982
3	112.5 ≤* < 117.5	92.00000	4.89645	1.897	0.949
2	107.5 ≤* < 112.5	88.00000	4.72518	1.831	0.916
1	102.5 ≤* < 107.5	84.00000	4.55391	1.765	0.883
0	97.5 ≤* < 102.5	80.00000	4.38264	1.698	0.849
-1	92.5 ≤* < 97.5	76.00000	4.21136	1.632	0.816
-2	87.5 ≤* < 92.5	72.00000	4.04009	1.566	0.783
-3	82.5 ≤* < 87.5	68.00000	3.86882	1.499	0.750
-4	77.5 ≤* < 82.5	64.00000	3.69755	1.433	0.717
-5	72.5 ≤* < 77.5	60.00000	3.52627	1.366	0.683
-6	67.5 ≤* < 72.5	56.00000	3.35500	1.300	0.650
-7	62.5 ≤* < 67.5	52.00000	3.18373	1.234	0.617
-8	57.5 ≤* < 62.5	48.00000	3.01245	1.167	0.584
-9	52.5 ≤* < 57.5	44.00000	2.84118	1.101	0.551
-10	47.5 ≤* < 52.5	40.00000	2.66991	1.035	0.518
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.968	0.484
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.902	0.451
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.835	0.418
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.769	0.385
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.703	0.352
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.636	0.318
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.570	0.285
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.504	0.252
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.437	0.219
-20	0 ≤* < 2.5	1.00000	1.00000	0.387	0.194
		平均値		標準率	
		24.35458	2.00000	0.775	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	1.120	0.560
19	192.5 ≤* < 197.5	156.00000	7.63682	1.096	0.548
18	187.5 ≤* < 192.5	152.00000	7.46554	1.071	0.536
17	182.5 ≤* < 187.5	148.00000	7.29427	1.047	0.524
16	177.5 ≤* < 182.5	144.00000	7.12300	1.022	0.511
15	172.5 ≤* < 177.5	140.00000	6.95173	0.998	0.499
14	167.5 ≤* < 172.5	136.00000	6.78045	0.973	0.487
13	162.5 ≤* < 167.5	132.00000	6.60918	0.948	0.474
12	157.5 ≤* < 162.5	128.00000	6.43791	0.924	0.462
11	152.5 ≤* < 157.5	124.00000	6.26664	0.899	0.450
10	147.5 ≤* < 152.5	120.00000	6.09536	0.875	0.438
9	142.5 ≤* < 147.5	116.00000	5.92409	0.850	0.425
8	137.5 ≤* < 142.5	112.00000	5.75282	0.826	0.413
7	132.5 ≤* < 137.5	108.00000	5.58154	0.801	0.401
6	127.5 ≤* < 132.5	104.00000	5.41027	0.776	0.388
5	122.5 ≤* < 127.5	100.00000	5.23900	0.752	0.376
4	117.5 ≤* < 122.5	96.00000	5.06773	0.727	0.364
3	112.5 ≤* < 117.5	92.00000	4.89645	0.703	0.352
2	107.5 ≤* < 112.5	88.00000	4.72518	0.678	0.339
1	102.5 ≤* < 107.5	84.00000	4.55391	0.653	0.327
0	97.5 ≤* < 102.5	80.00000	4.38264	0.629	0.315
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.604	0.302
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.580	0.290
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.555	0.278
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.531	0.266
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.506	0.253
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.481	0.241
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.457	0.229
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.432	0.216
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.408	0.204
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.383	0.192
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.359	0.180
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.334	0.167
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.309	0.155
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.285	0.143
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.260	0.130
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.236	0.118
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.211	0.106
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.187	0.094
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.162	0.081
-20	0 ≤* < 2.5	1.00000	1.00000	0.143	0.072
		平均値		標準率	
		24.35458	2.00000	0.287	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.020	0.010
19	192.5 ≤* < 197.5	156.00000	7.63682	0.019	0.010
18	187.5 ≤* < 192.5	152.00000	7.46554	0.019	0.010
17	182.5 ≤* < 187.5	148.00000	7.29427	0.018	0.009
16	177.5 ≤* < 182.5	144.00000	7.12300	0.018	0.009
15	172.5 ≤* < 177.5	140.00000	6.95173	0.017	0.009
14	167.5 ≤* < 172.5	136.00000	6.78045	0.017	0.009
13	162.5 ≤* < 167.5	132.00000	6.60918	0.017	0.009
12	157.5 ≤* < 162.5	128.00000	6.43791	0.016	0.008
11	152.5 ≤* < 157.5	124.00000	6.26664	0.016	0.008
10	147.5 ≤* < 152.5	120.00000	6.09536	0.015	0.008
9	142.5 ≤* < 147.5	116.00000	5.92409	0.015	0.008
8	137.5 ≤* < 142.5	112.00000	5.75282	0.014	0.007
7	132.5 ≤* < 137.5	108.00000	5.58154	0.014	0.007
6	127.5 ≤* < 132.5	104.00000	5.41027	0.014	0.007
5	122.5 ≤* < 127.5	100.00000	5.23900	0.013	0.007
4	117.5 ≤* < 122.5	96.00000	5.06773	0.013	0.007
3	112.5 ≤* < 117.5	92.00000	4.89645	0.012	0.006
2	107.5 ≤* < 112.5	88.00000	4.72518	0.012	0.006
1	102.5 ≤* < 107.5	84.00000	4.55391	0.011	0.006
0	97.5 ≤* < 102.5	80.00000	4.38264	0.011	0.006
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.011	0.006
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.010	0.005
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.010	0.005
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.009	0.005
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.009	0.005
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.008	0.004
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.008	0.004
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.008	0.004
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.007	0.004
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.007	0.004
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.006	0.003
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.006	0.003
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.005	0.003
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.005	0.003
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.005	0.003
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.004	0.002
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.004	0.002
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.003	0.002
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.003	0.002
-20	0 ≤* < 2.5	1.00000	1.00000	0.002	0.001
		平均値		標準率	
		24.35458	2.00000	0.005	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(1万円特約、被覆、内作一般) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.196	0.196
19	192.5 ≤* < 197.5	156.00000	7.63682	0.191	0.191
18	187.5 ≤* < 192.5	152.00000	7.46554	0.186	0.186
17	182.5 ≤* < 187.5	148.00000	7.29427	0.182	0.182
16	177.5 ≤* < 182.5	144.00000	7.12300	0.178	0.178
15	172.5 ≤* < 177.5	140.00000	6.95173	0.174	0.174
14	167.5 ≤* < 172.5	136.00000	6.78045	0.170	0.170
13	162.5 ≤* < 167.5	132.00000	6.60918	0.166	0.166
12	157.5 ≤* < 162.5	128.00000	6.43791	0.161	0.161
11	152.5 ≤* < 157.5	124.00000	6.26664	0.156	0.156
10	147.5 ≤* < 152.5	120.00000	6.09536	0.152	0.152
9	142.5 ≤* < 147.5	116.00000	5.92409	0.148	0.148
8	137.5 ≤* < 142.5	112.00000	5.75282	0.144	0.144
7	132.5 ≤* < 137.5	108.00000	5.58154	0.140	0.140
6	127.5 ≤* < 132.5	104.00000	5.41027	0.136	0.136
5	122.5 ≤* < 127.5	100.00000	5.23900	0.131	0.131
4	117.5 ≤* < 122.5	96.00000	5.06773	0.126	0.126
3	112.5 ≤* < 117.5	92.00000	4.89645	0.122	0.122
2	107.5 ≤* < 112.5	88.00000	4.72518	0.118	0.118
1	102.5 ≤* < 107.5	84.00000	4.55391	0.114	0.114
0	97.5 ≤* < 102.5	80.00000	4.38264	0.110	0.110
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.106	0.106
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.101	0.101
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.096	0.096
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.092	0.092
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.088	0.088
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.084	0.084
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.080	0.080
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.076	0.076
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.072	0.072
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.066	0.066
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.062	0.062
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.058	0.058
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.054	0.054
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.050	0.050
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.046	0.046
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.042	0.042
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.036	0.036
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.032	0.032
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.028	0.028
-20	0 ≤* < 2.5	1.00000	1.00000	0.025	0.025
		平均値		標準率	
		24.35458	2.00000	0.050	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.769	0.385
19	192.5 ≤* < 197.5	156.00000	7.63682	0.752	0.376
18	187.5 ≤* < 192.5	152.00000	7.46554	0.735	0.368
17	182.5 ≤* < 187.5	148.00000	7.29427	0.718	0.359
16	177.5 ≤* < 182.5	144.00000	7.12300	0.702	0.351
15	172.5 ≤* < 177.5	140.00000	6.95173	0.685	0.343
14	167.5 ≤* < 172.5	136.00000	6.78045	0.668	0.334
13	162.5 ≤* < 167.5	132.00000	6.60918	0.651	0.326
12	157.5 ≤* < 162.5	128.00000	6.43791	0.634	0.317
11	152.5 ≤* < 157.5	124.00000	6.26664	0.617	0.309
10	147.5 ≤* < 152.5	120.00000	6.09536	0.600	0.300
9	142.5 ≤* < 147.5	116.00000	5.92409	0.584	0.292
8	137.5 ≤* < 142.5	112.00000	5.75282	0.567	0.284
7	132.5 ≤* < 137.5	108.00000	5.58154	0.550	0.275
6	127.5 ≤* < 132.5	104.00000	5.41027	0.533	0.267
5	122.5 ≤* < 127.5	100.00000	5.23900	0.516	0.258
4	117.5 ≤* < 122.5	96.00000	5.06773	0.499	0.250
3	112.5 ≤* < 117.5	92.00000	4.89645	0.482	0.241
2	107.5 ≤* < 112.5	88.00000	4.72518	0.465	0.233
1	102.5 ≤* < 107.5	84.00000	4.55391	0.449	0.225
0	97.5 ≤* < 102.5	80.00000	4.38264	0.432	0.216
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.415	0.208
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.398	0.199
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.381	0.191
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.364	0.182
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.347	0.174
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.330	0.165
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.314	0.157
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.297	0.149
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.280	0.140
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.263	0.132
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.246	0.123
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.229	0.115
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.212	0.106
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.196	0.098
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.179	0.090
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.162	0.081
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.145	0.073
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.128	0.064
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.111	0.056
-20	0 ≤* < 2.5	1.00000	1.00000	0.098	0.049
		平均値		標準率	
		24.35458	2.00000	0.197	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.765	0.383
19	192.5 ≤* < 197.5	156.00000	7.63682	0.748	0.374
18	187.5 ≤* < 192.5	152.00000	7.46554	0.732	0.366
17	182.5 ≤* < 187.5	148.00000	7.29427	0.715	0.358
16	177.5 ≤* < 182.5	144.00000	7.12300	0.698	0.349
15	172.5 ≤* < 177.5	140.00000	6.95173	0.681	0.341
14	167.5 ≤* < 172.5	136.00000	6.78045	0.664	0.332
13	162.5 ≤* < 167.5	132.00000	6.60918	0.648	0.324
12	157.5 ≤* < 162.5	128.00000	6.43791	0.631	0.316
11	152.5 ≤* < 157.5	124.00000	6.26664	0.614	0.307
10	147.5 ≤* < 152.5	120.00000	6.09536	0.597	0.299
9	142.5 ≤* < 147.5	116.00000	5.92409	0.581	0.291
8	137.5 ≤* < 142.5	112.00000	5.75282	0.564	0.282
7	132.5 ≤* < 137.5	108.00000	5.58154	0.547	0.274
6	127.5 ≤* < 132.5	104.00000	5.41027	0.530	0.265
5	122.5 ≤* < 127.5	100.00000	5.23900	0.513	0.257
4	117.5 ≤* < 122.5	96.00000	5.06773	0.497	0.249
3	112.5 ≤* < 117.5	92.00000	4.89645	0.480	0.240
2	107.5 ≤* < 112.5	88.00000	4.72518	0.463	0.232
1	102.5 ≤* < 107.5	84.00000	4.55391	0.446	0.223
0	97.5 ≤* < 102.5	80.00000	4.38264	0.429	0.215
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.413	0.207
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.396	0.198
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.379	0.190
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.362	0.181
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.346	0.173
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.329	0.165
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.312	0.156
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.295	0.148
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.278	0.139
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.262	0.131
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.245	0.123
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.228	0.114
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.211	0.106
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.195	0.098
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.178	0.089
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.161	0.081
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.144	0.072
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.127	0.064
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.111	0.056
-20	0 ≤* < 2.5	1.00000	1.00000	0.098	0.049
		平均値		標準率	
		24.35458	2.00000	0.196	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.761	0.381
19	192.5 ≤* < 197.5	156.00000	7.63682	0.745	0.373
18	187.5 ≤* < 192.5	152.00000	7.46554	0.728	0.364
17	182.5 ≤* < 187.5	148.00000	7.29427	0.711	0.356
16	177.5 ≤* < 182.5	144.00000	7.12300	0.694	0.347
15	172.5 ≤* < 177.5	140.00000	6.95173	0.678	0.339
14	167.5 ≤* < 172.5	136.00000	6.78045	0.661	0.331
13	162.5 ≤* < 167.5	132.00000	6.60918	0.644	0.322
12	157.5 ≤* < 162.5	128.00000	6.43791	0.628	0.314
11	152.5 ≤* < 157.5	124.00000	6.26664	0.611	0.306
10	147.5 ≤* < 152.5	120.00000	6.09536	0.594	0.297
9	142.5 ≤* < 147.5	116.00000	5.92409	0.578	0.289
8	137.5 ≤* < 142.5	112.00000	5.75282	0.561	0.281
7	132.5 ≤* < 137.5	108.00000	5.58154	0.544	0.272
6	127.5 ≤* < 132.5	104.00000	5.41027	0.528	0.264
5	122.5 ≤* < 127.5	100.00000	5.23900	0.511	0.256
4	117.5 ≤* < 122.5	96.00000	5.06773	0.494	0.247
3	112.5 ≤* < 117.5	92.00000	4.89645	0.477	0.239
2	107.5 ≤* < 112.5	88.00000	4.72518	0.461	0.231
1	102.5 ≤* < 107.5	84.00000	4.55391	0.444	0.222
0	97.5 ≤* < 102.5	80.00000	4.38264	0.427	0.214
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.411	0.206
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.394	0.197
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.377	0.189
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.361	0.181
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.344	0.172
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.327	0.164
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.310	0.155
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.294	0.147
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.277	0.139
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.260	0.130
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.244	0.122
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.227	0.114
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.210	0.105
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.194	0.097
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.177	0.089
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.160	0.080
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.143	0.072
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.127	0.064
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.110	0.055
-20	0 ≤* < 2.5	1.00000	1.00000	0.097	0.049
		平均値		標準率	
		24.35458	2.00000	0.195	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.757	0.379
19	192.5 ≤* < 197.5	156.00000	7.63682	0.741	0.371
18	187.5 ≤* < 192.5	152.00000	7.46554	0.724	0.362
17	182.5 ≤* < 187.5	148.00000	7.29427	0.708	0.354
16	177.5 ≤* < 182.5	144.00000	7.12300	0.691	0.346
15	172.5 ≤* < 177.5	140.00000	6.95173	0.674	0.337
14	167.5 ≤* < 172.5	136.00000	6.78045	0.658	0.329
13	162.5 ≤* < 167.5	132.00000	6.60918	0.641	0.321
12	157.5 ≤* < 162.5	128.00000	6.43791	0.624	0.312
11	152.5 ≤* < 157.5	124.00000	6.26664	0.608	0.304
10	147.5 ≤* < 152.5	120.00000	6.09536	0.591	0.296
9	142.5 ≤* < 147.5	116.00000	5.92409	0.575	0.288
8	137.5 ≤* < 142.5	112.00000	5.75282	0.558	0.279
7	132.5 ≤* < 137.5	108.00000	5.58154	0.541	0.271
6	127.5 ≤* < 132.5	104.00000	5.41027	0.525	0.263
5	122.5 ≤* < 127.5	100.00000	5.23900	0.508	0.254
4	117.5 ≤* < 122.5	96.00000	5.06773	0.492	0.246
3	112.5 ≤* < 117.5	92.00000	4.89645	0.475	0.238
2	107.5 ≤* < 112.5	88.00000	4.72518	0.458	0.229
1	102.5 ≤* < 107.5	84.00000	4.55391	0.442	0.221
0	97.5 ≤* < 102.5	80.00000	4.38264	0.425	0.213
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.409	0.205
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.392	0.196
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.375	0.188
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.359	0.180
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.342	0.171
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.325	0.163
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.309	0.155
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.292	0.146
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.276	0.138
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.259	0.130
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.242	0.121
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.226	0.113
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.209	0.105
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.193	0.097
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.176	0.088
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.159	0.080
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.143	0.072
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.126	0.063
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.109	0.055
-20	0 ≤* < 2.5	1.00000	1.00000	0.097	0.049
		平均値		標準率	
		24.35458	2.00000	0.194	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.016	0.008
19	192.5 ≤* < 197.5	156.00000	7.63682	0.015	0.008
18	187.5 ≤* < 192.5	152.00000	7.46554	0.015	0.008
17	182.5 ≤* < 187.5	148.00000	7.29427	0.015	0.008
16	177.5 ≤* < 182.5	144.00000	7.12300	0.014	0.007
15	172.5 ≤* < 177.5	140.00000	6.95173	0.014	0.007
14	167.5 ≤* < 172.5	136.00000	6.78045	0.014	0.007
13	162.5 ≤* < 167.5	132.00000	6.60918	0.013	0.007
12	157.5 ≤* < 162.5	128.00000	6.43791	0.013	0.007
11	152.5 ≤* < 157.5	124.00000	6.26664	0.013	0.007
10	147.5 ≤* < 152.5	120.00000	6.09536	0.012	0.006
9	142.5 ≤* < 147.5	116.00000	5.92409	0.012	0.006
8	137.5 ≤* < 142.5	112.00000	5.75282	0.012	0.006
7	132.5 ≤* < 137.5	108.00000	5.58154	0.011	0.006
6	127.5 ≤* < 132.5	104.00000	5.41027	0.011	0.006
5	122.5 ≤* < 127.5	100.00000	5.23900	0.010	0.005
4	117.5 ≤* < 122.5	96.00000	5.06773	0.010	0.005
3	112.5 ≤* < 117.5	92.00000	4.89645	0.010	0.005
2	107.5 ≤* < 112.5	88.00000	4.72518	0.009	0.005
1	102.5 ≤* < 107.5	84.00000	4.55391	0.009	0.005
0	97.5 ≤* < 102.5	80.00000	4.38264	0.009	0.005
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.008	0.004
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.008	0.004
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.008	0.004
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.007	0.004
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.007	0.004
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.007	0.004
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.006	0.003
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.006	0.003
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.006	0.003
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.005	0.003
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.005	0.003
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.005	0.003
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.004	0.002
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.004	0.002
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.004	0.002
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.003	0.002
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.003	0.002
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.003	0.002
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.002	0.001
-20	0 ≤* < 2.5	1.00000	1.00000	0.002	0.001
		平均値		標準率	
		24.35458	2.00000	0.004	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(1万円特約、被覆、内作事故除外) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.004	0.004
19	192.5 ≤* < 197.5	156.00000	7.63682	0.004	0.004
18	187.5 ≤* < 192.5	152.00000	7.46554	0.004	0.004
17	182.5 ≤* < 187.5	148.00000	7.29427	0.004	0.004
16	177.5 ≤* < 182.5	144.00000	7.12300	0.003	0.003
15	172.5 ≤* < 177.5	140.00000	6.95173	0.003	0.003
14	167.5 ≤* < 172.5	136.00000	6.78045	0.003	0.003
13	162.5 ≤* < 167.5	132.00000	6.60918	0.003	0.003
12	157.5 ≤* < 162.5	128.00000	6.43791	0.003	0.003
11	152.5 ≤* < 157.5	124.00000	6.26664	0.003	0.003
10	147.5 ≤* < 152.5	120.00000	6.09536	0.003	0.003
9	142.5 ≤* < 147.5	116.00000	5.92409	0.002	0.002
8	137.5 ≤* < 142.5	112.00000	5.75282	0.003	0.003
7	132.5 ≤* < 137.5	108.00000	5.58154	0.003	0.003
6	127.5 ≤* < 132.5	104.00000	5.41027	0.003	0.003
5	122.5 ≤* < 127.5	100.00000	5.23900	0.003	0.003
4	117.5 ≤* < 122.5	96.00000	5.06773	0.003	0.003
3	112.5 ≤* < 117.5	92.00000	4.89645	0.003	0.003
2	107.5 ≤* < 112.5	88.00000	4.72518	0.003	0.003
1	102.5 ≤* < 107.5	84.00000	4.55391	0.002	0.002
0	97.5 ≤* < 102.5	80.00000	4.38264	0.002	0.002
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.002	0.002
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.002	0.002
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.002	0.002
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.002	0.002
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.002	0.002
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.002	0.002
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.001	0.001
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.001	0.001
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.001	0.001
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.001	0.001
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.001	0.001
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.001	0.001
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.001	0.001
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.000	0.000
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.001	0.001
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.001	0.001
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.001	0.001
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.001	0.001
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.001	0.001
-20	0 ≤* < 2.5	1.00000	1.00000	0.001	0.001
		平均値		標準率	
		24.35458	2.00000	0.001	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.246	0.123
19	192.5 ≤* < 197.5	156.00000	7.63682	0.241	0.121
18	187.5 ≤* < 192.5	152.00000	7.46554	0.235	0.118
17	182.5 ≤* < 187.5	148.00000	7.29427	0.230	0.115
16	177.5 ≤* < 182.5	144.00000	7.12300	0.224	0.112
15	172.5 ≤* < 177.5	140.00000	6.95173	0.219	0.110
14	167.5 ≤* < 172.5	136.00000	6.78045	0.214	0.107
13	162.5 ≤* < 167.5	132.00000	6.60918	0.208	0.104
12	157.5 ≤* < 162.5	128.00000	6.43791	0.203	0.102
11	152.5 ≤* < 157.5	124.00000	6.26664	0.197	0.099
10	147.5 ≤* < 152.5	120.00000	6.09536	0.192	0.096
9	142.5 ≤* < 147.5	116.00000	5.92409	0.187	0.094
8	137.5 ≤* < 142.5	112.00000	5.75282	0.181	0.091
7	132.5 ≤* < 137.5	108.00000	5.58154	0.176	0.088
6	127.5 ≤* < 132.5	104.00000	5.41027	0.170	0.085
5	122.5 ≤* < 127.5	100.00000	5.23900	0.165	0.083
4	117.5 ≤* < 122.5	96.00000	5.06773	0.160	0.080
3	112.5 ≤* < 117.5	92.00000	4.89645	0.154	0.077
2	107.5 ≤* < 112.5	88.00000	4.72518	0.149	0.075
1	102.5 ≤* < 107.5	84.00000	4.55391	0.143	0.072
0	97.5 ≤* < 102.5	80.00000	4.38264	0.138	0.069
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.133	0.067
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.127	0.064
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.122	0.061
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.116	0.058
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.111	0.056
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.106	0.053
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.100	0.050
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.095	0.048
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.089	0.045
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.084	0.042
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.079	0.040
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.073	0.037
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.068	0.034
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.063	0.032
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.057	0.029
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.052	0.026
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.046	0.023
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.041	0.021
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.036	0.018
-20	0 ≤* < 2.5	1.00000	1.00000	0.031	0.016
		平均値		標準率	
		24.35458	2.00000	0.063	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.211	0.106
19	192.5 ≤* < 197.5	156.00000	7.63682	0.206	0.103
18	187.5 ≤* < 192.5	152.00000	7.46554	0.202	0.101
17	182.5 ≤* < 187.5	148.00000	7.29427	0.197	0.099
16	177.5 ≤* < 182.5	144.00000	7.12300	0.192	0.096
15	172.5 ≤* < 177.5	140.00000	6.95173	0.188	0.094
14	167.5 ≤* < 172.5	136.00000	6.78045	0.183	0.092
13	162.5 ≤* < 167.5	132.00000	6.60918	0.178	0.089
12	157.5 ≤* < 162.5	128.00000	6.43791	0.174	0.087
11	152.5 ≤* < 157.5	124.00000	6.26664	0.169	0.085
10	147.5 ≤* < 152.5	120.00000	6.09536	0.165	0.083
9	142.5 ≤* < 147.5	116.00000	5.92409	0.160	0.080
8	137.5 ≤* < 142.5	112.00000	5.75282	0.155	0.078
7	132.5 ≤* < 137.5	108.00000	5.58154	0.151	0.076
6	127.5 ≤* < 132.5	104.00000	5.41027	0.146	0.073
5	122.5 ≤* < 127.5	100.00000	5.23900	0.141	0.071
4	117.5 ≤* < 122.5	96.00000	5.06773	0.137	0.069
3	112.5 ≤* < 117.5	92.00000	4.89645	0.132	0.066
2	107.5 ≤* < 112.5	88.00000	4.72518	0.128	0.064
1	102.5 ≤* < 107.5	84.00000	4.55391	0.123	0.062
0	97.5 ≤* < 102.5	80.00000	4.38264	0.118	0.059
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.114	0.057
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.109	0.055
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.104	0.052
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.100	0.050
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.095	0.048
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.091	0.046
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.086	0.043
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.081	0.041
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.077	0.039
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.072	0.036
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.067	0.034
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.063	0.032
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.058	0.029
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.054	0.027
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.049	0.025
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.044	0.022
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.040	0.020
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.035	0.018
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.030	0.015
-20	0 ≤* < 2.5	1.00000	1.00000	0.027	0.014
		平均値		標準率	
		24.35458	2.00000	0.054	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.195	0.098
19	192.5 ≤* < 197.5	156.00000	7.63682	0.191	0.096
18	187.5 ≤* < 192.5	152.00000	7.46554	0.187	0.094
17	182.5 ≤* < 187.5	148.00000	7.29427	0.182	0.091
16	177.5 ≤* < 182.5	144.00000	7.12300	0.178	0.089
15	172.5 ≤* < 177.5	140.00000	6.95173	0.174	0.087
14	167.5 ≤* < 172.5	136.00000	6.78045	0.170	0.085
13	162.5 ≤* < 167.5	132.00000	6.60918	0.165	0.083
12	157.5 ≤* < 162.5	128.00000	6.43791	0.161	0.081
11	152.5 ≤* < 157.5	124.00000	6.26664	0.157	0.079
10	147.5 ≤* < 152.5	120.00000	6.09536	0.152	0.076
9	142.5 ≤* < 147.5	116.00000	5.92409	0.148	0.074
8	137.5 ≤* < 142.5	112.00000	5.75282	0.144	0.072
7	132.5 ≤* < 137.5	108.00000	5.58154	0.140	0.070
6	127.5 ≤* < 132.5	104.00000	5.41027	0.135	0.068
5	122.5 ≤* < 127.5	100.00000	5.23900	0.131	0.066
4	117.5 ≤* < 122.5	96.00000	5.06773	0.127	0.064
3	112.5 ≤* < 117.5	92.00000	4.89645	0.122	0.061
2	107.5 ≤* < 112.5	88.00000	4.72518	0.118	0.059
1	102.5 ≤* < 107.5	84.00000	4.55391	0.114	0.057
0	97.5 ≤* < 102.5	80.00000	4.38264	0.110	0.055
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.105	0.053
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.101	0.051
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.097	0.049
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.092	0.046
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.088	0.044
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.084	0.042
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.080	0.040
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.075	0.038
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.071	0.036
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.067	0.034
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.062	0.031
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.058	0.029
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.054	0.027
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.050	0.025
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.045	0.023
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.041	0.021
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.037	0.019
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.032	0.016
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.028	0.014
-20	0 ≤* < 2.5	1.00000	1.00000	0.025	0.013
		平均値		標準率	
		24.35458	2.00000	0.050	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.125	0.063
19	192.5 ≤* < 197.5	156.00000	7.63682	0.122	0.061
18	187.5 ≤* < 192.5	152.00000	7.46554	0.119	0.060
17	182.5 ≤* < 187.5	148.00000	7.29427	0.117	0.059
16	177.5 ≤* < 182.5	144.00000	7.12300	0.114	0.057
15	172.5 ≤* < 177.5	140.00000	6.95173	0.111	0.056
14	167.5 ≤* < 172.5	136.00000	6.78045	0.108	0.054
13	162.5 ≤* < 167.5	132.00000	6.60918	0.106	0.053
12	157.5 ≤* < 162.5	128.00000	6.43791	0.103	0.052
11	152.5 ≤* < 157.5	124.00000	6.26664	0.100	0.050
10	147.5 ≤* < 152.5	120.00000	6.09536	0.098	0.049
9	142.5 ≤* < 147.5	116.00000	5.92409	0.095	0.048
8	137.5 ≤* < 142.5	112.00000	5.75282	0.092	0.046
7	132.5 ≤* < 137.5	108.00000	5.58154	0.089	0.045
6	127.5 ≤* < 132.5	104.00000	5.41027	0.087	0.044
5	122.5 ≤* < 127.5	100.00000	5.23900	0.084	0.042
4	117.5 ≤* < 122.5	96.00000	5.06773	0.081	0.041
3	112.5 ≤* < 117.5	92.00000	4.89645	0.078	0.039
2	107.5 ≤* < 112.5	88.00000	4.72518	0.076	0.038
1	102.5 ≤* < 107.5	84.00000	4.55391	0.073	0.037
0	97.5 ≤* < 102.5	80.00000	4.38264	0.070	0.035
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.067	0.034
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.065	0.033
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.062	0.031
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.059	0.030
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.056	0.028
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.054	0.027
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.051	0.026
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.048	0.024
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.045	0.023
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.043	0.022
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.040	0.020
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.037	0.019
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.034	0.017
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.032	0.016
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.029	0.015
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.026	0.013
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.024	0.012
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.021	0.011
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.018	0.009
-20	0 ≤* < 2.5	1.00000	1.00000	0.016	0.008
		平均値		標準率	
		24.35458	2.00000	0.032	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.070	0.035
19	192.5 ≤* < 197.5	156.00000	7.63682	0.069	0.035
18	187.5 ≤* < 192.5	152.00000	7.46554	0.067	0.034
17	182.5 ≤* < 187.5	148.00000	7.29427	0.066	0.033
16	177.5 ≤* < 182.5	144.00000	7.12300	0.064	0.032
15	172.5 ≤* < 177.5	140.00000	6.95173	0.063	0.032
14	167.5 ≤* < 172.5	136.00000	6.78045	0.061	0.031
13	162.5 ≤* < 167.5	132.00000	6.60918	0.059	0.030
12	157.5 ≤* < 162.5	128.00000	6.43791	0.058	0.029
11	152.5 ≤* < 157.5	124.00000	6.26664	0.056	0.028
10	147.5 ≤* < 152.5	120.00000	6.09536	0.055	0.028
9	142.5 ≤* < 147.5	116.00000	5.92409	0.053	0.027
8	137.5 ≤* < 142.5	112.00000	5.75282	0.052	0.026
7	132.5 ≤* < 137.5	108.00000	5.58154	0.050	0.025
6	127.5 ≤* < 132.5	104.00000	5.41027	0.049	0.025
5	122.5 ≤* < 127.5	100.00000	5.23900	0.047	0.024
4	117.5 ≤* < 122.5	96.00000	5.06773	0.046	0.023
3	112.5 ≤* < 117.5	92.00000	4.89645	0.044	0.022
2	107.5 ≤* < 112.5	88.00000	4.72518	0.043	0.022
1	102.5 ≤* < 107.5	84.00000	4.55391	0.041	0.021
0	97.5 ≤* < 102.5	80.00000	4.38264	0.039	0.020
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.038	0.019
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.036	0.018
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.035	0.018
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.033	0.017
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.032	0.016
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.030	0.015
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.029	0.015
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.027	0.014
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.026	0.013
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.024	0.012
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.022	0.011
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.021	0.011
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.019	0.010
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.018	0.009
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.016	0.008
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.015	0.008
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.013	0.007
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.012	0.006
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.010	0.005
-20	0 ≤* < 2.5	1.00000	1.00000	0.009	0.005
		平均値		標準率	
		24.35458	2.00000	0.018	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(1万円特約、被覆、撤去費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.004	0.004
19	192.5 ≤* < 197.5	156.00000	7.63682	0.003	0.003
18	187.5 ≤* < 192.5	152.00000	7.46554	0.004	0.004
17	182.5 ≤* < 187.5	148.00000	7.29427	0.003	0.003
16	177.5 ≤* < 182.5	144.00000	7.12300	0.004	0.004
15	172.5 ≤* < 177.5	140.00000	6.95173	0.003	0.003
14	167.5 ≤* < 172.5	136.00000	6.78045	0.003	0.003
13	162.5 ≤* < 167.5	132.00000	6.60918	0.003	0.003
12	157.5 ≤* < 162.5	128.00000	6.43791	0.003	0.003
11	152.5 ≤* < 157.5	124.00000	6.26664	0.004	0.004
10	147.5 ≤* < 152.5	120.00000	6.09536	0.003	0.003
9	142.5 ≤* < 147.5	116.00000	5.92409	0.003	0.003
8	137.5 ≤* < 142.5	112.00000	5.75282	0.003	0.003
7	132.5 ≤* < 137.5	108.00000	5.58154	0.003	0.003
6	127.5 ≤* < 132.5	104.00000	5.41027	0.003	0.003
5	122.5 ≤* < 127.5	100.00000	5.23900	0.003	0.003
4	117.5 ≤* < 122.5	96.00000	5.06773	0.002	0.002
3	112.5 ≤* < 117.5	92.00000	4.89645	0.003	0.003
2	107.5 ≤* < 112.5	88.00000	4.72518	0.002	0.002
1	102.5 ≤* < 107.5	84.00000	4.55391	0.003	0.003
0	97.5 ≤* < 102.5	80.00000	4.38264	0.002	0.002
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.002	0.002
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.002	0.002
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.002	0.002
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.002	0.002
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.002	0.002
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.001	0.001
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.002	0.002
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.001	0.001
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.002	0.002
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.001	0.001
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.001	0.001
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.001	0.001
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.001	0.001
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.001	0.001
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.001	0.001
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.001	0.001
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.001	0.001
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.001	0.001
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.000	0.000
-20	0 ≤* < 2.5	1.00000	1.00000	0.001	0.001
		平均値		標準率	
		24.35458	2.00000	0.001	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(3万円、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.351	0.351
19	192.5 ≤* < 197.5	156.00000	7.63682	0.344	0.344
18	187.5 ≤* < 192.5	152.00000	7.46554	0.336	0.336
17	182.5 ≤* < 187.5	148.00000	7.29427	0.328	0.328
16	177.5 ≤* < 182.5	144.00000	7.12300	0.321	0.321
15	172.5 ≤* < 177.5	140.00000	6.95173	0.313	0.313
14	167.5 ≤* < 172.5	136.00000	6.78045	0.305	0.305
13	162.5 ≤* < 167.5	132.00000	6.60918	0.297	0.297
12	157.5 ≤* < 162.5	128.00000	6.43791	0.290	0.290
11	152.5 ≤* < 157.5	124.00000	6.26664	0.282	0.282
10	147.5 ≤* < 152.5	120.00000	6.09536	0.274	0.274
9	142.5 ≤* < 147.5	116.00000	5.92409	0.267	0.267
8	137.5 ≤* < 142.5	112.00000	5.75282	0.259	0.259
7	132.5 ≤* < 137.5	108.00000	5.58154	0.251	0.251
6	127.5 ≤* < 132.5	104.00000	5.41027	0.243	0.243
5	122.5 ≤* < 127.5	100.00000	5.23900	0.236	0.236
4	117.5 ≤* < 122.5	96.00000	5.06773	0.228	0.228
3	112.5 ≤* < 117.5	92.00000	4.89645	0.220	0.220
2	107.5 ≤* < 112.5	88.00000	4.72518	0.213	0.213
1	102.5 ≤* < 107.5	84.00000	4.55391	0.205	0.205
0	97.5 ≤* < 102.5	80.00000	4.38264	0.197	0.197
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.190	0.190
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.182	0.182
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.174	0.174
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.166	0.166
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.159	0.159
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.151	0.151
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.143	0.143
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.136	0.136
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.128	0.128
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.120	0.120
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.112	0.112
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.105	0.105
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.097	0.097
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.089	0.089
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.082	0.082
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.074	0.074
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.066	0.066
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.058	0.058
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.051	0.051
-20	0 ≤* < 2.5	1.00000	1.00000	0.045	0.045
		平均値		標準率	
		24.35458	2.00000	0.090	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(10万円、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.320	0.320
19	192.5 ≤* < 197.5	156.00000	7.63682	0.313	0.313
18	187.5 ≤* < 192.5	152.00000	7.46554	0.306	0.306
17	182.5 ≤* < 187.5	148.00000	7.29427	0.299	0.299
16	177.5 ≤* < 182.5	144.00000	7.12300	0.292	0.292
15	172.5 ≤* < 177.5	140.00000	6.95173	0.285	0.285
14	167.5 ≤* < 172.5	136.00000	6.78045	0.278	0.278
13	162.5 ≤* < 167.5	132.00000	6.60918	0.271	0.271
12	157.5 ≤* < 162.5	128.00000	6.43791	0.264	0.264
11	152.5 ≤* < 157.5	124.00000	6.26664	0.257	0.257
10	147.5 ≤* < 152.5	120.00000	6.09536	0.250	0.250
9	142.5 ≤* < 147.5	116.00000	5.92409	0.243	0.243
8	137.5 ≤* < 142.5	112.00000	5.75282	0.236	0.236
7	132.5 ≤* < 137.5	108.00000	5.58154	0.229	0.229
6	127.5 ≤* < 132.5	104.00000	5.41027	0.222	0.222
5	122.5 ≤* < 127.5	100.00000	5.23900	0.215	0.215
4	117.5 ≤* < 122.5	96.00000	5.06773	0.208	0.208
3	112.5 ≤* < 117.5	92.00000	4.89645	0.201	0.201
2	107.5 ≤* < 112.5	88.00000	4.72518	0.194	0.194
1	102.5 ≤* < 107.5	84.00000	4.55391	0.187	0.187
0	97.5 ≤* < 102.5	80.00000	4.38264	0.180	0.180
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.173	0.173
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.166	0.166
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.159	0.159
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.152	0.152
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.145	0.145
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.138	0.138
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.131	0.131
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.124	0.124
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.116	0.116
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.109	0.109
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.102	0.102
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.095	0.095
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.088	0.088
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.081	0.081
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.074	0.074
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.067	0.067
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.060	0.060
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.053	0.053
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.046	0.046
-20	0 ≤* < 2.5	1.00000	1.00000	0.041	0.041
		平均値		標準率	
		24.35458	2.00000	0.082	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(20万円、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.238	0.238
19	192.5 ≤* < 197.5	156.00000	7.63682	0.233	0.233
18	187.5 ≤* < 192.5	152.00000	7.46554	0.228	0.228
17	182.5 ≤* < 187.5	148.00000	7.29427	0.222	0.222
16	177.5 ≤* < 182.5	144.00000	7.12300	0.217	0.217
15	172.5 ≤* < 177.5	140.00000	6.95173	0.212	0.212
14	167.5 ≤* < 172.5	136.00000	6.78045	0.207	0.207
13	162.5 ≤* < 167.5	132.00000	6.60918	0.202	0.202
12	157.5 ≤* < 162.5	128.00000	6.43791	0.196	0.196
11	152.5 ≤* < 157.5	124.00000	6.26664	0.191	0.191
10	147.5 ≤* < 152.5	120.00000	6.09536	0.186	0.186
9	142.5 ≤* < 147.5	116.00000	5.92409	0.181	0.181
8	137.5 ≤* < 142.5	112.00000	5.75282	0.175	0.175
7	132.5 ≤* < 137.5	108.00000	5.58154	0.170	0.170
6	127.5 ≤* < 132.5	104.00000	5.41027	0.165	0.165
5	122.5 ≤* < 127.5	100.00000	5.23900	0.160	0.160
4	117.5 ≤* < 122.5	96.00000	5.06773	0.155	0.155
3	112.5 ≤* < 117.5	92.00000	4.89645	0.149	0.149
2	107.5 ≤* < 112.5	88.00000	4.72518	0.144	0.144
1	102.5 ≤* < 107.5	84.00000	4.55391	0.139	0.139
0	97.5 ≤* < 102.5	80.00000	4.38264	0.134	0.134
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.128	0.128
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.123	0.123
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.118	0.118
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.113	0.113
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.108	0.108
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.102	0.102
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.097	0.097
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.092	0.092
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.087	0.087
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.081	0.081
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.076	0.076
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.071	0.071
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.066	0.066
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.061	0.061
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.055	0.055
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.050	0.050
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.045	0.045
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.040	0.040
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.034	0.034
-20	0 ≤* < 2.5	1.00000	1.00000	0.030	0.030
		平均値		標準率	
		24.35458	2.00000	0.061	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(50万円、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.156	0.156
19	192.5 ≤* < 197.5	156.00000	7.63682	0.153	0.153
18	187.5 ≤* < 192.5	152.00000	7.46554	0.149	0.149
17	182.5 ≤* < 187.5	148.00000	7.29427	0.146	0.146
16	177.5 ≤* < 182.5	144.00000	7.12300	0.142	0.142
15	172.5 ≤* < 177.5	140.00000	6.95173	0.139	0.139
14	167.5 ≤* < 172.5	136.00000	6.78045	0.136	0.136
13	162.5 ≤* < 167.5	132.00000	6.60918	0.132	0.132
12	157.5 ≤* < 162.5	128.00000	6.43791	0.129	0.129
11	152.5 ≤* < 157.5	124.00000	6.26664	0.125	0.125
10	147.5 ≤* < 152.5	120.00000	6.09536	0.122	0.122
9	142.5 ≤* < 147.5	116.00000	5.92409	0.118	0.118
8	137.5 ≤* < 142.5	112.00000	5.75282	0.115	0.115
7	132.5 ≤* < 137.5	108.00000	5.58154	0.112	0.112
6	127.5 ≤* < 132.5	104.00000	5.41027	0.108	0.108
5	122.5 ≤* < 127.5	100.00000	5.23900	0.105	0.105
4	117.5 ≤* < 122.5	96.00000	5.06773	0.101	0.101
3	112.5 ≤* < 117.5	92.00000	4.89645	0.098	0.098
2	107.5 ≤* < 112.5	88.00000	4.72518	0.095	0.095
1	102.5 ≤* < 107.5	84.00000	4.55391	0.091	0.091
0	97.5 ≤* < 102.5	80.00000	4.38264	0.088	0.088
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.084	0.084
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.081	0.081
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.077	0.077
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.074	0.074
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.071	0.071
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.067	0.067
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.064	0.064
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.060	0.060
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.057	0.057
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.053	0.053
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.050	0.050
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.047	0.047
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.043	0.043
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.040	0.040
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.036	0.036
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.033	0.033
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.029	0.029
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.026	0.026
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.023	0.023
-20	0 ≤* < 2.5	1.00000	1.00000	0.020	0.020
		平均値		標準率	
		24.35458	2.00000	0.040	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(100万円、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.086	0.086
19	192.5 ≤* < 197.5	156.00000	7.63682	0.084	0.084
18	187.5 ≤* < 192.5	152.00000	7.46554	0.082	0.082
17	182.5 ≤* < 187.5	148.00000	7.29427	0.080	0.080
16	177.5 ≤* < 182.5	144.00000	7.12300	0.078	0.078
15	172.5 ≤* < 177.5	140.00000	6.95173	0.076	0.076
14	167.5 ≤* < 172.5	136.00000	6.78045	0.075	0.075
13	162.5 ≤* < 167.5	132.00000	6.60918	0.073	0.073
12	157.5 ≤* < 162.5	128.00000	6.43791	0.071	0.071
11	152.5 ≤* < 157.5	124.00000	6.26664	0.069	0.069
10	147.5 ≤* < 152.5	120.00000	6.09536	0.067	0.067
9	142.5 ≤* < 147.5	116.00000	5.92409	0.065	0.065
8	137.5 ≤* < 142.5	112.00000	5.75282	0.063	0.063
7	132.5 ≤* < 137.5	108.00000	5.58154	0.061	0.061
6	127.5 ≤* < 132.5	104.00000	5.41027	0.060	0.060
5	122.5 ≤* < 127.5	100.00000	5.23900	0.058	0.058
4	117.5 ≤* < 122.5	96.00000	5.06773	0.056	0.056
3	112.5 ≤* < 117.5	92.00000	4.89645	0.054	0.054
2	107.5 ≤* < 112.5	88.00000	4.72518	0.052	0.052
1	102.5 ≤* < 107.5	84.00000	4.55391	0.050	0.050
0	97.5 ≤* < 102.5	80.00000	4.38264	0.048	0.048
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.046	0.046
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.044	0.044
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.043	0.043
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.041	0.041
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.039	0.039
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.037	0.037
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.035	0.035
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.033	0.033
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.031	0.031
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.029	0.029
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.027	0.027
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.026	0.026
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.024	0.024
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.022	0.022
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.020	0.020
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.018	0.018
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.016	0.016
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.014	0.014
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.012	0.012
-20	0 ≤* < 2.5	1.00000	1.00000	0.011	0.011
		平均値		標準率	
		24.35458	2.00000	0.022	

園芸施設共済危険段階別共済掛金率表

20 ガラス室Ⅱ類(1万円特約、被覆、復旧費用) ※補強園芸施設無・集団加入有

危険段階 区分	平均損害率(*) の範囲	危険指数		危険段階別 共済掛金率(%)	左のうち組合員等 負担掛金率(%)
		圧縮前			
20	197.5 ≤* <	160.00000	7.80809	0.008	0.008
19	192.5 ≤* < 197.5	156.00000	7.63682	0.007	0.007
18	187.5 ≤* < 192.5	152.00000	7.46554	0.007	0.007
17	182.5 ≤* < 187.5	148.00000	7.29427	0.008	0.008
16	177.5 ≤* < 182.5	144.00000	7.12300	0.007	0.007
15	172.5 ≤* < 177.5	140.00000	6.95173	0.007	0.007
14	167.5 ≤* < 172.5	136.00000	6.78045	0.007	0.007
13	162.5 ≤* < 167.5	132.00000	6.60918	0.007	0.007
12	157.5 ≤* < 162.5	128.00000	6.43791	0.006	0.006
11	152.5 ≤* < 157.5	124.00000	6.26664	0.006	0.006
10	147.5 ≤* < 152.5	120.00000	6.09536	0.006	0.006
9	142.5 ≤* < 147.5	116.00000	5.92409	0.006	0.006
8	137.5 ≤* < 142.5	112.00000	5.75282	0.006	0.006
7	132.5 ≤* < 137.5	108.00000	5.58154	0.006	0.006
6	127.5 ≤* < 132.5	104.00000	5.41027	0.006	0.006
5	122.5 ≤* < 127.5	100.00000	5.23900	0.005	0.005
4	117.5 ≤* < 122.5	96.00000	5.06773	0.005	0.005
3	112.5 ≤* < 117.5	92.00000	4.89645	0.005	0.005
2	107.5 ≤* < 112.5	88.00000	4.72518	0.004	0.004
1	102.5 ≤* < 107.5	84.00000	4.55391	0.004	0.004
0	97.5 ≤* < 102.5	80.00000	4.38264	0.005	0.005
-1	92.5 ≤* < 97.5	76.00000	4.21136	0.004	0.004
-2	87.5 ≤* < 92.5	72.00000	4.04009	0.004	0.004
-3	82.5 ≤* < 87.5	68.00000	3.86882	0.004	0.004
-4	77.5 ≤* < 82.5	64.00000	3.69755	0.004	0.004
-5	72.5 ≤* < 77.5	60.00000	3.52627	0.003	0.003
-6	67.5 ≤* < 72.5	56.00000	3.35500	0.003	0.003
-7	62.5 ≤* < 67.5	52.00000	3.18373	0.003	0.003
-8	57.5 ≤* < 62.5	48.00000	3.01245	0.003	0.003
-9	52.5 ≤* < 57.5	44.00000	2.84118	0.003	0.003
-10	47.5 ≤* < 52.5	40.00000	2.66991	0.003	0.003
-11	42.5 ≤* < 47.5	36.00000	2.49864	0.003	0.003
-12	37.5 ≤* < 42.5	32.00000	2.32736	0.002	0.002
-13	32.5 ≤* < 37.5	28.00000	2.15609	0.002	0.002
-14	27.5 ≤* < 32.5	24.00000	1.98482	0.002	0.002
-15	22.5 ≤* < 27.5	20.00000	1.81355	0.001	0.001
-16	17.5 ≤* < 22.5	16.00000	1.64227	0.002	0.002
-17	12.5 ≤* < 17.5	12.00000	1.47100	0.002	0.002
-18	7.5 ≤* < 12.5	8.00000	1.29973	0.002	0.002
-19	2.5 ≤* < 7.5	4.00000	1.12845	0.001	0.001
-20	0 ≤* < 2.5	1.00000	1.00000	0.001	0.001
		平均値		標準率	
		24.35458	2.00000	0.002	