

## 園芸施設共済 危険段階別共済掛金率表

1 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、未被覆、3万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.019             | 0.010                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.015             | 0.008                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.015             | 0.008                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.014             | 0.007                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.014             | 0.007                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.014             | 0.007                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.013             | 0.007                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.013             | 0.007                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.013             | 0.007                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.013             | 0.007                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.012             | 0.006                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.012             | 0.006                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.012             | 0.006                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.012             | 0.006                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.011             | 0.006                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.011             | 0.006                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.011             | 0.006                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.010             | 0.005                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.010             | 0.005                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.010             | 0.005                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.010             | 0.005                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.009             | 0.005                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.009             | 0.005                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.009             | 0.005                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.008             | 0.004                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.008             | 0.004                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.008             | 0.004                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.008             | 0.004                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.007             | 0.004                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.007             | 0.004                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.007             | 0.004                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.006             | 0.003                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.006             | 0.003                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.006             | 0.003                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.006             | 0.003                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.005             | 0.003                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.005             | 0.003                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.005             | 0.003                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.004             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.004             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.004             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.008             |                      |

## 園芸施設共済 危険段階別共済掛金率表

2 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、未被覆、3万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.019             | 0.010                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.015             | 0.008                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.015             | 0.008                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.014             | 0.007                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.014             | 0.007                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.014             | 0.007                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.013             | 0.007                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.013             | 0.007                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.013             | 0.007                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.013             | 0.007                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.012             | 0.006                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.012             | 0.006                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.012             | 0.006                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.012             | 0.006                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.011             | 0.006                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.011             | 0.006                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.011             | 0.006                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.010             | 0.005                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.010             | 0.005                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.010             | 0.005                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.010             | 0.005                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.009             | 0.005                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.009             | 0.005                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.009             | 0.005                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.008             | 0.004                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.008             | 0.004                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.008             | 0.004                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.008             | 0.004                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.007             | 0.004                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.007             | 0.004                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.007             | 0.004                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.006             | 0.003                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.006             | 0.003                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.006             | 0.003                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.006             | 0.003                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.005             | 0.003                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.005             | 0.003                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.005             | 0.003                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.004             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.004             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.004             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.008             |                      |

## 園芸施設共済 危険段階別共済掛金率表

3 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、未被覆、10万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.015             | 0.008                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.011             | 0.006                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.011             | 0.006                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.011             | 0.006                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.011             | 0.006                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.010             | 0.005                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.010             | 0.005                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.010             | 0.005                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.010             | 0.005                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.009             | 0.005                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.009             | 0.005                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.009             | 0.005                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.009             | 0.005                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.009             | 0.005                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.008             | 0.004                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.008             | 0.004                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.008             | 0.004                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.008             | 0.004                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.008             | 0.004                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.007             | 0.004                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.007             | 0.004                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.007             | 0.004                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.007             | 0.004                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.007             | 0.004                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.006             | 0.003                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.006             | 0.003                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.006             | 0.003                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.006             | 0.003                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.005             | 0.003                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.005             | 0.003                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.005             | 0.003                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.005             | 0.003                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.005             | 0.003                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.004             | 0.002                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.004             | 0.002                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.004             | 0.002                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.004             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.004             | 0.002                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.003             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.003             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.003             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.006             |                      |

## 園芸施設共済 危険段階別共済掛金率表

4 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、未被覆、10万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.015             | 0.008                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.011             | 0.006                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.011             | 0.006                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.011             | 0.006                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.011             | 0.006                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.010             | 0.005                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.010             | 0.005                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.010             | 0.005                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.010             | 0.005                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.009             | 0.005                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.009             | 0.005                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.009             | 0.005                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.009             | 0.005                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.009             | 0.005                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.008             | 0.004                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.008             | 0.004                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.008             | 0.004                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.008             | 0.004                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.008             | 0.004                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.007             | 0.004                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.007             | 0.004                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.007             | 0.004                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.007             | 0.004                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.007             | 0.004                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.006             | 0.003                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.006             | 0.003                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.006             | 0.003                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.006             | 0.003                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.005             | 0.003                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.005             | 0.003                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.005             | 0.003                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.005             | 0.003                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.005             | 0.003                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.004             | 0.002                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.004             | 0.002                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.004             | 0.002                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.004             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.004             | 0.002                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.003             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.003             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.003             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.006             |                      |

## 園芸施設共済 危険段階別共済掛金率表

5 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、未被覆、20万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.012             | 0.006                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.009             | 0.005                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.009             | 0.005                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.009             | 0.005                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.009             | 0.005                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.009             | 0.005                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.008             | 0.004                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.008             | 0.004                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.008             | 0.004                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.008             | 0.004                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.008             | 0.004                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.008             | 0.004                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.007             | 0.004                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.007             | 0.004                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.007             | 0.004                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.007             | 0.004                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.007             | 0.004                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.006             | 0.003                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.006             | 0.003                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.006             | 0.003                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.006             | 0.003                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.006             | 0.003                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.006             | 0.003                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.005             | 0.003                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.005             | 0.003                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.005             | 0.003                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.005             | 0.003                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.005             | 0.003                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.005             | 0.003                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.004             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.004             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.004             | 0.002                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.004             | 0.002                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.004             | 0.002                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.004             | 0.002                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.003             | 0.002                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.003             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.003             | 0.002                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.003             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.003             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.002             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.005             |                      |

# 園芸施設共済 危険段階別共済掛金率表

6 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、未被覆、20万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ ＜       | 221.59687 | 4.86829 | 0.012             | 0.006                |
| 19         | 192.5 ≧ ＊ ＜ 197.5 | 156.00000 | 3.71801 | 0.009             | 0.005                |
| 18         | 187.5 ≧ ＊ ＜ 192.5 | 152.00000 | 3.64787 | 0.009             | 0.005                |
| 17         | 182.5 ≧ ＊ ＜ 187.5 | 148.00000 | 3.57773 | 0.009             | 0.005                |
| 16         | 177.5 ≧ ＊ ＜ 182.5 | 144.00000 | 3.50759 | 0.009             | 0.005                |
| 15         | 172.5 ≧ ＊ ＜ 177.5 | 140.00000 | 3.43744 | 0.009             | 0.005                |
| 14         | 167.5 ≧ ＊ ＜ 172.5 | 136.00000 | 3.36730 | 0.008             | 0.004                |
| 13         | 162.5 ≧ ＊ ＜ 167.5 | 132.00000 | 3.29716 | 0.008             | 0.004                |
| 12         | 157.5 ≧ ＊ ＜ 162.5 | 128.00000 | 3.22702 | 0.008             | 0.004                |
| 11         | 152.5 ≧ ＊ ＜ 157.5 | 124.00000 | 3.15687 | 0.008             | 0.004                |
| 10         | 147.5 ≧ ＊ ＜ 152.5 | 120.00000 | 3.08673 | 0.008             | 0.004                |
| 09         | 142.5 ≧ ＊ ＜ 147.5 | 116.00000 | 3.01659 | 0.008             | 0.004                |
| 08         | 137.5 ≧ ＊ ＜ 142.5 | 112.00000 | 2.94645 | 0.007             | 0.004                |
| 07         | 132.5 ≧ ＊ ＜ 137.5 | 108.00000 | 2.87631 | 0.007             | 0.004                |
| 06         | 127.5 ≧ ＊ ＜ 132.5 | 104.00000 | 2.80616 | 0.007             | 0.004                |
| 05         | 122.5 ≧ ＊ ＜ 127.5 | 100.00000 | 2.73602 | 0.007             | 0.004                |
| 04         | 117.5 ≧ ＊ ＜ 122.5 | 96.00000  | 2.66588 | 0.007             | 0.004                |
| 03         | 112.5 ≧ ＊ ＜ 117.5 | 92.00000  | 2.59574 | 0.006             | 0.003                |
| 02         | 107.5 ≧ ＊ ＜ 112.5 | 88.00000  | 2.52559 | 0.006             | 0.003                |
| 01         | 102.5 ≧ ＊ ＜ 107.5 | 84.00000  | 2.45545 | 0.006             | 0.003                |
| 00         | 97.5 ≧ ＊ ＜ 102.5  | 80.00000  | 2.38531 | 0.006             | 0.003                |
| -01        | 92.5 ≧ ＊ ＜ 97.5   | 76.00000  | 2.31517 | 0.006             | 0.003                |
| -02        | 87.5 ≧ ＊ ＜ 92.5   | 72.00000  | 2.24502 | 0.006             | 0.003                |
| -03        | 82.5 ≧ ＊ ＜ 87.5   | 68.00000  | 2.17488 | 0.005             | 0.003                |
| -04        | 77.5 ≧ ＊ ＜ 82.5   | 64.00000  | 2.10474 | 0.005             | 0.003                |
| -05        | 72.5 ≧ ＊ ＜ 77.5   | 60.00000  | 2.03460 | 0.005             | 0.003                |
| -06        | 67.5 ≧ ＊ ＜ 72.5   | 56.00000  | 1.96446 | 0.005             | 0.003                |
| -07        | 62.5 ≧ ＊ ＜ 67.5   | 52.00000  | 1.89431 | 0.005             | 0.003                |
| -08        | 57.5 ≧ ＊ ＜ 62.5   | 48.00000  | 1.82417 | 0.005             | 0.003                |
| -09        | 52.5 ≧ ＊ ＜ 57.5   | 44.00000  | 1.75403 | 0.004             | 0.002                |
| -10        | 47.5 ≧ ＊ ＜ 52.5   | 40.00000  | 1.68389 | 0.004             | 0.002                |
| -11        | 42.5 ≧ ＊ ＜ 47.5   | 36.00000  | 1.61374 | 0.004             | 0.002                |
| -12        | 37.5 ≧ ＊ ＜ 42.5   | 32.00000  | 1.54360 | 0.004             | 0.002                |
| -13        | 32.5 ≧ ＊ ＜ 37.5   | 28.00000  | 1.47346 | 0.004             | 0.002                |
| -14        | 27.5 ≧ ＊ ＜ 32.5   | 24.00000  | 1.40332 | 0.004             | 0.002                |
| -15        | 22.5 ≧ ＊ ＜ 27.5   | 20.00000  | 1.33318 | 0.003             | 0.002                |
| -16        | 17.5 ≧ ＊ ＜ 22.5   | 16.00000  | 1.26303 | 0.003             | 0.002                |
| -17        | 12.5 ≧ ＊ ＜ 17.5   | 12.00000  | 1.19289 | 0.003             | 0.002                |
| -18        | 7.5 ≧ ＊ ＜ 12.5    | 8.00000   | 1.12275 | 0.003             | 0.002                |
| -19        | 2.5 ≧ ＊ ＜ 7.5     | 4.00000   | 1.05261 | 0.003             | 0.002                |
| -20        | 0 ≧ ＊ ＜ 2.5       | 1.00000   | 1.00000 | 0.002             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.005             |                      |

## 園芸施設共済 危険段階別共済掛金率表

7 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、未被覆、50万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.010             | 0.005                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.007             | 0.004                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.007             | 0.004                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.007             | 0.004                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.007             | 0.004                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.007             | 0.004                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.007             | 0.004                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.007             | 0.004                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.006             | 0.003                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.006             | 0.003                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.006             | 0.003                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.006             | 0.003                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.006             | 0.003                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.006             | 0.003                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.006             | 0.003                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.005             | 0.003                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.005             | 0.003                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.005             | 0.003                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.005             | 0.003                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.005             | 0.003                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.005             | 0.003                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.005             | 0.003                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.004             | 0.002                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.004             | 0.002                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.004             | 0.002                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.004             | 0.002                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.004             | 0.002                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.004             | 0.002                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.004             | 0.002                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.004             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.003             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.003             | 0.002                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.003             | 0.002                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.003             | 0.002                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.003             | 0.002                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.003             | 0.002                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.003             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.002             | 0.001                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.002             | 0.001                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.002             | 0.001                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.002             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.004             |                      |

## 園芸施設共済 危険段階別共済掛金率表

8 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、未被覆、50万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.010             | 0.005                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.007             | 0.004                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.007             | 0.004                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.007             | 0.004                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.007             | 0.004                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.007             | 0.004                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.007             | 0.004                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.007             | 0.004                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.006             | 0.003                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.006             | 0.003                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.006             | 0.003                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.006             | 0.003                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.006             | 0.003                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.006             | 0.003                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.006             | 0.003                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.005             | 0.003                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.005             | 0.003                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.005             | 0.003                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.005             | 0.003                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.005             | 0.003                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.005             | 0.003                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.005             | 0.003                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.004             | 0.002                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.004             | 0.002                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.004             | 0.002                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.004             | 0.002                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.004             | 0.002                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.004             | 0.002                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.004             | 0.002                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.004             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.003             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.003             | 0.002                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.003             | 0.002                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.003             | 0.002                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.003             | 0.002                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.003             | 0.002                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.003             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.002             | 0.001                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.002             | 0.001                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.002             | 0.001                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.002             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.004             |                      |

## 園芸施設共済 危険段階別共済掛金率表

9 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、未被覆、100万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.007             | 0.004                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.006             | 0.003                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.005             | 0.003                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.005             | 0.003                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.005             | 0.003                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.005             | 0.003                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.005             | 0.003                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.005             | 0.003                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.005             | 0.003                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.005             | 0.003                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.005             | 0.003                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.005             | 0.003                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.004             | 0.002                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.004             | 0.002                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.004             | 0.002                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.004             | 0.002                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.004             | 0.002                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.004             | 0.002                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.004             | 0.002                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.004             | 0.002                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.004             | 0.002                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.003             | 0.002                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.003             | 0.002                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.003             | 0.002                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.003             | 0.002                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.003             | 0.002                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.003             | 0.002                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.003             | 0.002                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.003             | 0.002                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.003             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.003             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.002             | 0.001                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.002             | 0.001                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.002             | 0.001                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.002             | 0.001                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.002             | 0.001                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.002             | 0.001                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.002             | 0.001                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.002             | 0.001                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.002             | 0.001                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.001             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.003             |                      |

## 園芸施設共済 危険段階別共済掛金率表

10 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、未被覆、100万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.007             | 0.004                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.006             | 0.003                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.005             | 0.003                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.005             | 0.003                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.005             | 0.003                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.005             | 0.003                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.005             | 0.003                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.005             | 0.003                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.005             | 0.003                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.005             | 0.003                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.005             | 0.003                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.005             | 0.003                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.004             | 0.002                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.004             | 0.002                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.004             | 0.002                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.004             | 0.002                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.004             | 0.002                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.004             | 0.002                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.004             | 0.002                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.004             | 0.002                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.004             | 0.002                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.003             | 0.002                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.003             | 0.002                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.003             | 0.002                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.003             | 0.002                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.003             | 0.002                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.003             | 0.002                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.003             | 0.002                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.003             | 0.002                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.003             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.003             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.002             | 0.001                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.002             | 0.001                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.002             | 0.001                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.002             | 0.001                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.002             | 0.001                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.002             | 0.001                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.002             | 0.001                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.002             | 0.001                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.002             | 0.001                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.001             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.003             |                      |

## 園芸施設共済 危険段階別共済掛金率表

11 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、未被覆、1万円特約

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.022             | 0.011                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.017             | 0.009                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.016             | 0.008                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.016             | 0.008                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.016             | 0.008                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.015             | 0.008                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.015             | 0.008                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.015             | 0.008                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.015             | 0.008                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.014             | 0.007                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.014             | 0.007                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.014             | 0.007                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.013             | 0.007                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.013             | 0.007                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.013             | 0.007                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.012             | 0.006                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.012             | 0.006                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.012             | 0.006                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.011             | 0.006                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.011             | 0.006                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.011             | 0.006                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.010             | 0.005                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.010             | 0.005                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.010             | 0.005                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.009             | 0.005                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.009             | 0.005                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.009             | 0.005                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.009             | 0.005                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.008             | 0.004                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.008             | 0.004                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.008             | 0.004                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.007             | 0.004                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.007             | 0.004                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.007             | 0.004                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.006             | 0.003                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.006             | 0.003                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.006             | 0.003                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.005             | 0.003                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.005             | 0.003                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.005             | 0.003                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.004             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.009             |                      |

## 園芸施設共済 危険段階別共済掛金率表

12 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、未被覆、1万円特約 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.022             | 0.011                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.017             | 0.009                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.016             | 0.008                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.016             | 0.008                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.016             | 0.008                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.015             | 0.008                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.015             | 0.008                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.015             | 0.008                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.015             | 0.008                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.014             | 0.007                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.014             | 0.007                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.014             | 0.007                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.013             | 0.007                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.013             | 0.007                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.013             | 0.007                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.012             | 0.006                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.012             | 0.006                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.012             | 0.006                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.011             | 0.006                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.011             | 0.006                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.011             | 0.006                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.010             | 0.005                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.010             | 0.005                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.010             | 0.005                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.009             | 0.005                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.009             | 0.005                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.009             | 0.005                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.009             | 0.005                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.008             | 0.004                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.008             | 0.004                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.008             | 0.004                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.007             | 0.004                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.007             | 0.004                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.007             | 0.004                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.006             | 0.003                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.006             | 0.003                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.006             | 0.003                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.005             | 0.003                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.005             | 0.003                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.005             | 0.003                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.004             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.009             |                      |

## 園芸施設共済 危険段階別共済掛金率表

13 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、被覆、3万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 2.407             | 1.204                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 1.839             | 0.920                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 1.804             | 0.902                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 1.769             | 0.885                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 1.735             | 0.868                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 1.700             | 0.850                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 1.665             | 0.833                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 1.630             | 0.815                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 1.596             | 0.798                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 1.561             | 0.781                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 1.526             | 0.763                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 1.492             | 0.746                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 1.457             | 0.729                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 1.422             | 0.711                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 1.388             | 0.694                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 1.353             | 0.677                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 1.318             | 0.659                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 1.284             | 0.642                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 1.249             | 0.625                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 1.214             | 0.607                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 1.180             | 0.590                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 1.145             | 0.573                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 1.110             | 0.555                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 1.075             | 0.538                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 1.041             | 0.521                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 1.006             | 0.503                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.971             | 0.486                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.937             | 0.469                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.902             | 0.451                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.867             | 0.434                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.833             | 0.417                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.798             | 0.399                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.763             | 0.382                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.729             | 0.365                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.694             | 0.347                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.659             | 0.330                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.625             | 0.313                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.590             | 0.295                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.555             | 0.278                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.521             | 0.261                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.494             | 0.247                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.989             |                      |

## 園芸施設共済 危険段階別共済掛金率表

14 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、被覆、3万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 2.288             | 1.144                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 1.747             | 0.874                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 1.714             | 0.857                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 1.682             | 0.841                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 1.649             | 0.825                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 1.616             | 0.808                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 1.583             | 0.792                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 1.550             | 0.775                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 1.517             | 0.759                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 1.484             | 0.742                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 1.451             | 0.726                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 1.418             | 0.709                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 1.385             | 0.693                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 1.352             | 0.676                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 1.319             | 0.660                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 1.286             | 0.643                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 1.253             | 0.627                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 1.220             | 0.610                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 1.187             | 0.594                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 1.154             | 0.577                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 1.121             | 0.561                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 1.088             | 0.544                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 1.055             | 0.528                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 1.022             | 0.511                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.989             | 0.495                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.956             | 0.478                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.923             | 0.462                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.890             | 0.445                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.857             | 0.429                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.824             | 0.412                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.791             | 0.396                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.758             | 0.379                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.725             | 0.363                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.693             | 0.347                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.660             | 0.330                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.627             | 0.314                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.594             | 0.297                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.561             | 0.281                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.528             | 0.264                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.495             | 0.248                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.470             | 0.235                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.940             |                      |

## 園芸施設共済 危険段階別共済掛金率表

15 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、被覆、10万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.838             | 0.919                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 1.404             | 0.702                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 1.377             | 0.689                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 1.351             | 0.676                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 1.324             | 0.662                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 1.298             | 0.649                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 1.271             | 0.636                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 1.245             | 0.623                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 1.218             | 0.609                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 1.192             | 0.596                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 1.165             | 0.583                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 1.139             | 0.570                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 1.112             | 0.556                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 1.086             | 0.543                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 1.059             | 0.530                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 1.033             | 0.517                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 1.006             | 0.503                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.980             | 0.490                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.953             | 0.477                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.927             | 0.464                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.900             | 0.450                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.874             | 0.437                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.847             | 0.424                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.821             | 0.411                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.795             | 0.398                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.768             | 0.384                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.742             | 0.371                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.715             | 0.358                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.689             | 0.345                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.662             | 0.331                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.636             | 0.318                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.609             | 0.305                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.583             | 0.292                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.556             | 0.278                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.530             | 0.265                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.503             | 0.252                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.477             | 0.239                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.450             | 0.225                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.424             | 0.212                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.397             | 0.199                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.377             | 0.189                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.755             |                      |

## 園芸施設共済 危険段階別共済掛金率表

16 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、被覆、10万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.745             | 0.873                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 1.333             | 0.667                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 1.308             | 0.654                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 1.283             | 0.642                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 1.257             | 0.629                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 1.232             | 0.616                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 1.207             | 0.604                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 1.182             | 0.591                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 1.157             | 0.579                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 1.132             | 0.566                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 1.107             | 0.554                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 1.081             | 0.541                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 1.056             | 0.528                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 1.031             | 0.516                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 1.006             | 0.503                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.981             | 0.491                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.956             | 0.478                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.931             | 0.466                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.905             | 0.453                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.880             | 0.440                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.855             | 0.428                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.830             | 0.415                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.805             | 0.403                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.780             | 0.390                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.755             | 0.378                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.729             | 0.365                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.704             | 0.352                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.679             | 0.340                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.654             | 0.327                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.629             | 0.315                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.604             | 0.302                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.579             | 0.290                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.553             | 0.277                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.528             | 0.264                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.503             | 0.252                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.478             | 0.239                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.453             | 0.227                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.428             | 0.214                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.403             | 0.202                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.377             | 0.189                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.358             | 0.179                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.717             |                      |

## 園芸施設共済 危険段階別共済掛金率表

17 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、被覆、20万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.558             | 0.779                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 1.190             | 0.595                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 1.167             | 0.584                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 1.145             | 0.573                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 1.122             | 0.561                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 1.100             | 0.550                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 1.078             | 0.539                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 1.055             | 0.528                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 1.033             | 0.517                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 1.010             | 0.505                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.988             | 0.494                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.965             | 0.483                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.943             | 0.472                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.920             | 0.460                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.898             | 0.449                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.876             | 0.438                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.853             | 0.427                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.831             | 0.416                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.808             | 0.404                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.786             | 0.393                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.763             | 0.382                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.741             | 0.371                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.718             | 0.359                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.696             | 0.348                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.674             | 0.337                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.651             | 0.326                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.629             | 0.315                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.606             | 0.303                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.584             | 0.292                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.561             | 0.281                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.539             | 0.270                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.516             | 0.258                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.494             | 0.247                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.472             | 0.236                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.449             | 0.225                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.427             | 0.214                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.404             | 0.202                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.382             | 0.191                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.359             | 0.180                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.337             | 0.169                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.320             | 0.160                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.640             |                      |

## 園芸施設共済 危険段階別共済掛金率表

18 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、被覆、20万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.480             | 0.740                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 1.130             | 0.565                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 1.109             | 0.555                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 1.088             | 0.544                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 1.066             | 0.533                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 1.045             | 0.523                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 1.024             | 0.512                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 1.002             | 0.501                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.981             | 0.491                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.960             | 0.480                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.938             | 0.469                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.917             | 0.459                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.896             | 0.448                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.874             | 0.437                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.853             | 0.427                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.832             | 0.416                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.810             | 0.405                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.789             | 0.395                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.768             | 0.384                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.746             | 0.373                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.725             | 0.363                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.704             | 0.352                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.682             | 0.341                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.661             | 0.331                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.640             | 0.320                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.619             | 0.310                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.597             | 0.299                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.576             | 0.288                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.555             | 0.278                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.533             | 0.267                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.512             | 0.256                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.491             | 0.246                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.469             | 0.235                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.448             | 0.224                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.427             | 0.214                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.405             | 0.203                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.384             | 0.192                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.363             | 0.182                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.341             | 0.171                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.320             | 0.160                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.304             | 0.152                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.608             |                      |

## 園芸施設共済 危険段階別共済掛金率表

19 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、被覆、50万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.003             | 0.502                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.766             | 0.383                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.751             | 0.376                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.737             | 0.369                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.723             | 0.362                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.708             | 0.354                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.694             | 0.347                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.679             | 0.340                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.665             | 0.333                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.650             | 0.325                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.636             | 0.318                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.621             | 0.311                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.607             | 0.304                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.593             | 0.297                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.578             | 0.289                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.564             | 0.282                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.549             | 0.275                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.535             | 0.268                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.520             | 0.260                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.506             | 0.253                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.491             | 0.246                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.477             | 0.239                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.462             | 0.231                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.448             | 0.224                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.434             | 0.217                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.419             | 0.210                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.405             | 0.203                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.390             | 0.195                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.376             | 0.188                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.361             | 0.181                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.347             | 0.174                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.332             | 0.166                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.318             | 0.159                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.304             | 0.152                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.289             | 0.145                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.275             | 0.138                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.260             | 0.130                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.246             | 0.123                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.231             | 0.116                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.217             | 0.109                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.206             | 0.103                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.412             |                      |

## 園芸施設共済 危険段階別共済掛金率表

20 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、被覆、50万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.952             | 0.476                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.727             | 0.364                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.713             | 0.357                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.699             | 0.350                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.686             | 0.343                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.672             | 0.336                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.658             | 0.329                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.645             | 0.323                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.631             | 0.316                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.617             | 0.309                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.603             | 0.302                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.590             | 0.295                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.576             | 0.288                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.562             | 0.281                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.549             | 0.275                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.535             | 0.268                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.521             | 0.261                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.507             | 0.254                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.494             | 0.247                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.480             | 0.240                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.466             | 0.233                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.453             | 0.227                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.439             | 0.220                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.425             | 0.213                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.411             | 0.206                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.398             | 0.199                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.384             | 0.192                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.370             | 0.185                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.357             | 0.179                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.343             | 0.172                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.329             | 0.165                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.315             | 0.158                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.302             | 0.151                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.288             | 0.144                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.274             | 0.137                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.261             | 0.131                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.247             | 0.124                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.233             | 0.117                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.219             | 0.110                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.206             | 0.103                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.195             | 0.098                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.391             |                      |

## 園芸施設共済 危険段階別共済掛金率表

21 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、被覆、100万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.579             | 0.290                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.442             | 0.221                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.434             | 0.217                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.426             | 0.213                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.417             | 0.209                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.409             | 0.205                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.401             | 0.201                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.392             | 0.196                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.384             | 0.192                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.376             | 0.188                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.367             | 0.184                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.359             | 0.180                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.351             | 0.176                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.342             | 0.171                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.334             | 0.167                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.326             | 0.163                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.317             | 0.159                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.309             | 0.155                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.301             | 0.151                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.292             | 0.146                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.284             | 0.142                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.276             | 0.138                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.267             | 0.134                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.259             | 0.130                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.250             | 0.125                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.242             | 0.121                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.234             | 0.117                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.225             | 0.113                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.217             | 0.109                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.209             | 0.105                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.200             | 0.100                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.192             | 0.096                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.184             | 0.092                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.175             | 0.088                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.167             | 0.084                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.159             | 0.080                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.150             | 0.075                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.142             | 0.071                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.134             | 0.067                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.125             | 0.063                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.119             | 0.060                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.238             |                      |

## 園芸施設共済 危険段階別共済掛金率表

22 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、被覆、100万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.550             | 0.275                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.420             | 0.210                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.412             | 0.206                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.404             | 0.202                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.396             | 0.198                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.388             | 0.194                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.381             | 0.191                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.373             | 0.187                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.365             | 0.183                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.357             | 0.179                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.349             | 0.175                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.341             | 0.171                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.333             | 0.167                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.325             | 0.163                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.317             | 0.159                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.309             | 0.155                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.301             | 0.151                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.293             | 0.147                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.285             | 0.143                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.277             | 0.139                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.270             | 0.135                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.262             | 0.131                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.254             | 0.127                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.246             | 0.123                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.238             | 0.119                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.230             | 0.115                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.222             | 0.111                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.214             | 0.107                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.206             | 0.103                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.198             | 0.099                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.190             | 0.095                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.182             | 0.091                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.174             | 0.087                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.167             | 0.084                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.159             | 0.080                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.151             | 0.076                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.143             | 0.072                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.135             | 0.068                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.127             | 0.064                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.119             | 0.060                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.113             | 0.057                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.226             |                      |

## 園芸施設共済 危険段階別共済掛金率表

23 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、被覆、1万円特約

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 2.427             | 1.214                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 1.853             | 0.927                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 1.818             | 0.909                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 1.783             | 0.892                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 1.749             | 0.875                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 1.714             | 0.857                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 1.679             | 0.840                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 1.644             | 0.822                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 1.609             | 0.805                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 1.574             | 0.787                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 1.539             | 0.770                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 1.504             | 0.752                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 1.469             | 0.735                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 1.434             | 0.717                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 1.399             | 0.700                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 1.364             | 0.682                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 1.329             | 0.665                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 1.294             | 0.647                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 1.259             | 0.630                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 1.224             | 0.612                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 1.189             | 0.595                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 1.154             | 0.577                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 1.119             | 0.560                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 1.084             | 0.542                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 1.049             | 0.525                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 1.014             | 0.507                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.979             | 0.490                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.944             | 0.472                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.909             | 0.455                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.874             | 0.437                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.839             | 0.420                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.804             | 0.402                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.769             | 0.385                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.735             | 0.368                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.700             | 0.350                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.665             | 0.333                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.630             | 0.315                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.595             | 0.298                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.560             | 0.280                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.525             | 0.263                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.498             | 0.249                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.997             |                      |

## 園芸施設共済 危険段階別共済掛金率表

24 / 96

プラスチックハウスⅠ類（木竹）：本体及び附帯、被覆、1万円特約 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 2.305             | 1.153                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 1.760             | 0.880                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 1.727             | 0.864                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 1.694             | 0.847                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 1.661             | 0.831                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 1.628             | 0.814                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 1.594             | 0.797                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 1.561             | 0.781                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 1.528             | 0.764                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 1.495             | 0.748                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 1.462             | 0.731                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 1.428             | 0.714                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 1.395             | 0.698                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 1.362             | 0.681                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 1.329             | 0.665                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 1.296             | 0.648                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 1.262             | 0.631                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 1.229             | 0.615                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 1.196             | 0.598                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 1.163             | 0.582                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 1.129             | 0.565                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 1.096             | 0.548                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 1.063             | 0.532                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 1.030             | 0.515                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.997             | 0.499                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.963             | 0.482                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.930             | 0.465                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.897             | 0.449                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.864             | 0.432                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.831             | 0.416                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.797             | 0.399                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.764             | 0.382                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.731             | 0.366                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.698             | 0.349                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.664             | 0.332                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.631             | 0.316                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.598             | 0.299                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.565             | 0.283                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.532             | 0.266                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.498             | 0.249                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.473             | 0.237                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.947             |                      |

## 園芸施設共済 危険段階別共済掛金率表

25 / 96

プラスチックハウスⅠ類（木竹）：内作一般、被覆、3万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 3.690             | 1.845                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 2.818             | 1.409                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 2.765             | 1.383                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 2.712             | 1.356                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 2.659             | 1.330                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 2.606             | 1.303                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 2.552             | 1.276                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 2.499             | 1.250                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 2.446             | 1.223                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 2.393             | 1.197                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 2.340             | 1.170                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 2.287             | 1.144                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 2.233             | 1.117                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 2.180             | 1.090                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 2.127             | 1.064                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 2.074             | 1.037                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 2.021             | 1.011                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 1.968             | 0.984                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 1.914             | 0.957                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 1.861             | 0.931                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 1.808             | 0.904                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 1.755             | 0.878                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 1.702             | 0.851                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 1.649             | 0.825                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 1.595             | 0.798                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 1.542             | 0.771                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 1.489             | 0.745                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 1.436             | 0.718                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 1.383             | 0.692                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 1.330             | 0.665                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 1.276             | 0.638                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 1.223             | 0.612                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 1.170             | 0.585                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 1.117             | 0.559                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 1.064             | 0.532                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 1.011             | 0.506                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.957             | 0.479                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.904             | 0.452                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.851             | 0.426                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.798             | 0.399                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.758             | 0.379                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 1.516             |                      |

## 園芸施設共済 危険段階別共済掛金率表

26 / 96

プラスチックハウスⅠ類（木竹）：内作一般、被覆、3万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 3.505             | 1.753                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 2.677             | 1.339                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 2.626             | 1.313                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 2.576             | 1.288                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 2.525             | 1.263                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 2.475             | 1.238                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 2.424             | 1.212                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 2.374             | 1.187                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 2.323             | 1.162                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 2.273             | 1.137                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 2.222             | 1.111                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 2.172             | 1.086                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 2.121             | 1.061                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 2.071             | 1.036                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 2.020             | 1.010                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 1.970             | 0.985                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 1.919             | 0.960                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 1.869             | 0.935                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 1.818             | 0.909                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 1.768             | 0.884                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 1.717             | 0.859                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 1.667             | 0.834                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 1.616             | 0.808                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 1.566             | 0.783                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 1.515             | 0.758                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 1.465             | 0.733                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 1.414             | 0.707                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 1.364             | 0.682                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 1.313             | 0.657                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 1.263             | 0.632                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 1.212             | 0.606                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 1.162             | 0.581                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 1.111             | 0.556                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 1.061             | 0.531                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 1.010             | 0.505                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.960             | 0.480                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.909             | 0.455                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.859             | 0.430                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.808             | 0.404                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.758             | 0.379                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.720             | 0.360                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 1.440             |                      |

## 園芸施設共済 危険段階別共済掛金率表

27 / 96

プラスチックハウスⅠ類（木竹）：内作一般、被覆、10万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 3.488             | 1.744                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 2.664             | 1.332                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 2.614             | 1.307                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 2.563             | 1.282                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 2.513             | 1.257                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 2.463             | 1.232                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 2.413             | 1.207                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 2.362             | 1.181                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 2.312             | 1.156                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 2.262             | 1.131                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 2.212             | 1.106                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 2.161             | 1.081                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 2.111             | 1.056                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 2.061             | 1.031                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 2.011             | 1.006                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 1.960             | 0.980                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 1.910             | 0.955                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 1.860             | 0.930                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 1.810             | 0.905                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 1.759             | 0.880                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 1.709             | 0.855                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 1.659             | 0.830                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 1.609             | 0.805                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 1.558             | 0.779                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 1.508             | 0.754                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 1.458             | 0.729                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 1.408             | 0.704                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 1.357             | 0.679                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 1.307             | 0.654                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 1.257             | 0.629                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 1.207             | 0.604                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 1.156             | 0.578                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 1.106             | 0.553                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 1.056             | 0.528                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 1.005             | 0.503                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.955             | 0.478                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.905             | 0.453                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.855             | 0.428                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.804             | 0.402                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.754             | 0.377                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.716             | 0.358                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 1.433             |                      |

## 園芸施設共済 危険段階別共済掛金率表

28 / 96

プラスチックハウスⅠ類（木竹）：内作一般、被覆、10万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 3.313             | 1.657                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 2.530             | 1.265                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 2.482             | 1.241                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 2.435             | 1.218                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 2.387             | 1.194                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 2.339             | 1.170                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 2.291             | 1.146                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 2.244             | 1.122                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 2.196             | 1.098                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 2.148             | 1.074                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 2.101             | 1.051                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 2.053             | 1.027                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 2.005             | 1.003                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 1.957             | 0.979                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 1.910             | 0.955                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 1.862             | 0.931                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 1.814             | 0.907                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 1.766             | 0.883                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 1.719             | 0.860                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 1.671             | 0.836                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 1.623             | 0.812                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 1.575             | 0.788                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 1.528             | 0.764                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 1.480             | 0.740                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 1.432             | 0.716                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 1.385             | 0.693                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 1.337             | 0.669                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 1.289             | 0.645                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 1.241             | 0.621                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 1.194             | 0.597                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 1.146             | 0.573                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 1.098             | 0.549                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 1.050             | 0.525                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 1.003             | 0.502                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.955             | 0.478                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.907             | 0.454                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.859             | 0.430                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.812             | 0.406                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.764             | 0.382                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.716             | 0.358                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.680             | 0.340                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 1.361             |                      |

## 園芸施設共済 危険段階別共済掛金率表

29 / 96

プラスチックハウスⅠ類（木竹）：内作一般、被覆、20万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 3.094             | 1.547                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 2.363             | 1.182                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 2.318             | 1.159                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 2.274             | 1.137                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 2.229             | 1.115                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 2.184             | 1.092                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 2.140             | 1.070                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 2.095             | 1.048                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 2.051             | 1.026                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 2.006             | 1.003                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 1.962             | 0.981                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 1.917             | 0.959                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 1.872             | 0.936                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 1.828             | 0.914                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 1.783             | 0.892                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 1.739             | 0.870                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 1.694             | 0.847                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 1.650             | 0.825                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 1.605             | 0.803                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 1.560             | 0.780                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 1.516             | 0.758                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 1.471             | 0.736                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 1.427             | 0.714                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 1.382             | 0.691                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 1.338             | 0.669                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 1.293             | 0.647                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 1.248             | 0.624                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 1.204             | 0.602                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 1.159             | 0.580                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 1.115             | 0.558                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 1.070             | 0.535                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 1.026             | 0.513                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.981             | 0.491                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.936             | 0.468                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.892             | 0.446                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.847             | 0.424                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.803             | 0.402                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.758             | 0.379                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.714             | 0.357                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.669             | 0.335                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.635             | 0.318                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 1.271             |                      |

## 園芸施設共済 危険段階別共済掛金率表

30 / 96

プラスチックハウスⅠ類（木竹）：内作一般、被覆、20万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 2.938             | 1.469                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 2.244             | 1.122                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 2.201             | 1.101                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 2.159             | 1.080                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 2.117             | 1.059                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 2.074             | 1.037                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 2.032             | 1.016                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 1.990             | 0.995                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 1.948             | 0.974                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 1.905             | 0.953                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 1.863             | 0.932                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 1.821             | 0.911                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 1.778             | 0.889                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 1.736             | 0.868                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 1.694             | 0.847                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 1.651             | 0.826                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 1.609             | 0.805                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 1.567             | 0.784                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 1.524             | 0.762                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 1.482             | 0.741                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 1.440             | 0.720                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 1.397             | 0.699                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 1.355             | 0.678                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 1.313             | 0.657                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 1.270             | 0.635                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 1.228             | 0.614                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 1.186             | 0.593                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 1.143             | 0.572                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 1.101             | 0.551                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 1.059             | 0.530                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 1.016             | 0.508                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.974             | 0.487                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.932             | 0.466                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.889             | 0.445                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.847             | 0.424                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.805             | 0.403                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.762             | 0.381                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.720             | 0.360                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.678             | 0.339                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.635             | 0.318                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.603             | 0.302                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 1.207             |                      |

## 園芸施設共済 危険段階別共済掛金率表

31 / 96

プラスチックハウスⅠ類（木竹）：内作一般、被覆、50万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 2.047             | 1.024                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 1.563             | 0.782                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 1.534             | 0.767                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 1.504             | 0.752                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 1.475             | 0.738                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 1.445             | 0.723                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 1.416             | 0.708                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 1.386             | 0.693                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 1.357             | 0.679                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 1.327             | 0.664                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 1.298             | 0.649                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 1.268             | 0.634                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 1.239             | 0.620                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 1.209             | 0.605                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 1.180             | 0.590                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 1.150             | 0.575                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 1.121             | 0.561                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 1.092             | 0.546                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 1.062             | 0.531                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 1.033             | 0.517                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 1.003             | 0.502                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.974             | 0.487                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.944             | 0.472                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.915             | 0.458                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.885             | 0.443                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.856             | 0.428                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.826             | 0.413                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.797             | 0.399                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.767             | 0.384                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.738             | 0.369                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.708             | 0.354                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.679             | 0.340                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.649             | 0.325                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.620             | 0.310                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.590             | 0.295                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.561             | 0.281                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.531             | 0.266                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.502             | 0.251                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.472             | 0.236                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.443             | 0.222                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.420             | 0.210                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.841             |                      |

## 園芸施設共済 危険段階別共済掛金率表

32 / 96

プラスチックハウスⅠ類（木竹）：内作一般、被覆、50万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.945             | 0.973                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 1.485             | 0.743                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 1.457             | 0.729                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 1.429             | 0.715                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 1.401             | 0.701                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 1.373             | 0.687                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 1.345             | 0.673                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 1.317             | 0.659                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 1.289             | 0.645                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 1.261             | 0.631                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 1.233             | 0.617                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 1.205             | 0.603                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 1.177             | 0.589                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 1.149             | 0.575                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 1.121             | 0.561                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 1.093             | 0.547                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 1.065             | 0.533                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 1.037             | 0.519                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 1.009             | 0.505                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.981             | 0.491                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.953             | 0.477                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.925             | 0.463                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.897             | 0.449                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.869             | 0.435                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.841             | 0.421                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.813             | 0.407                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.785             | 0.393                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.757             | 0.379                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.729             | 0.365                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.701             | 0.351                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.673             | 0.337                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.645             | 0.323                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.617             | 0.309                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.589             | 0.295                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.561             | 0.281                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.533             | 0.267                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.505             | 0.253                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.477             | 0.239                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.449             | 0.225                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.421             | 0.211                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.399             | 0.200                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.799             |                      |

## 園芸施設共済 危険段階別共済掛金率表

33 / 96

プラスチックハウスⅠ類（木竹）：内作一般、被覆、100万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.073             | 0.537                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.820             | 0.410                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.804             | 0.402                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.789             | 0.395                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.773             | 0.387                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.758             | 0.379                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.742             | 0.371                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.727             | 0.364                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.712             | 0.356                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.696             | 0.348                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.681             | 0.341                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.665             | 0.333                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.650             | 0.325                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.634             | 0.317                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.619             | 0.310                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.603             | 0.302                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.588             | 0.294                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.572             | 0.286                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.557             | 0.279                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.541             | 0.271                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.526             | 0.263                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.510             | 0.255                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.495             | 0.248                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.480             | 0.240                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.464             | 0.232                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.449             | 0.225                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.433             | 0.217                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.418             | 0.209                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.402             | 0.201                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.387             | 0.194                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.371             | 0.186                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.356             | 0.178                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.340             | 0.170                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.325             | 0.163                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.309             | 0.155                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.294             | 0.147                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.278             | 0.139                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.263             | 0.132                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.248             | 0.124                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.232             | 0.116                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.220             | 0.110                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.441             |                      |

## 園芸施設共済 危険段階別共済掛金率表

34 / 96

プラスチックハウスⅠ類（木竹）：内作一般、被覆、100万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ ＜       | 221.59687 | 4.86829 | 1.020             | 0.510                |
| 19         | 192.5 ≧ ＊ ＜ 197.5 | 156.00000 | 3.71801 | 0.779             | 0.390                |
| 18         | 187.5 ≧ ＊ ＜ 192.5 | 152.00000 | 3.64787 | 0.764             | 0.382                |
| 17         | 182.5 ≧ ＊ ＜ 187.5 | 148.00000 | 3.57773 | 0.750             | 0.375                |
| 16         | 177.5 ≧ ＊ ＜ 182.5 | 144.00000 | 3.50759 | 0.735             | 0.368                |
| 15         | 172.5 ≧ ＊ ＜ 177.5 | 140.00000 | 3.43744 | 0.720             | 0.360                |
| 14         | 167.5 ≧ ＊ ＜ 172.5 | 136.00000 | 3.36730 | 0.705             | 0.353                |
| 13         | 162.5 ≧ ＊ ＜ 167.5 | 132.00000 | 3.29716 | 0.691             | 0.346                |
| 12         | 157.5 ≧ ＊ ＜ 162.5 | 128.00000 | 3.22702 | 0.676             | 0.338                |
| 11         | 152.5 ≧ ＊ ＜ 157.5 | 124.00000 | 3.15687 | 0.661             | 0.331                |
| 10         | 147.5 ≧ ＊ ＜ 152.5 | 120.00000 | 3.08673 | 0.647             | 0.324                |
| 09         | 142.5 ≧ ＊ ＜ 147.5 | 116.00000 | 3.01659 | 0.632             | 0.316                |
| 08         | 137.5 ≧ ＊ ＜ 142.5 | 112.00000 | 2.94645 | 0.617             | 0.309                |
| 07         | 132.5 ≧ ＊ ＜ 137.5 | 108.00000 | 2.87631 | 0.603             | 0.302                |
| 06         | 127.5 ≧ ＊ ＜ 132.5 | 104.00000 | 2.80616 | 0.588             | 0.294                |
| 05         | 122.5 ≧ ＊ ＜ 127.5 | 100.00000 | 2.73602 | 0.573             | 0.287                |
| 04         | 117.5 ≧ ＊ ＜ 122.5 | 96.00000  | 2.66588 | 0.559             | 0.280                |
| 03         | 112.5 ≧ ＊ ＜ 117.5 | 92.00000  | 2.59574 | 0.544             | 0.272                |
| 02         | 107.5 ≧ ＊ ＜ 112.5 | 88.00000  | 2.52559 | 0.529             | 0.265                |
| 01         | 102.5 ≧ ＊ ＜ 107.5 | 84.00000  | 2.45545 | 0.514             | 0.257                |
| 00         | 97.5 ≧ ＊ ＜ 102.5  | 80.00000  | 2.38531 | 0.500             | 0.250                |
| -01        | 92.5 ≧ ＊ ＜ 97.5   | 76.00000  | 2.31517 | 0.485             | 0.243                |
| -02        | 87.5 ≧ ＊ ＜ 92.5   | 72.00000  | 2.24502 | 0.470             | 0.235                |
| -03        | 82.5 ≧ ＊ ＜ 87.5   | 68.00000  | 2.17488 | 0.456             | 0.228                |
| -04        | 77.5 ≧ ＊ ＜ 82.5   | 64.00000  | 2.10474 | 0.441             | 0.221                |
| -05        | 72.5 ≧ ＊ ＜ 77.5   | 60.00000  | 2.03460 | 0.426             | 0.213                |
| -06        | 67.5 ≧ ＊ ＜ 72.5   | 56.00000  | 1.96446 | 0.412             | 0.206                |
| -07        | 62.5 ≧ ＊ ＜ 67.5   | 52.00000  | 1.89431 | 0.397             | 0.199                |
| -08        | 57.5 ≧ ＊ ＜ 62.5   | 48.00000  | 1.82417 | 0.382             | 0.191                |
| -09        | 52.5 ≧ ＊ ＜ 57.5   | 44.00000  | 1.75403 | 0.367             | 0.184                |
| -10        | 47.5 ≧ ＊ ＜ 52.5   | 40.00000  | 1.68389 | 0.353             | 0.177                |
| -11        | 42.5 ≧ ＊ ＜ 47.5   | 36.00000  | 1.61374 | 0.338             | 0.169                |
| -12        | 37.5 ≧ ＊ ＜ 42.5   | 32.00000  | 1.54360 | 0.323             | 0.162                |
| -13        | 32.5 ≧ ＊ ＜ 37.5   | 28.00000  | 1.47346 | 0.309             | 0.155                |
| -14        | 27.5 ≧ ＊ ＜ 32.5   | 24.00000  | 1.40332 | 0.294             | 0.147                |
| -15        | 22.5 ≧ ＊ ＜ 27.5   | 20.00000  | 1.33318 | 0.279             | 0.140                |
| -16        | 17.5 ≧ ＊ ＜ 22.5   | 16.00000  | 1.26303 | 0.265             | 0.133                |
| -17        | 12.5 ≧ ＊ ＜ 17.5   | 12.00000  | 1.19289 | 0.250             | 0.125                |
| -18        | 7.5 ≧ ＊ ＜ 12.5    | 8.00000   | 1.12275 | 0.235             | 0.118                |
| -19        | 2.5 ≧ ＊ ＜ 7.5     | 4.00000   | 1.05261 | 0.221             | 0.111                |
| -20        | 0 ≧ ＊ ＜ 2.5       | 1.00000   | 1.00000 | 0.209             | 0.105                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.419             |                      |

## 園芸施設共済 危険段階別共済掛金率表

35 / 96

プラスチックハウスⅠ類（木竹）：内作一般、被覆、1万円特約

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 3.693             | 1.847                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 2.820             | 1.410                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 2.767             | 1.384                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 2.714             | 1.357                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 2.661             | 1.331                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 2.607             | 1.304                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 2.554             | 1.277                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 2.501             | 1.251                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 2.448             | 1.224                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 2.394             | 1.197                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 2.341             | 1.171                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 2.288             | 1.144                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 2.235             | 1.118                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 2.182             | 1.091                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 2.128             | 1.064                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 2.075             | 1.038                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 2.022             | 1.011                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 1.969             | 0.985                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 1.916             | 0.958                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 1.862             | 0.931                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 1.809             | 0.905                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 1.756             | 0.878                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 1.703             | 0.852                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 1.650             | 0.825                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 1.596             | 0.798                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 1.543             | 0.772                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 1.490             | 0.745                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 1.437             | 0.719                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 1.384             | 0.692                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 1.330             | 0.665                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 1.277             | 0.639                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 1.224             | 0.612                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 1.171             | 0.586                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 1.118             | 0.559                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 1.064             | 0.532                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 1.011             | 0.506                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.958             | 0.479                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.905             | 0.453                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.852             | 0.426                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.798             | 0.399                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.758             | 0.379                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 1.517             |                      |

## 園芸施設共済 危険段階別共済掛金率表

36 / 96

プラスチックハウスⅠ類（木竹）：内作一般、被覆、1万円特約 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 3.508             | 1.754                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 2.679             | 1.340                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 2.628             | 1.314                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 2.578             | 1.289                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 2.527             | 1.264                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 2.477             | 1.239                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 2.426             | 1.213                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 2.376             | 1.188                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 2.325             | 1.163                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 2.275             | 1.138                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 2.224             | 1.112                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 2.173             | 1.087                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 2.123             | 1.062                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 2.072             | 1.036                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 2.022             | 1.011                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 1.971             | 0.986                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 1.921             | 0.961                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 1.870             | 0.935                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 1.820             | 0.910                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 1.769             | 0.885                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 1.719             | 0.860                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 1.668             | 0.834                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 1.618             | 0.809                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 1.567             | 0.784                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 1.516             | 0.758                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 1.466             | 0.733                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 1.415             | 0.708                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 1.365             | 0.683                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 1.314             | 0.657                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 1.264             | 0.632                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 1.213             | 0.607                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 1.163             | 0.582                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 1.112             | 0.556                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 1.062             | 0.531                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 1.011             | 0.506                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.961             | 0.481                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.910             | 0.455                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.859             | 0.430                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.809             | 0.405                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.758             | 0.379                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.720             | 0.360                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 1.441             |                      |

## 園芸施設共済 危険段階別共済掛金率表

37 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、未被覆、3万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.019             | 0.010                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.015             | 0.008                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.015             | 0.008                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.014             | 0.007                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.014             | 0.007                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.014             | 0.007                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.013             | 0.007                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.013             | 0.007                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.013             | 0.007                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.013             | 0.007                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.012             | 0.006                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.012             | 0.006                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.012             | 0.006                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.012             | 0.006                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.011             | 0.006                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.011             | 0.006                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.011             | 0.006                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.010             | 0.005                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.010             | 0.005                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.010             | 0.005                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.010             | 0.005                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.009             | 0.005                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.009             | 0.005                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.009             | 0.005                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.008             | 0.004                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.008             | 0.004                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.008             | 0.004                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.008             | 0.004                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.007             | 0.004                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.007             | 0.004                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.007             | 0.004                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.006             | 0.003                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.006             | 0.003                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.006             | 0.003                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.006             | 0.003                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.005             | 0.003                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.005             | 0.003                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.005             | 0.003                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.004             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.004             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.004             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.008             |                      |

## 園芸施設共済 危険段階別共済掛金率表

38 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、未被覆、3万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.019             | 0.010                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.015             | 0.008                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.015             | 0.008                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.014             | 0.007                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.014             | 0.007                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.014             | 0.007                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.013             | 0.007                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.013             | 0.007                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.013             | 0.007                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.013             | 0.007                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.012             | 0.006                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.012             | 0.006                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.012             | 0.006                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.012             | 0.006                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.011             | 0.006                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.011             | 0.006                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.011             | 0.006                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.010             | 0.005                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.010             | 0.005                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.010             | 0.005                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.010             | 0.005                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.009             | 0.005                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.009             | 0.005                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.009             | 0.005                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.008             | 0.004                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.008             | 0.004                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.008             | 0.004                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.008             | 0.004                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.007             | 0.004                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.007             | 0.004                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.007             | 0.004                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.006             | 0.003                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.006             | 0.003                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.006             | 0.003                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.006             | 0.003                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.005             | 0.003                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.005             | 0.003                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.005             | 0.003                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.004             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.004             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.004             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.008             |                      |

## 園芸施設共済 危険段階別共済掛金率表

39 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、未被覆、10万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.017             | 0.009                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.013             | 0.007                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.013             | 0.007                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.013             | 0.007                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.012             | 0.006                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.012             | 0.006                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.012             | 0.006                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.012             | 0.006                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.011             | 0.006                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.011             | 0.006                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.011             | 0.006                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.011             | 0.006                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.010             | 0.005                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.010             | 0.005                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.010             | 0.005                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.010             | 0.005                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.009             | 0.005                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.009             | 0.005                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.009             | 0.005                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.009             | 0.005                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.008             | 0.004                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.008             | 0.004                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.008             | 0.004                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.008             | 0.004                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.007             | 0.004                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.007             | 0.004                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.007             | 0.004                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.007             | 0.004                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.006             | 0.003                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.006             | 0.003                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.006             | 0.003                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.006             | 0.003                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.005             | 0.003                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.005             | 0.003                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.005             | 0.003                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.005             | 0.003                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.004             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.004             | 0.002                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.004             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.004             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.003             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.007             |                      |

## 園芸施設共済 危険段階別共済掛金率表

40 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、未被覆、10万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.017             | 0.009                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.013             | 0.007                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.013             | 0.007                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.013             | 0.007                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.012             | 0.006                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.012             | 0.006                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.012             | 0.006                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.012             | 0.006                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.011             | 0.006                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.011             | 0.006                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.011             | 0.006                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.011             | 0.006                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.010             | 0.005                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.010             | 0.005                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.010             | 0.005                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.010             | 0.005                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.009             | 0.005                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.009             | 0.005                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.009             | 0.005                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.009             | 0.005                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.008             | 0.004                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.008             | 0.004                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.008             | 0.004                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.008             | 0.004                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.007             | 0.004                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.007             | 0.004                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.007             | 0.004                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.007             | 0.004                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.006             | 0.003                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.006             | 0.003                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.006             | 0.003                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.006             | 0.003                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.005             | 0.003                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.005             | 0.003                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.005             | 0.003                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.005             | 0.003                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.004             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.004             | 0.002                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.004             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.004             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.003             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.007             |                      |

## 園芸施設共済 危険段階別共済掛金率表

41 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、未被覆、20万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.012             | 0.006                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.009             | 0.005                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.009             | 0.005                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.009             | 0.005                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.009             | 0.005                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.009             | 0.005                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.008             | 0.004                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.008             | 0.004                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.008             | 0.004                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.008             | 0.004                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.008             | 0.004                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.008             | 0.004                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.007             | 0.004                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.007             | 0.004                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.007             | 0.004                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.007             | 0.004                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.007             | 0.004                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.006             | 0.003                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.006             | 0.003                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.006             | 0.003                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.006             | 0.003                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.006             | 0.003                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.006             | 0.003                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.005             | 0.003                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.005             | 0.003                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.005             | 0.003                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.005             | 0.003                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.005             | 0.003                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.005             | 0.003                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.004             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.004             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.004             | 0.002                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.004             | 0.002                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.004             | 0.002                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.004             | 0.002                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.003             | 0.002                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.003             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.003             | 0.002                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.003             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.003             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.002             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.005             |                      |

## 園芸施設共済 危険段階別共済掛金率表

42 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、未被覆、20万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.012             | 0.006                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.009             | 0.005                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.009             | 0.005                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.009             | 0.005                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.009             | 0.005                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.009             | 0.005                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.008             | 0.004                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.008             | 0.004                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.008             | 0.004                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.008             | 0.004                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.008             | 0.004                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.008             | 0.004                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.007             | 0.004                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.007             | 0.004                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.007             | 0.004                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.007             | 0.004                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.007             | 0.004                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.006             | 0.003                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.006             | 0.003                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.006             | 0.003                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.006             | 0.003                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.006             | 0.003                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.006             | 0.003                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.005             | 0.003                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.005             | 0.003                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.005             | 0.003                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.005             | 0.003                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.005             | 0.003                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.005             | 0.003                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.004             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.004             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.004             | 0.002                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.004             | 0.002                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.004             | 0.002                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.004             | 0.002                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.003             | 0.002                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.003             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.003             | 0.002                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.003             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.003             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.002             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.005             |                      |

## 園芸施設共済 危険段階別共済掛金率表

43 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、未被覆、50万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.010             | 0.005                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.007             | 0.004                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.007             | 0.004                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.007             | 0.004                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.007             | 0.004                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.007             | 0.004                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.007             | 0.004                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.007             | 0.004                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.006             | 0.003                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.006             | 0.003                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.006             | 0.003                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.006             | 0.003                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.006             | 0.003                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.006             | 0.003                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.006             | 0.003                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.005             | 0.003                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.005             | 0.003                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.005             | 0.003                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.005             | 0.003                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.005             | 0.003                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.005             | 0.003                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.005             | 0.003                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.004             | 0.002                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.004             | 0.002                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.004             | 0.002                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.004             | 0.002                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.004             | 0.002                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.004             | 0.002                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.004             | 0.002                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.004             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.003             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.003             | 0.002                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.003             | 0.002                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.003             | 0.002                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.003             | 0.002                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.003             | 0.002                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.003             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.002             | 0.001                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.002             | 0.001                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.002             | 0.001                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.002             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.004             |                      |

## 園芸施設共済 危険段階別共済掛金率表

44 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、未被覆、50万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.010             | 0.005                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.007             | 0.004                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.007             | 0.004                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.007             | 0.004                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.007             | 0.004                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.007             | 0.004                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.007             | 0.004                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.007             | 0.004                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.006             | 0.003                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.006             | 0.003                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.006             | 0.003                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.006             | 0.003                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.006             | 0.003                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.006             | 0.003                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.006             | 0.003                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.005             | 0.003                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.005             | 0.003                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.005             | 0.003                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.005             | 0.003                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.005             | 0.003                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.005             | 0.003                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.005             | 0.003                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.004             | 0.002                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.004             | 0.002                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.004             | 0.002                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.004             | 0.002                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.004             | 0.002                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.004             | 0.002                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.004             | 0.002                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.004             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.003             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.003             | 0.002                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.003             | 0.002                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.003             | 0.002                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.003             | 0.002                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.003             | 0.002                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.003             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.002             | 0.001                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.002             | 0.001                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.002             | 0.001                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.002             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.004             |                      |

## 園芸施設共済 危険段階別共済掛金率表

45 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、未被覆、100万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.007             | 0.004                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.006             | 0.003                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.005             | 0.003                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.005             | 0.003                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.005             | 0.003                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.005             | 0.003                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.005             | 0.003                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.005             | 0.003                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.005             | 0.003                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.005             | 0.003                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.005             | 0.003                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.005             | 0.003                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.004             | 0.002                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.004             | 0.002                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.004             | 0.002                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.004             | 0.002                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.004             | 0.002                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.004             | 0.002                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.004             | 0.002                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.004             | 0.002                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.004             | 0.002                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.003             | 0.002                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.003             | 0.002                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.003             | 0.002                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.003             | 0.002                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.003             | 0.002                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.003             | 0.002                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.003             | 0.002                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.003             | 0.002                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.003             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.003             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.002             | 0.001                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.002             | 0.001                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.002             | 0.001                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.002             | 0.001                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.002             | 0.001                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.002             | 0.001                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.002             | 0.001                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.002             | 0.001                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.002             | 0.001                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.001             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.003             |                      |

## 園芸施設共済 危険段階別共済掛金率表

46 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、未被覆、100万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.007             | 0.004                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.006             | 0.003                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.005             | 0.003                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.005             | 0.003                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.005             | 0.003                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.005             | 0.003                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.005             | 0.003                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.005             | 0.003                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.005             | 0.003                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.005             | 0.003                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.005             | 0.003                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.005             | 0.003                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.004             | 0.002                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.004             | 0.002                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.004             | 0.002                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.004             | 0.002                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.004             | 0.002                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.004             | 0.002                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.004             | 0.002                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.004             | 0.002                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.004             | 0.002                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.003             | 0.002                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.003             | 0.002                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.003             | 0.002                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.003             | 0.002                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.003             | 0.002                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.003             | 0.002                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.003             | 0.002                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.003             | 0.002                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.003             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.003             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.002             | 0.001                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.002             | 0.001                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.002             | 0.001                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.002             | 0.001                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.002             | 0.001                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.002             | 0.001                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.002             | 0.001                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.002             | 0.001                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.002             | 0.001                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.001             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.003             |                      |

## 園芸施設共済 危険段階別共済掛金率表

47 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、未被覆、1万円特約

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.022             | 0.011                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.017             | 0.009                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.016             | 0.008                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.016             | 0.008                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.016             | 0.008                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.015             | 0.008                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.015             | 0.008                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.015             | 0.008                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.015             | 0.008                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.014             | 0.007                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.014             | 0.007                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.014             | 0.007                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.013             | 0.007                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.013             | 0.007                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.013             | 0.007                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.012             | 0.006                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.012             | 0.006                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.012             | 0.006                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.011             | 0.006                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.011             | 0.006                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.011             | 0.006                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.010             | 0.005                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.010             | 0.005                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.010             | 0.005                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.009             | 0.005                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.009             | 0.005                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.009             | 0.005                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.009             | 0.005                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.008             | 0.004                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.008             | 0.004                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.008             | 0.004                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.007             | 0.004                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.007             | 0.004                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.007             | 0.004                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.006             | 0.003                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.006             | 0.003                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.006             | 0.003                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.005             | 0.003                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.005             | 0.003                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.005             | 0.003                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.004             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.009             |                      |

## 園芸施設共済 危険段階別共済掛金率表

48 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、未被覆、1万円特約 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.022             | 0.011                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.017             | 0.009                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.016             | 0.008                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.016             | 0.008                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.016             | 0.008                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.015             | 0.008                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.015             | 0.008                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.015             | 0.008                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.015             | 0.008                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.014             | 0.007                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.014             | 0.007                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.014             | 0.007                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.013             | 0.007                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.013             | 0.007                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.013             | 0.007                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.012             | 0.006                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.012             | 0.006                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.012             | 0.006                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.011             | 0.006                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.011             | 0.006                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.011             | 0.006                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.010             | 0.005                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.010             | 0.005                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.010             | 0.005                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.009             | 0.005                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.009             | 0.005                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.009             | 0.005                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.009             | 0.005                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.008             | 0.004                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.008             | 0.004                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.008             | 0.004                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.007             | 0.004                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.007             | 0.004                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.007             | 0.004                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.006             | 0.003                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.006             | 0.003                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.006             | 0.003                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.005             | 0.003                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.005             | 0.003                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.005             | 0.003                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.004             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.009             |                      |

## 園芸施設共済 危険段階別共済掛金率表

49 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、被覆、3万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.141             | 0.071                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.108             | 0.054                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.106             | 0.053                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.104             | 0.052                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.102             | 0.051                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.100             | 0.050                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.098             | 0.049                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.096             | 0.048                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.094             | 0.047                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.092             | 0.046                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.090             | 0.045                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.087             | 0.044                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.085             | 0.043                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.083             | 0.042                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.081             | 0.041                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.079             | 0.040                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.077             | 0.039                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.075             | 0.038                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.073             | 0.037                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.071             | 0.036                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.069             | 0.035                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.067             | 0.034                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.065             | 0.033                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.063             | 0.032                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.061             | 0.031                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.059             | 0.030                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.057             | 0.029                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.055             | 0.028                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.053             | 0.027                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.051             | 0.026                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.049             | 0.025                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.047             | 0.024                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.045             | 0.023                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.043             | 0.022                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.041             | 0.021                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.039             | 0.020                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.037             | 0.019                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.035             | 0.018                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.033             | 0.017                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.031             | 0.016                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.029             | 0.015                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.058             |                      |

## 園芸施設共済 危険段階別共済掛金率表

50 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、被覆、3万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.134             | 0.067                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.102             | 0.051                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.100             | 0.050                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.098             | 0.049                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.096             | 0.048                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.095             | 0.048                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.093             | 0.047                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.091             | 0.046                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.089             | 0.045                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.087             | 0.044                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.085             | 0.043                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.083             | 0.042                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.081             | 0.041                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.079             | 0.040                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.077             | 0.039                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.075             | 0.038                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.073             | 0.037                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.071             | 0.036                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.069             | 0.035                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.068             | 0.034                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.066             | 0.033                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.064             | 0.032                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.062             | 0.031                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.060             | 0.030                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.058             | 0.029                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.056             | 0.028                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.054             | 0.027                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.052             | 0.026                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.050             | 0.025                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.048             | 0.024                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.046             | 0.023                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.044             | 0.022                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.042             | 0.021                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.041             | 0.021                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.039             | 0.020                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.037             | 0.019                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.035             | 0.018                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.033             | 0.017                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.031             | 0.016                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.029             | 0.015                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.027             | 0.014                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.055             |                      |

## 園芸施設共済 危険段階別共済掛金率表

51 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、被覆、10万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.136             | 0.068                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.104             | 0.052                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.102             | 0.051                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.100             | 0.050                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.098             | 0.049                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.096             | 0.048                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.094             | 0.047                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.092             | 0.046                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.090             | 0.045                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.088             | 0.044                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.086             | 0.043                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.084             | 0.042                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.083             | 0.042                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.081             | 0.041                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.079             | 0.040                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.077             | 0.039                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.075             | 0.038                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.073             | 0.037                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.071             | 0.036                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.069             | 0.035                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.067             | 0.034                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.065             | 0.033                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.063             | 0.032                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.061             | 0.031                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.059             | 0.030                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.057             | 0.029                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.055             | 0.028                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.053             | 0.027                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.051             | 0.026                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.049             | 0.025                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.047             | 0.024                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.045             | 0.023                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.043             | 0.022                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.041             | 0.021                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.039             | 0.020                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.037             | 0.019                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.035             | 0.018                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.033             | 0.017                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.031             | 0.016                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.029             | 0.015                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.028             | 0.014                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.056             |                      |

## 園芸施設共済 危険段階別共済掛金率表

52 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、被覆、10万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.129             | 0.065                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.099             | 0.050                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.097             | 0.049                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.095             | 0.048                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.093             | 0.047                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.091             | 0.046                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.089             | 0.045                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.087             | 0.044                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.086             | 0.043                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.084             | 0.042                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.082             | 0.041                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.080             | 0.040                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.078             | 0.039                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.076             | 0.038                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.074             | 0.037                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.073             | 0.037                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.071             | 0.036                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.069             | 0.035                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.067             | 0.034                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.065             | 0.033                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.063             | 0.032                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.061             | 0.031                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.059             | 0.030                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.058             | 0.029                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.056             | 0.028                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.054             | 0.027                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.052             | 0.026                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.050             | 0.025                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.048             | 0.024                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.046             | 0.023                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.045             | 0.023                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.043             | 0.022                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.041             | 0.021                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.039             | 0.020                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.037             | 0.019                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.035             | 0.018                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.033             | 0.017                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.032             | 0.016                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.030             | 0.015                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.028             | 0.014                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.026             | 0.013                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.053             |                      |

## 園芸施設共済 危険段階別共済掛金率表

53 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、被覆、20万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.083             | 0.042                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.063             | 0.032                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.062             | 0.031                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.061             | 0.031                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.060             | 0.030                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.058             | 0.029                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.057             | 0.029                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.056             | 0.028                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.055             | 0.028                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.054             | 0.027                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.052             | 0.026                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.051             | 0.026                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.050             | 0.025                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.049             | 0.025                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.048             | 0.024                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.047             | 0.024                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.045             | 0.023                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.044             | 0.022                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.043             | 0.022                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.042             | 0.021                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.041             | 0.021                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.039             | 0.020                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.038             | 0.019                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.037             | 0.019                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.036             | 0.018                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.035             | 0.018                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.033             | 0.017                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.032             | 0.016                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.031             | 0.016                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.030             | 0.015                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.029             | 0.015                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.027             | 0.014                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.026             | 0.013                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.025             | 0.013                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.024             | 0.012                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.023             | 0.012                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.021             | 0.011                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.020             | 0.010                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.019             | 0.010                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.018             | 0.009                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.017             | 0.009                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.034             |                      |

## 園芸施設共済 危険段階別共済掛金率表

54 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、被覆、20万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.078             | 0.039                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.059             | 0.030                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.058             | 0.029                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.057             | 0.029                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.056             | 0.028                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.055             | 0.028                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.054             | 0.027                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.053             | 0.027                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.052             | 0.026                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.051             | 0.026                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.049             | 0.025                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.048             | 0.024                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.047             | 0.024                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.046             | 0.023                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.045             | 0.023                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.044             | 0.022                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.043             | 0.022                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.042             | 0.021                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.040             | 0.020                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.039             | 0.020                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.038             | 0.019                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.037             | 0.019                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.036             | 0.018                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.035             | 0.018                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.034             | 0.017                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.033             | 0.017                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.031             | 0.016                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.030             | 0.015                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.029             | 0.015                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.028             | 0.014                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.027             | 0.014                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.026             | 0.013                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.025             | 0.013                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.024             | 0.012                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.022             | 0.011                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.021             | 0.011                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.020             | 0.010                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.019             | 0.010                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.018             | 0.009                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.017             | 0.009                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.016             | 0.008                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.032             |                      |

## 園芸施設共済 危険段階別共済掛金率表

55 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、被覆、50万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.058             | 0.029                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.045             | 0.023                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.044             | 0.022                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.043             | 0.022                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.042             | 0.021                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.041             | 0.021                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.040             | 0.020                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.040             | 0.020                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.039             | 0.020                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.038             | 0.019                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.037             | 0.019                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.036             | 0.018                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.035             | 0.018                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.035             | 0.018                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.034             | 0.017                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.033             | 0.017                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.032             | 0.016                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.031             | 0.016                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.030             | 0.015                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.029             | 0.015                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.029             | 0.015                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.028             | 0.014                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.027             | 0.014                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.026             | 0.013                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.025             | 0.013                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.024             | 0.012                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.024             | 0.012                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.023             | 0.012                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.022             | 0.011                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.021             | 0.011                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.020             | 0.010                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.019             | 0.010                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.019             | 0.010                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.018             | 0.009                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.017             | 0.009                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.016             | 0.008                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.015             | 0.008                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.014             | 0.007                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.013             | 0.007                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.013             | 0.007                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.012             | 0.006                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.024             |                      |

## 園芸施設共済 危険段階別共済掛金率表

56 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、被覆、50万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.056             | 0.028                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.043             | 0.022                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.042             | 0.021                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.041             | 0.021                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.040             | 0.020                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.040             | 0.020                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.039             | 0.020                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.038             | 0.019                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.037             | 0.019                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.036             | 0.018                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.035             | 0.018                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.035             | 0.018                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.034             | 0.017                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.033             | 0.017                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.032             | 0.016                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.031             | 0.016                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.031             | 0.016                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.030             | 0.015                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.029             | 0.015                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.028             | 0.014                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.027             | 0.014                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.027             | 0.014                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.026             | 0.013                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.025             | 0.013                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.024             | 0.012                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.023             | 0.012                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.023             | 0.012                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.022             | 0.011                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.021             | 0.011                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.020             | 0.010                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.019             | 0.010                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.019             | 0.010                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.018             | 0.009                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.017             | 0.009                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.016             | 0.008                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.015             | 0.008                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.015             | 0.008                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.014             | 0.007                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.013             | 0.007                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.012             | 0.006                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.011             | 0.006                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.023             |                      |

## 園芸施設共済 危険段階別共済掛金率表

57 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、被覆、100万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.029             | 0.015                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.022             | 0.011                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.022             | 0.011                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.021             | 0.011                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.021             | 0.011                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.021             | 0.011                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.020             | 0.010                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.020             | 0.010                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.019             | 0.010                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.019             | 0.010                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.019             | 0.010                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.018             | 0.009                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.018             | 0.009                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.017             | 0.009                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.017             | 0.009                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.016             | 0.008                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.016             | 0.008                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.016             | 0.008                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.015             | 0.008                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.015             | 0.008                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.014             | 0.007                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.014             | 0.007                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.013             | 0.007                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.013             | 0.007                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.013             | 0.007                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.012             | 0.006                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.012             | 0.006                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.011             | 0.006                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.011             | 0.006                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.011             | 0.006                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.010             | 0.005                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.010             | 0.005                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.009             | 0.005                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.009             | 0.005                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.008             | 0.004                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.008             | 0.004                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.008             | 0.004                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.007             | 0.004                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.007             | 0.004                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.006             | 0.003                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.006             | 0.003                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.012             |                      |

## 園芸施設共済 危険段階別共済掛金率表

58 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、被覆、100万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.027             | 0.014                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.020             | 0.010                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.020             | 0.010                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.020             | 0.010                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.019             | 0.010                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.019             | 0.010                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.019             | 0.010                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.018             | 0.009                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.018             | 0.009                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.017             | 0.009                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.017             | 0.009                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.017             | 0.009                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.016             | 0.008                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.016             | 0.008                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.015             | 0.008                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.015             | 0.008                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.015             | 0.008                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.014             | 0.007                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.014             | 0.007                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.014             | 0.007                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.013             | 0.007                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.013             | 0.007                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.012             | 0.006                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.012             | 0.006                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.012             | 0.006                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.011             | 0.006                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.011             | 0.006                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.010             | 0.005                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.010             | 0.005                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.010             | 0.005                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.009             | 0.005                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.009             | 0.005                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.008             | 0.004                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.008             | 0.004                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.008             | 0.004                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.007             | 0.004                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.007             | 0.004                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.007             | 0.004                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.006             | 0.003                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.006             | 0.003                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.005             | 0.003                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.011             |                      |

## 園芸施設共済 危険段階別共済掛金率表

59 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、被覆、1万円特約

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.144             | 0.072                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.110             | 0.055                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.108             | 0.054                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.106             | 0.053                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.103             | 0.052                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.101             | 0.051                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.099             | 0.050                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.097             | 0.049                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.095             | 0.048                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.093             | 0.047                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.091             | 0.046                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.089             | 0.045                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.087             | 0.044                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.085             | 0.043                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.083             | 0.042                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.081             | 0.041                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.079             | 0.040                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.077             | 0.039                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.075             | 0.038                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.072             | 0.036                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.070             | 0.035                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.068             | 0.034                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.066             | 0.033                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.064             | 0.032                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.062             | 0.031                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.060             | 0.030                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.058             | 0.029                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.056             | 0.028                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.054             | 0.027                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.052             | 0.026                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.050             | 0.025                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.048             | 0.024                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.046             | 0.023                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.043             | 0.022                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.041             | 0.021                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.039             | 0.020                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.037             | 0.019                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.035             | 0.018                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.033             | 0.017                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.031             | 0.016                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.029             | 0.015                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.059             |                      |

## 園芸施設共済 危険段階別共済掛金率表

60 / 96

プラスチックハウスⅠ類（木竹）：撤去費用、被覆、1万円特約 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.136             | 0.068                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.104             | 0.052                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.102             | 0.051                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.100             | 0.050                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.098             | 0.049                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.096             | 0.048                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.094             | 0.047                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.092             | 0.046                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.090             | 0.045                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.088             | 0.044                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.086             | 0.043                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.084             | 0.042                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.083             | 0.042                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.081             | 0.041                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.079             | 0.040                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.077             | 0.039                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.075             | 0.038                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.073             | 0.037                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.071             | 0.036                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.069             | 0.035                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.067             | 0.034                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.065             | 0.033                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.063             | 0.032                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.061             | 0.031                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.059             | 0.030                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.057             | 0.029                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.055             | 0.028                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.053             | 0.027                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.051             | 0.026                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.049             | 0.025                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.047             | 0.024                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.045             | 0.023                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.043             | 0.022                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.041             | 0.021                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.039             | 0.020                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.037             | 0.019                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.035             | 0.018                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.033             | 0.017                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.031             | 0.016                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.029             | 0.015                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.028             | 0.014                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.056             |                      |

## 園芸施設共済 危険段階別共済掛金率表

61 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、未被覆、3万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.019             | 0.010                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.015             | 0.008                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.015             | 0.008                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.014             | 0.007                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.014             | 0.007                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.014             | 0.007                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.013             | 0.007                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.013             | 0.007                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.013             | 0.007                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.013             | 0.007                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.012             | 0.006                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.012             | 0.006                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.012             | 0.006                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.012             | 0.006                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.011             | 0.006                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.011             | 0.006                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.011             | 0.006                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.010             | 0.005                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.010             | 0.005                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.010             | 0.005                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.010             | 0.005                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.009             | 0.005                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.009             | 0.005                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.009             | 0.005                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.008             | 0.004                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.008             | 0.004                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.008             | 0.004                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.008             | 0.004                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.007             | 0.004                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.007             | 0.004                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.007             | 0.004                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.006             | 0.003                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.006             | 0.003                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.006             | 0.003                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.006             | 0.003                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.005             | 0.003                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.005             | 0.003                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.005             | 0.003                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.004             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.004             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.004             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.008             |                      |

## 園芸施設共済 危険段階別共済掛金率表

62 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、未被覆、3万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.019             | 0.010                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.015             | 0.008                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.015             | 0.008                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.014             | 0.007                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.014             | 0.007                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.014             | 0.007                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.013             | 0.007                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.013             | 0.007                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.013             | 0.007                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.013             | 0.007                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.012             | 0.006                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.012             | 0.006                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.012             | 0.006                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.012             | 0.006                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.011             | 0.006                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.011             | 0.006                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.011             | 0.006                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.010             | 0.005                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.010             | 0.005                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.010             | 0.005                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.010             | 0.005                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.009             | 0.005                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.009             | 0.005                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.009             | 0.005                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.008             | 0.004                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.008             | 0.004                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.008             | 0.004                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.008             | 0.004                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.007             | 0.004                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.007             | 0.004                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.007             | 0.004                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.006             | 0.003                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.006             | 0.003                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.006             | 0.003                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.006             | 0.003                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.005             | 0.003                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.005             | 0.003                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.005             | 0.003                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.004             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.004             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.004             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.008             |                      |

## 園芸施設共済 危険段階別共済掛金率表

63 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、未被覆、10万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.015             | 0.008                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.011             | 0.006                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.011             | 0.006                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.011             | 0.006                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.011             | 0.006                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.010             | 0.005                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.010             | 0.005                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.010             | 0.005                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.010             | 0.005                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.009             | 0.005                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.009             | 0.005                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.009             | 0.005                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.009             | 0.005                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.009             | 0.005                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.008             | 0.004                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.008             | 0.004                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.008             | 0.004                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.008             | 0.004                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.008             | 0.004                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.007             | 0.004                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.007             | 0.004                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.007             | 0.004                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.007             | 0.004                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.007             | 0.004                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.006             | 0.003                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.006             | 0.003                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.006             | 0.003                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.006             | 0.003                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.005             | 0.003                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.005             | 0.003                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.005             | 0.003                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.005             | 0.003                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.005             | 0.003                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.004             | 0.002                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.004             | 0.002                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.004             | 0.002                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.004             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.004             | 0.002                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.003             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.003             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.003             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.006             |                      |

## 園芸施設共済 危険段階別共済掛金率表

64 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、未被覆、10万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.015             | 0.008                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.011             | 0.006                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.011             | 0.006                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.011             | 0.006                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.011             | 0.006                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.010             | 0.005                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.010             | 0.005                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.010             | 0.005                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.010             | 0.005                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.009             | 0.005                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.009             | 0.005                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.009             | 0.005                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.009             | 0.005                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.009             | 0.005                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.008             | 0.004                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.008             | 0.004                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.008             | 0.004                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.008             | 0.004                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.008             | 0.004                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.007             | 0.004                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.007             | 0.004                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.007             | 0.004                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.007             | 0.004                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.007             | 0.004                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.006             | 0.003                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.006             | 0.003                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.006             | 0.003                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.006             | 0.003                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.005             | 0.003                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.005             | 0.003                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.005             | 0.003                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.005             | 0.003                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.005             | 0.003                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.004             | 0.002                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.004             | 0.002                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.004             | 0.002                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.004             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.004             | 0.002                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.003             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.003             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.003             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.006             |                      |

## 園芸施設共済 危険段階別共済掛金率表

65 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、未被覆、20万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.012             | 0.006                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.009             | 0.005                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.009             | 0.005                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.009             | 0.005                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.009             | 0.005                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.009             | 0.005                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.008             | 0.004                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.008             | 0.004                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.008             | 0.004                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.008             | 0.004                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.008             | 0.004                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.008             | 0.004                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.007             | 0.004                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.007             | 0.004                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.007             | 0.004                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.007             | 0.004                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.007             | 0.004                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.006             | 0.003                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.006             | 0.003                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.006             | 0.003                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.006             | 0.003                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.006             | 0.003                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.006             | 0.003                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.005             | 0.003                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.005             | 0.003                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.005             | 0.003                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.005             | 0.003                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.005             | 0.003                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.005             | 0.003                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.004             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.004             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.004             | 0.002                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.004             | 0.002                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.004             | 0.002                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.004             | 0.002                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.003             | 0.002                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.003             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.003             | 0.002                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.003             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.003             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.002             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.005             |                      |

## 園芸施設共済 危険段階別共済掛金率表

66 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、未被覆、20万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.012             | 0.006                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.009             | 0.005                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.009             | 0.005                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.009             | 0.005                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.009             | 0.005                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.009             | 0.005                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.008             | 0.004                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.008             | 0.004                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.008             | 0.004                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.008             | 0.004                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.008             | 0.004                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.008             | 0.004                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.007             | 0.004                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.007             | 0.004                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.007             | 0.004                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.007             | 0.004                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.007             | 0.004                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.006             | 0.003                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.006             | 0.003                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.006             | 0.003                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.006             | 0.003                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.006             | 0.003                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.006             | 0.003                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.005             | 0.003                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.005             | 0.003                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.005             | 0.003                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.005             | 0.003                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.005             | 0.003                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.005             | 0.003                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.004             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.004             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.004             | 0.002                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.004             | 0.002                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.004             | 0.002                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.004             | 0.002                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.003             | 0.002                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.003             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.003             | 0.002                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.003             | 0.002                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.003             | 0.002                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.002             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.005             |                      |

## 園芸施設共済 危険段階別共済掛金率表

67 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、未被覆、50万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.010             | 0.005                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.007             | 0.004                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.007             | 0.004                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.007             | 0.004                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.007             | 0.004                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.007             | 0.004                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.007             | 0.004                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.007             | 0.004                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.006             | 0.003                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.006             | 0.003                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.006             | 0.003                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.006             | 0.003                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.006             | 0.003                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.006             | 0.003                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.006             | 0.003                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.005             | 0.003                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.005             | 0.003                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.005             | 0.003                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.005             | 0.003                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.005             | 0.003                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.005             | 0.003                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.005             | 0.003                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.004             | 0.002                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.004             | 0.002                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.004             | 0.002                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.004             | 0.002                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.004             | 0.002                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.004             | 0.002                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.004             | 0.002                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.004             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.003             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.003             | 0.002                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.003             | 0.002                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.003             | 0.002                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.003             | 0.002                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.003             | 0.002                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.003             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.002             | 0.001                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.002             | 0.001                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.002             | 0.001                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.002             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.004             |                      |

## 園芸施設共済 危険段階別共済掛金率表

68 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、未被覆、50万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.010             | 0.005                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.007             | 0.004                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.007             | 0.004                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.007             | 0.004                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.007             | 0.004                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.007             | 0.004                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.007             | 0.004                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.007             | 0.004                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.006             | 0.003                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.006             | 0.003                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.006             | 0.003                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.006             | 0.003                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.006             | 0.003                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.006             | 0.003                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.006             | 0.003                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.005             | 0.003                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.005             | 0.003                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.005             | 0.003                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.005             | 0.003                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.005             | 0.003                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.005             | 0.003                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.005             | 0.003                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.004             | 0.002                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.004             | 0.002                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.004             | 0.002                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.004             | 0.002                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.004             | 0.002                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.004             | 0.002                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.004             | 0.002                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.004             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.003             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.003             | 0.002                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.003             | 0.002                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.003             | 0.002                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.003             | 0.002                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.003             | 0.002                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.003             | 0.002                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.002             | 0.001                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.002             | 0.001                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.002             | 0.001                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.002             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.004             |                      |

## 園芸施設共済 危険段階別共済掛金率表

69 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、未被覆、100万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.007             | 0.004                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.006             | 0.003                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.005             | 0.003                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.005             | 0.003                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.005             | 0.003                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.005             | 0.003                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.005             | 0.003                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.005             | 0.003                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.005             | 0.003                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.005             | 0.003                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.005             | 0.003                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.005             | 0.003                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.004             | 0.002                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.004             | 0.002                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.004             | 0.002                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.004             | 0.002                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.004             | 0.002                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.004             | 0.002                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.004             | 0.002                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.004             | 0.002                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.004             | 0.002                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.003             | 0.002                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.003             | 0.002                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.003             | 0.002                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.003             | 0.002                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.003             | 0.002                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.003             | 0.002                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.003             | 0.002                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.003             | 0.002                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.003             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.003             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.002             | 0.001                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.002             | 0.001                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.002             | 0.001                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.002             | 0.001                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.002             | 0.001                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.002             | 0.001                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.002             | 0.001                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.002             | 0.001                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.002             | 0.001                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.001             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.003             |                      |

## 園芸施設共済 危険段階別共済掛金率表

70 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、未被覆、100万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.007             | 0.004                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.006             | 0.003                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.005             | 0.003                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.005             | 0.003                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.005             | 0.003                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.005             | 0.003                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.005             | 0.003                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.005             | 0.003                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.005             | 0.003                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.005             | 0.003                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.005             | 0.003                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.005             | 0.003                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.004             | 0.002                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.004             | 0.002                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.004             | 0.002                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.004             | 0.002                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.004             | 0.002                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.004             | 0.002                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.004             | 0.002                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.004             | 0.002                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.004             | 0.002                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.003             | 0.002                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.003             | 0.002                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.003             | 0.002                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.003             | 0.002                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.003             | 0.002                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.003             | 0.002                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.003             | 0.002                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.003             | 0.002                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.003             | 0.002                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.003             | 0.002                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.002             | 0.001                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.002             | 0.001                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.002             | 0.001                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.002             | 0.001                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.002             | 0.001                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.002             | 0.001                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.002             | 0.001                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.002             | 0.001                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.002             | 0.001                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.001             | 0.001                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.003             |                      |

## 園芸施設共済 危険段階別共済掛金率表

71 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、未被覆、1万円特約

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.022             | 0.011                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.017             | 0.009                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.016             | 0.008                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.016             | 0.008                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.016             | 0.008                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.015             | 0.008                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.015             | 0.008                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.015             | 0.008                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.015             | 0.008                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.014             | 0.007                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.014             | 0.007                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.014             | 0.007                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.013             | 0.007                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.013             | 0.007                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.013             | 0.007                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.012             | 0.006                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.012             | 0.006                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.012             | 0.006                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.011             | 0.006                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.011             | 0.006                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.011             | 0.006                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.010             | 0.005                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.010             | 0.005                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.010             | 0.005                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.009             | 0.005                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.009             | 0.005                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.009             | 0.005                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.009             | 0.005                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.008             | 0.004                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.008             | 0.004                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.008             | 0.004                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.007             | 0.004                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.007             | 0.004                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.007             | 0.004                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.006             | 0.003                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.006             | 0.003                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.006             | 0.003                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.005             | 0.003                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.005             | 0.003                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.005             | 0.003                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.004             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.009             |                      |

## 園芸施設共済 危険段階別共済掛金率表

72 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、未被覆、1万円特約 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.022             | 0.011                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.017             | 0.009                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.016             | 0.008                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.016             | 0.008                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.016             | 0.008                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.015             | 0.008                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.015             | 0.008                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.015             | 0.008                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.015             | 0.008                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.014             | 0.007                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.014             | 0.007                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.014             | 0.007                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.013             | 0.007                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.013             | 0.007                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.013             | 0.007                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.012             | 0.006                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.012             | 0.006                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.012             | 0.006                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.011             | 0.006                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.011             | 0.006                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.011             | 0.006                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.010             | 0.005                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.010             | 0.005                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.010             | 0.005                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.009             | 0.005                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.009             | 0.005                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.009             | 0.005                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.009             | 0.005                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.008             | 0.004                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.008             | 0.004                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.008             | 0.004                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.007             | 0.004                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.007             | 0.004                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.007             | 0.004                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.006             | 0.003                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.006             | 0.003                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.006             | 0.003                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.005             | 0.003                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.005             | 0.003                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.005             | 0.003                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.004             | 0.002                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.009             |                      |

## 園芸施設共済 危険段階別共済掛金率表

73 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、被覆、3万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.966             | 0.483                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.738             | 0.369                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.724             | 0.362                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.710             | 0.355                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.696             | 0.348                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.682             | 0.341                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.668             | 0.334                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.654             | 0.327                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.641             | 0.321                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.627             | 0.314                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.613             | 0.307                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.599             | 0.300                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.585             | 0.293                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.571             | 0.286                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.557             | 0.279                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.543             | 0.272                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.529             | 0.265                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.515             | 0.258                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.501             | 0.251                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.487             | 0.244                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.473             | 0.237                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.460             | 0.230                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.446             | 0.223                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.432             | 0.216                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.418             | 0.209                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.404             | 0.202                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.390             | 0.195                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.376             | 0.188                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.362             | 0.181                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.348             | 0.174                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.334             | 0.167                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.320             | 0.160                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.306             | 0.153                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.292             | 0.146                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.279             | 0.140                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.265             | 0.133                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.251             | 0.126                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.237             | 0.119                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.223             | 0.112                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.209             | 0.105                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.198             | 0.099                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.397             |                      |

## 園芸施設共済 危険段階別共済掛金率表

74 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、被覆、3万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.918             | 0.459                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.701             | 0.351                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.688             | 0.344                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.674             | 0.337                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.661             | 0.331                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.648             | 0.324                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.635             | 0.318                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.622             | 0.311                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.608             | 0.304                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.595             | 0.298                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.582             | 0.291                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.569             | 0.285                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.555             | 0.278                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.542             | 0.271                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.529             | 0.265                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.516             | 0.258                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.503             | 0.252                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.489             | 0.245                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.476             | 0.238                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.463             | 0.232                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.450             | 0.225                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.436             | 0.218                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.423             | 0.212                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.410             | 0.205                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.397             | 0.199                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.384             | 0.192                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.370             | 0.185                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.357             | 0.179                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.344             | 0.172                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.331             | 0.166                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.317             | 0.159                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.304             | 0.152                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.291             | 0.146                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.278             | 0.139                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.265             | 0.133                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.251             | 0.126                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.238             | 0.119                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.225             | 0.113                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.212             | 0.106                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.198             | 0.099                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.188             | 0.094                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.377             |                      |

## 園芸施設共済 危険段階別共済掛金率表

75 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、被覆、10万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.864             | 0.432                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.660             | 0.330                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.647             | 0.324                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.635             | 0.318                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.623             | 0.312                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.610             | 0.305                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.598             | 0.299                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.585             | 0.293                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.573             | 0.287                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.560             | 0.280                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.548             | 0.274                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.535             | 0.268                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.523             | 0.262                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.511             | 0.256                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.498             | 0.249                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.486             | 0.243                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.473             | 0.237                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.461             | 0.231                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.448             | 0.224                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.436             | 0.218                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.423             | 0.212                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.411             | 0.206                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.398             | 0.199                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.386             | 0.193                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.374             | 0.187                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.361             | 0.181                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.349             | 0.175                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.336             | 0.168                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.324             | 0.162                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.311             | 0.156                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.299             | 0.150                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.286             | 0.143                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.274             | 0.137                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.262             | 0.131                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.249             | 0.125                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.237             | 0.119                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.224             | 0.112                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.212             | 0.106                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.199             | 0.100                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.187             | 0.094                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.177             | 0.089                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.355             |                      |

## 園芸施設共済 危険段階別共済掛金率表

76 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、被覆、10万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.820             | 0.410                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.626             | 0.313                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.615             | 0.308                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.603             | 0.302                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.591             | 0.296                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.579             | 0.290                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.567             | 0.284                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.556             | 0.278                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.544             | 0.272                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.532             | 0.266                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.520             | 0.260                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.508             | 0.254                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.496             | 0.248                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.485             | 0.243                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.473             | 0.237                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.461             | 0.231                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.449             | 0.225                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.437             | 0.219                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.426             | 0.213                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.414             | 0.207                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.402             | 0.201                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.390             | 0.195                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.378             | 0.189                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.366             | 0.183                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.355             | 0.178                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.343             | 0.172                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.331             | 0.166                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.319             | 0.160                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.307             | 0.154                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.296             | 0.148                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.284             | 0.142                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.272             | 0.136                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.260             | 0.130                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.248             | 0.124                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.236             | 0.118                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.225             | 0.113                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.213             | 0.107                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.201             | 0.101                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.189             | 0.095                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.177             | 0.089                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.168             | 0.084                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.337             |                      |

## 園芸施設共済 危険段階別共済掛金率表

77 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、被覆、20万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.735             | 0.368                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.561             | 0.281                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.551             | 0.276                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.540             | 0.270                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.530             | 0.265                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.519             | 0.260                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.508             | 0.254                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.498             | 0.249                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.487             | 0.244                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.477             | 0.239                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.466             | 0.233                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.456             | 0.228                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.445             | 0.223                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.434             | 0.217                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.424             | 0.212                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.413             | 0.207                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.403             | 0.202                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.392             | 0.196                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.381             | 0.191                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.371             | 0.186                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.360             | 0.180                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.350             | 0.175                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.339             | 0.170                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.328             | 0.164                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.318             | 0.159                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.307             | 0.154                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.297             | 0.149                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.286             | 0.143                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.275             | 0.138                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.265             | 0.133                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.254             | 0.127                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.244             | 0.122                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.233             | 0.117                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.222             | 0.111                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.212             | 0.106                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.201             | 0.101                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.191             | 0.096                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.180             | 0.090                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.170             | 0.085                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.159             | 0.080                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.151             | 0.076                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.302             |                      |

## 園芸施設共済 危険段階別共済掛金率表

78 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、被覆、20万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.699             | 0.350                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.534             | 0.267                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.523             | 0.262                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.513             | 0.257                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.503             | 0.252                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.493             | 0.247                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.483             | 0.242                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.473             | 0.237                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.463             | 0.232                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.453             | 0.227                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.443             | 0.222                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.433             | 0.217                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.423             | 0.212                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.413             | 0.207                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.403             | 0.202                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.393             | 0.197                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.383             | 0.192                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.372             | 0.186                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.362             | 0.181                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.352             | 0.176                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.342             | 0.171                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.332             | 0.166                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.322             | 0.161                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.312             | 0.156                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.302             | 0.151                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.292             | 0.146                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.282             | 0.141                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.272             | 0.136                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.262             | 0.131                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.252             | 0.126                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.242             | 0.121                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.232             | 0.116                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.222             | 0.111                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.211             | 0.106                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.201             | 0.101                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.191             | 0.096                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.181             | 0.091                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.171             | 0.086                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.161             | 0.081                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.151             | 0.076                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.143             | 0.072                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.287             |                      |

## 園芸施設共済 危険段階別共済掛金率表

79 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、被覆、50万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.560             | 0.280                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.428             | 0.214                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.420             | 0.210                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.411             | 0.206                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.403             | 0.202                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.395             | 0.198                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.387             | 0.194                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.379             | 0.190                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.371             | 0.186                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.363             | 0.182                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.355             | 0.178                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.347             | 0.174                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.339             | 0.170                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.331             | 0.166                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.323             | 0.162                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.315             | 0.158                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.307             | 0.154                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.299             | 0.150                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.290             | 0.145                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.282             | 0.141                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.274             | 0.137                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.266             | 0.133                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.258             | 0.129                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.250             | 0.125                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.242             | 0.121                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.234             | 0.117                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.226             | 0.113                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.218             | 0.109                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.210             | 0.105                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.202             | 0.101                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.194             | 0.097                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.186             | 0.093                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.178             | 0.089                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.169             | 0.085                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.161             | 0.081                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.153             | 0.077                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.145             | 0.073                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.137             | 0.069                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.129             | 0.065                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.121             | 0.061                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.115             | 0.058                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.230             |                      |

## 園芸施設共済 危険段階別共済掛金率表

80 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、被覆、50万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.533             | 0.267                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.407             | 0.204                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.399             | 0.200                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.392             | 0.196                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.384             | 0.192                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.376             | 0.188                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.369             | 0.185                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.361             | 0.181                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.353             | 0.177                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.346             | 0.173                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.338             | 0.169                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.330             | 0.165                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.323             | 0.162                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.315             | 0.158                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.307             | 0.154                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.300             | 0.150                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.292             | 0.146                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.284             | 0.142                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.277             | 0.139                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.269             | 0.135                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.261             | 0.131                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.254             | 0.127                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.246             | 0.123                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.238             | 0.119                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.230             | 0.115                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.223             | 0.112                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.215             | 0.108                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.207             | 0.104                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.200             | 0.100                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.192             | 0.096                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.184             | 0.092                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.177             | 0.089                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.169             | 0.085                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.161             | 0.081                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.154             | 0.077                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.146             | 0.073                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.138             | 0.069                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.131             | 0.066                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.123             | 0.062                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.115             | 0.058                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.109             | 0.055                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.219             |                      |

## 園芸施設共済 危険段階別共済掛金率表

81 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、被覆、100万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.170             | 0.085                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.130             | 0.065                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.128             | 0.064                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.125             | 0.063                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.123             | 0.062                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.120             | 0.060                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.118             | 0.059                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.115             | 0.058                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.113             | 0.057                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.110             | 0.055                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.108             | 0.054                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.106             | 0.053                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.103             | 0.052                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.101             | 0.051                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.098             | 0.049                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.096             | 0.048                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.093             | 0.047                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.091             | 0.046                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.088             | 0.044                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.086             | 0.043                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.083             | 0.042                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.081             | 0.041                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.079             | 0.040                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.076             | 0.038                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.074             | 0.037                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.071             | 0.036                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.069             | 0.035                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.066             | 0.033                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.064             | 0.032                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.061             | 0.031                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.059             | 0.030                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.056             | 0.028                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.054             | 0.027                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.052             | 0.026                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.049             | 0.025                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.047             | 0.024                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.044             | 0.022                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.042             | 0.021                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.039             | 0.020                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.037             | 0.019                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.035             | 0.018                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.070             |                      |

## 園芸施設共済 危険段階別共済掛金率表

82 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、被覆、100万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.163             | 0.082                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.125             | 0.063                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.122             | 0.061                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.120             | 0.060                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.118             | 0.059                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.115             | 0.058                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.113             | 0.057                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.110             | 0.055                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.108             | 0.054                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.106             | 0.053                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.103             | 0.052                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.101             | 0.051                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.099             | 0.050                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.096             | 0.048                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.094             | 0.047                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.092             | 0.046                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.089             | 0.045                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.087             | 0.044                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.085             | 0.043                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.082             | 0.041                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.080             | 0.040                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.078             | 0.039                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.075             | 0.038                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.073             | 0.037                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.071             | 0.036                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.068             | 0.034                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.066             | 0.033                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.063             | 0.032                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.061             | 0.031                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.059             | 0.030                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.056             | 0.028                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.054             | 0.027                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.052             | 0.026                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.049             | 0.025                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.047             | 0.024                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.045             | 0.023                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.042             | 0.021                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.040             | 0.020                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.038             | 0.019                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.035             | 0.018                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.033             | 0.017                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.067             |                      |

## 園芸施設共済 危険段階別共済掛金率表

83 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、被覆、1万円特約

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.976             | 0.488                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.745             | 0.373                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.731             | 0.366                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.717             | 0.359                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.703             | 0.352                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.689             | 0.345                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.675             | 0.338                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.661             | 0.331                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.647             | 0.324                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.633             | 0.317                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.619             | 0.310                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.605             | 0.303                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.591             | 0.296                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.577             | 0.289                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.563             | 0.282                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.549             | 0.275                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.535             | 0.268                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.520             | 0.260                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.506             | 0.253                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.492             | 0.246                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.478             | 0.239                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.464             | 0.232                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.450             | 0.225                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.436             | 0.218                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.422             | 0.211                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.408             | 0.204                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.394             | 0.197                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.380             | 0.190                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.366             | 0.183                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.352             | 0.176                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.338             | 0.169                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.324             | 0.162                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.309             | 0.155                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.295             | 0.148                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.281             | 0.141                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.267             | 0.134                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.253             | 0.127                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.239             | 0.120                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.225             | 0.113                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.211             | 0.106                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.200             | 0.100                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.401             |                      |

## 園芸施設共済 危険段階別共済掛金率表

84 / 96

プラスチックハウスⅠ類（木竹）：復旧費用、被覆、1万円特約 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.927             | 0.464                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.708             | 0.354                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.695             | 0.348                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.682             | 0.341                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.668             | 0.334                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.655             | 0.328                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.641             | 0.321                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.628             | 0.314                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.615             | 0.308                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.601             | 0.301                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.588             | 0.294                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.575             | 0.288                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.561             | 0.281                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.548             | 0.274                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.535             | 0.268                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.521             | 0.261                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.508             | 0.254                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.494             | 0.247                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.481             | 0.241                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.468             | 0.234                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.454             | 0.227                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.441             | 0.221                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.428             | 0.214                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.414             | 0.207                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.401             | 0.201                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.388             | 0.194                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.374             | 0.187                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.361             | 0.181                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.348             | 0.174                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.334             | 0.167                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.321             | 0.161                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.307             | 0.154                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.294             | 0.147                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.281             | 0.141                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.267             | 0.134                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.254             | 0.127                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.241             | 0.121                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.227             | 0.114                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.214             | 0.107                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.201             | 0.101                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.190             | 0.095                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.381             |                      |

## 園芸施設共済 危険段階別共済掛金率表

85 / 96

プラスチックハウスⅠ類（木竹）：内作事故除外、被覆、3万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.266             | 0.633                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.967             | 0.484                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.948             | 0.474                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.930             | 0.465                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.912             | 0.456                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.894             | 0.447                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.875             | 0.438                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.857             | 0.429                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.839             | 0.420                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.821             | 0.411                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.803             | 0.402                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.784             | 0.392                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.766             | 0.383                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.748             | 0.374                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.730             | 0.365                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.711             | 0.356                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.693             | 0.347                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.675             | 0.338                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.657             | 0.329                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.638             | 0.319                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.620             | 0.310                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.602             | 0.301                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.584             | 0.292                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.565             | 0.283                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.547             | 0.274                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.529             | 0.265                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.511             | 0.256                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.493             | 0.247                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.474             | 0.237                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.456             | 0.228                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.438             | 0.219                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.420             | 0.210                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.401             | 0.201                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.383             | 0.192                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.365             | 0.183                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.347             | 0.174                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.328             | 0.164                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.310             | 0.155                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.292             | 0.146                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.274             | 0.137                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.260             | 0.130                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.520             |                      |

## 園芸施設共済 危険段階別共済掛金率表

86 / 96

プラスチックハウスⅠ類（木竹）：内作事故除外、被覆、3万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.202             | 0.601                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.918             | 0.459                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.901             | 0.451                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.884             | 0.442                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.866             | 0.433                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.849             | 0.425                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.832             | 0.416                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.814             | 0.407                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.797             | 0.399                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.780             | 0.390                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.762             | 0.381                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.745             | 0.373                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.728             | 0.364                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.710             | 0.355                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.693             | 0.347                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.676             | 0.338                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.658             | 0.329                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.641             | 0.321                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.624             | 0.312                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.606             | 0.303                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.589             | 0.295                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.572             | 0.286                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.555             | 0.278                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.537             | 0.269                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.520             | 0.260                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.503             | 0.252                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.485             | 0.243                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.468             | 0.234                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.451             | 0.226                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.433             | 0.217                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.416             | 0.208                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.399             | 0.200                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.381             | 0.191                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.364             | 0.182                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.347             | 0.174                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.329             | 0.165                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.312             | 0.156                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.295             | 0.148                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.277             | 0.139                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.260             | 0.130                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.247             | 0.124                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.494             |                      |

## 園芸施設共済 危険段階別共済掛金率表

87 / 96

プラスチックハウスⅠ類（木竹）：内作事故除外、被覆、10万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.263             | 0.632                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.965             | 0.483                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.947             | 0.474                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.928             | 0.464                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.910             | 0.455                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.892             | 0.446                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.874             | 0.437                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.856             | 0.428                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.837             | 0.419                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.819             | 0.410                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.801             | 0.401                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.783             | 0.392                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.765             | 0.383                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.746             | 0.373                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.728             | 0.364                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.710             | 0.355                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.692             | 0.346                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.674             | 0.337                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.655             | 0.328                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.637             | 0.319                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.619             | 0.310                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.601             | 0.301                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.583             | 0.292                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.564             | 0.282                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.546             | 0.273                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.528             | 0.264                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.510             | 0.255                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.492             | 0.246                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.473             | 0.237                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.455             | 0.228                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.437             | 0.219                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.419             | 0.210                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.401             | 0.201                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.382             | 0.191                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.364             | 0.182                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.346             | 0.173                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.328             | 0.164                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.310             | 0.155                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.291             | 0.146                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.273             | 0.137                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.259             | 0.130                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.519             |                      |

## 園芸施設共済 危険段階別共済掛金率表

88 / 96

プラスチックハウスⅠ類（木竹）：内作事故除外、被覆、10万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.200             | 0.600                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.916             | 0.458                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.899             | 0.450                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.882             | 0.441                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.865             | 0.433                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.847             | 0.424                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.830             | 0.415                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.813             | 0.407                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.795             | 0.398                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.778             | 0.389                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.761             | 0.381                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.744             | 0.372                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.726             | 0.363                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.709             | 0.355                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.692             | 0.346                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.674             | 0.337                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.657             | 0.329                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.640             | 0.320                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.623             | 0.312                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.605             | 0.303                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.588             | 0.294                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.571             | 0.286                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.553             | 0.277                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.536             | 0.268                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.519             | 0.260                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.502             | 0.251                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.484             | 0.242                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.467             | 0.234                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.450             | 0.225                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.432             | 0.216                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.415             | 0.208                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.398             | 0.199                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.380             | 0.190                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.363             | 0.182                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.346             | 0.173                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.329             | 0.165                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.311             | 0.156                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.294             | 0.147                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.277             | 0.139                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.259             | 0.130                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.246             | 0.123                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.493             |                      |

## 園芸施設共済 危険段階別共済掛金率表

89 / 96

プラスチックハウスⅠ類（木竹）：内作事故除外、被覆、20万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.261             | 0.631                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.963             | 0.482                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.945             | 0.473                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.927             | 0.464                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.908             | 0.454                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.890             | 0.445                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.872             | 0.436                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.854             | 0.427                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.836             | 0.418                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.818             | 0.409                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.799             | 0.400                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.781             | 0.391                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.763             | 0.382                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.745             | 0.373                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.727             | 0.364                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.709             | 0.355                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.690             | 0.345                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.672             | 0.336                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.654             | 0.327                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.636             | 0.318                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.618             | 0.309                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.600             | 0.300                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.581             | 0.291                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.563             | 0.282                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.545             | 0.273                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.527             | 0.264                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.509             | 0.255                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.491             | 0.246                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.472             | 0.236                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.454             | 0.227                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.436             | 0.218                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.418             | 0.209                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.400             | 0.200                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.382             | 0.191                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.363             | 0.182                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.345             | 0.173                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.327             | 0.164                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.309             | 0.155                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.291             | 0.146                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.273             | 0.137                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.259             | 0.130                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.518             |                      |

## 園芸施設共済 危険段階別共済掛金率表

90 / 96

プラスチックハウスⅠ類（木竹）：内作事故除外、被覆、20万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.198             | 0.599                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.915             | 0.458                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.897             | 0.449                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.880             | 0.440                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.863             | 0.432                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.846             | 0.423                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.828             | 0.414                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.811             | 0.406                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.794             | 0.397                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.777             | 0.389                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.759             | 0.380                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.742             | 0.371                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.725             | 0.363                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.708             | 0.354                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.690             | 0.345                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.673             | 0.337                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.656             | 0.328                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.639             | 0.320                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.621             | 0.311                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.604             | 0.302                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.587             | 0.294                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.570             | 0.285                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.552             | 0.276                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.535             | 0.268                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.518             | 0.259                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.501             | 0.251                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.483             | 0.242                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.466             | 0.233                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.449             | 0.225                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.431             | 0.216                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.414             | 0.207                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.397             | 0.199                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.380             | 0.190                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.362             | 0.181                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.345             | 0.173                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.328             | 0.164                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.311             | 0.156                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.293             | 0.147                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.276             | 0.138                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.259             | 0.130                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.246             | 0.123                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.492             |                      |

## 園芸施設共済 危険段階別共済掛金率表

91 / 96

プラスチックハウスⅠ類（木竹）：内作事故除外、被覆、50万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.185             | 0.593                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.905             | 0.453                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.888             | 0.444                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.871             | 0.436                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.854             | 0.427                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.837             | 0.419                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.820             | 0.410                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.803             | 0.402                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.786             | 0.393                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.769             | 0.385                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.752             | 0.376                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.735             | 0.368                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.717             | 0.359                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.700             | 0.350                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.683             | 0.342                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.666             | 0.333                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.649             | 0.325                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.632             | 0.316                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.615             | 0.308                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.598             | 0.299                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.581             | 0.291                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.564             | 0.282                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.547             | 0.274                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.530             | 0.265                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.513             | 0.257                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.495             | 0.248                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.478             | 0.239                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.461             | 0.231                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.444             | 0.222                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.427             | 0.214                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.410             | 0.205                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.393             | 0.197                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.376             | 0.188                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.359             | 0.180                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.342             | 0.171                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.325             | 0.163                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.308             | 0.154                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.290             | 0.145                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.273             | 0.137                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.256             | 0.128                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.243             | 0.122                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.487             |                      |

## 園芸施設共済 危険段階別共済掛金率表

92 / 96

プラスチックハウスⅠ類（木竹）：内作事故除外、被覆、50万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.127             | 0.564                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.861             | 0.431                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.844             | 0.422                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.828             | 0.414                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.812             | 0.406                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.796             | 0.398                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.780             | 0.390                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.763             | 0.382                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.747             | 0.374                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.731             | 0.366                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.715             | 0.358                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.698             | 0.349                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.682             | 0.341                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.666             | 0.333                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.650             | 0.325                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.633             | 0.317                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.617             | 0.309                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.601             | 0.301                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.585             | 0.293                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.568             | 0.284                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.552             | 0.276                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.536             | 0.268                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.520             | 0.260                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.503             | 0.252                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.487             | 0.244                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.471             | 0.236                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.455             | 0.228                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.439             | 0.220                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.422             | 0.211                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.406             | 0.203                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.390             | 0.195                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.374             | 0.187                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.357             | 0.179                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.341             | 0.171                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.325             | 0.163                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.309             | 0.155                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.292             | 0.146                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.276             | 0.138                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.260             | 0.130                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.244             | 0.122                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.231             | 0.116                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.463             |                      |

## 園芸施設共済 危険段階別共済掛金率表

93 / 96

プラスチックハウスⅠ類（木竹）：内作事故除外、被覆、100万円

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.472             | 0.236                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.361             | 0.181                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.354             | 0.177                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.347             | 0.174                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.340             | 0.170                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.333             | 0.167                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.327             | 0.164                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.320             | 0.160                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.313             | 0.157                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.306             | 0.153                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.299             | 0.150                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.293             | 0.147                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.286             | 0.143                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.279             | 0.140                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.272             | 0.136                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.265             | 0.133                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.259             | 0.130                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.252             | 0.126                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.245             | 0.123                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.238             | 0.119                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.231             | 0.116                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.225             | 0.113                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.218             | 0.109                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.211             | 0.106                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.204             | 0.102                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.197             | 0.099                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.191             | 0.096                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.184             | 0.092                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.177             | 0.089                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.170             | 0.085                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.163             | 0.082                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.157             | 0.079                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.150             | 0.075                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.143             | 0.072                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.136             | 0.068                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.129             | 0.065                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.123             | 0.062                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.116             | 0.058                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.109             | 0.055                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.102             | 0.051                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.097             | 0.049                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.194             |                      |

## 園芸施設共済 危険段階別共済掛金率表

94 / 96

プラスチックハウスⅠ類（木竹）：内作事故除外、被覆、100万円 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 0.448             | 0.224                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.342             | 0.171                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.336             | 0.168                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.329             | 0.165                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.323             | 0.162                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.316             | 0.158                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.310             | 0.155                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.303             | 0.152                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.297             | 0.149                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.290             | 0.145                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.284             | 0.142                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.278             | 0.139                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.271             | 0.136                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.265             | 0.133                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.258             | 0.129                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.252             | 0.126                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.245             | 0.123                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.239             | 0.120                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.232             | 0.116                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.226             | 0.113                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.219             | 0.110                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.213             | 0.107                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.207             | 0.104                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.200             | 0.100                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.194             | 0.097                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.187             | 0.094                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.181             | 0.091                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.174             | 0.087                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.168             | 0.084                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.161             | 0.081                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.155             | 0.078                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.148             | 0.074                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.142             | 0.071                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.136             | 0.068                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.129             | 0.065                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.123             | 0.062                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.116             | 0.058                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.110             | 0.055                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.103             | 0.052                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.097             | 0.049                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.092             | 0.046                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.184             |                      |

## 園芸施設共済 危険段階別共済掛金率表

95 / 96

プラスチックハウスⅠ類（木竹）：内作事故除外、被覆、1万円特約

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.268             | 0.634                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.969             | 0.485                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.950             | 0.475                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.932             | 0.466                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.914             | 0.457                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.895             | 0.448                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.877             | 0.439                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.859             | 0.430                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.841             | 0.421                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.822             | 0.411                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.804             | 0.402                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.786             | 0.393                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.768             | 0.384                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.749             | 0.375                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.731             | 0.366                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.713             | 0.357                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.694             | 0.347                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.676             | 0.338                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.658             | 0.329                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.640             | 0.320                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.621             | 0.311                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.603             | 0.302                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.585             | 0.293                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.567             | 0.284                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.548             | 0.274                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.530             | 0.265                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.512             | 0.256                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.493             | 0.247                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.475             | 0.238                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.457             | 0.229                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.439             | 0.220                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.420             | 0.210                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.402             | 0.201                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.384             | 0.192                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.366             | 0.183                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.347             | 0.174                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.329             | 0.165                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.311             | 0.156                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.292             | 0.146                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.274             | 0.137                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.260             | 0.130                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.521             |                      |

## 園芸施設共済 危険段階別共済掛金率表

96 / 96

プラスチックハウスⅠ類（木竹）：内作事故除外、被覆、1万円特約 ※補強園芸施設無・集団加入有

| 危険段階<br>区分 | 平均損害率（＊）の範囲       | 危険指数      |         | 危険段階別<br>共済掛金率(%) | 左のうち組合員等<br>負担掛金率(%) |
|------------|-------------------|-----------|---------|-------------------|----------------------|
|            |                   | 圧縮前       | 圧縮後     |                   |                      |
| 20         | 197.5 ≧ ＊ <       | 221.59687 | 4.86829 | 1.205             | 0.603                |
| 19         | 192.5 ≧ ＊ < 197.5 | 156.00000 | 3.71801 | 0.920             | 0.460                |
| 18         | 187.5 ≧ ＊ < 192.5 | 152.00000 | 3.64787 | 0.903             | 0.452                |
| 17         | 182.5 ≧ ＊ < 187.5 | 148.00000 | 3.57773 | 0.885             | 0.443                |
| 16         | 177.5 ≧ ＊ < 182.5 | 144.00000 | 3.50759 | 0.868             | 0.434                |
| 15         | 172.5 ≧ ＊ < 177.5 | 140.00000 | 3.43744 | 0.851             | 0.426                |
| 14         | 167.5 ≧ ＊ < 172.5 | 136.00000 | 3.36730 | 0.833             | 0.417                |
| 13         | 162.5 ≧ ＊ < 167.5 | 132.00000 | 3.29716 | 0.816             | 0.408                |
| 12         | 157.5 ≧ ＊ < 162.5 | 128.00000 | 3.22702 | 0.799             | 0.400                |
| 11         | 152.5 ≧ ＊ < 157.5 | 124.00000 | 3.15687 | 0.781             | 0.391                |
| 10         | 147.5 ≧ ＊ < 152.5 | 120.00000 | 3.08673 | 0.764             | 0.382                |
| 09         | 142.5 ≧ ＊ < 147.5 | 116.00000 | 3.01659 | 0.747             | 0.374                |
| 08         | 137.5 ≧ ＊ < 142.5 | 112.00000 | 2.94645 | 0.729             | 0.365                |
| 07         | 132.5 ≧ ＊ < 137.5 | 108.00000 | 2.87631 | 0.712             | 0.356                |
| 06         | 127.5 ≧ ＊ < 132.5 | 104.00000 | 2.80616 | 0.695             | 0.348                |
| 05         | 122.5 ≧ ＊ < 127.5 | 100.00000 | 2.73602 | 0.677             | 0.339                |
| 04         | 117.5 ≧ ＊ < 122.5 | 96.00000  | 2.66588 | 0.660             | 0.330                |
| 03         | 112.5 ≧ ＊ < 117.5 | 92.00000  | 2.59574 | 0.642             | 0.321                |
| 02         | 107.5 ≧ ＊ < 112.5 | 88.00000  | 2.52559 | 0.625             | 0.313                |
| 01         | 102.5 ≧ ＊ < 107.5 | 84.00000  | 2.45545 | 0.608             | 0.304                |
| 00         | 97.5 ≧ ＊ < 102.5  | 80.00000  | 2.38531 | 0.590             | 0.295                |
| -01        | 92.5 ≧ ＊ < 97.5   | 76.00000  | 2.31517 | 0.573             | 0.287                |
| -02        | 87.5 ≧ ＊ < 92.5   | 72.00000  | 2.24502 | 0.556             | 0.278                |
| -03        | 82.5 ≧ ＊ < 87.5   | 68.00000  | 2.17488 | 0.538             | 0.269                |
| -04        | 77.5 ≧ ＊ < 82.5   | 64.00000  | 2.10474 | 0.521             | 0.261                |
| -05        | 72.5 ≧ ＊ < 77.5   | 60.00000  | 2.03460 | 0.504             | 0.252                |
| -06        | 67.5 ≧ ＊ < 72.5   | 56.00000  | 1.96446 | 0.486             | 0.243                |
| -07        | 62.5 ≧ ＊ < 67.5   | 52.00000  | 1.89431 | 0.469             | 0.235                |
| -08        | 57.5 ≧ ＊ < 62.5   | 48.00000  | 1.82417 | 0.451             | 0.226                |
| -09        | 52.5 ≧ ＊ < 57.5   | 44.00000  | 1.75403 | 0.434             | 0.217                |
| -10        | 47.5 ≧ ＊ < 52.5   | 40.00000  | 1.68389 | 0.417             | 0.209                |
| -11        | 42.5 ≧ ＊ < 47.5   | 36.00000  | 1.61374 | 0.399             | 0.200                |
| -12        | 37.5 ≧ ＊ < 42.5   | 32.00000  | 1.54360 | 0.382             | 0.191                |
| -13        | 32.5 ≧ ＊ < 37.5   | 28.00000  | 1.47346 | 0.365             | 0.183                |
| -14        | 27.5 ≧ ＊ < 32.5   | 24.00000  | 1.40332 | 0.347             | 0.174                |
| -15        | 22.5 ≧ ＊ < 27.5   | 20.00000  | 1.33318 | 0.330             | 0.165                |
| -16        | 17.5 ≧ ＊ < 22.5   | 16.00000  | 1.26303 | 0.313             | 0.157                |
| -17        | 12.5 ≧ ＊ < 17.5   | 12.00000  | 1.19289 | 0.295             | 0.148                |
| -18        | 7.5 ≧ ＊ < 12.5    | 8.00000   | 1.12275 | 0.278             | 0.139                |
| -19        | 2.5 ≧ ＊ < 7.5     | 4.00000   | 1.05261 | 0.261             | 0.131                |
| -20        | 0 ≧ ＊ < 2.5       | 1.00000   | 1.00000 | 0.247             | 0.124                |
|            |                   | 平均値       |         | 共済掛金標準率           |                      |
|            |                   | 58.02698  | 2.00000 | 0.495             |                      |